

- cipe, São Tomé et Annobon (1956), No. 16. Crustacés: Décapodes: Brachyures. Annales de l'Institut Océanographique, Monaco, 44:23–124.
- Forest, J., and M. de Saint Laurent. 1967. Résultats scientifiques des campagnes de la *Calypso*, fascicule 8. Campagne au large de côtes Atlantiques de l'Amérique du Sud (1961–1962). I. No. 6. Crustacés, Décapodes: Pagurides. Annales de l'Institut Océanographique, Monaco, new series, 45(2):47–172, 1 plate.
- Forward, R. B., Jr. 1976. A shadow response in a larval crustacean. Biological Bulletin, 151(1):126–140.
- Foskett, J. K. 1977. Osmoregulation in the larvae and adults of the grapsid crab *Sesarma reticulatum* Say. Biological Bulletin, 153(3):505–526.
- Fotheringham, N. 1975. Structure of seasonal migrations of the littoral hermit crab *Clibanarius vittatus* (Bosc). Journal of Experimental Marine Biology and Ecology, 18(1):47–53. 1976. Population consequences of shell utilization by hermit crabs. Ecology, 57(3):570–578. 1976a. Effects of shell stress on the growth of hermit crabs. Journal of Experimental Marine Biology and Ecology, 23(3):299–305. 1976b. Hermit crab shells as a limiting resource (Decapoda, Paguridea). Crustaceana, 31(2):193–199.
- Fowler, H. W. 1912. The Crustacea of New Jersey. Annual Report of the New Jersey State Museum, part 2:29–650, plates 1–150. 1951. The masked crab, *Ethusa microphthalmus* S. I. Smith, from off New Jersey. The Fish Culturist, 31(1):1.
- Fraenkel, G. 1960. Lethal high temperatures for three marine invertebrates: *Limulus polyphemus*, *Littorina littorea* and *Pagurus longicarpus*. Oikos, 11(2):171–182.
- Frankenberg, D., and A. S. Leiper. 1977. Seasonal cycles in benthic communities of the Georgia continental shelf. Pages 383–397 in Bruce C. Coull (ed.), Ecology of marine benthos, Belle W. Baruch Library in Marine Science 6, University of South Carolina Press, Columbia, xx + 467 pages.
- Frankenberg, D., S. L. Coles, and R. E. Johannes. 1967. The potential trophic significance of *Callianassa major* fecal pellets. Limnology and Oceanography, 12(1):113–120.
- Franks, J. S., J. Y. Christmas, W. L. Siler, R. Combs, R. Waller, and C. Burns. 1972. A study of nektonic and benthic faunas of the shallow Gulf of Mexico off the state of Mississippi as related to some physical, chemical and geological factors. Gulf Research Reports, 4(1):iv, 1–148.
- Fréchette, J., G. W. Corriveau, and R. Couture. 1970. Hermaphroditisme protéandrique chez une crevette de la famille des Crangonides, *Argis dentata* Rathbun. Naturaliste Canadien, 97(6): 805–822.
- Frey, R. W., and T. V. Mayou. 1970. Decapod burrows in Holocene barrier island beaches, Georgia. Abstracts with Programs, Geological Society of America, 2(7):554. 1971. Decapod burrows in Holocene barrier island beaches and washover fans, Georgia. Senckenbergiana Maritima, 3: 53–77.
- Foglia, C. 1972. Segnalazione di alcuni crostacei nuovi o rari per l'Adriatico. Quaderni del Laboratorio di Tecnologia della Pesca, Ancona, Anno 3, 1(3):43–52.
- Frost, N. 1936. II. Decapod larvae from Newfoundland waters. Newfoundland Department of Natural Resources, Division of Fishery Research. Reports: Faunistic Series No. 1. Research Bulletin, 3:11–24.
- Fusaro, C. 1978. Growth rate of the sand crab, *Emerita analoga*, (Hippidae) in two different environments. Fishery Bulletin, 76(2):369–375.
- Fuss, C. M., Jr. 1964. Observations on burrowing behavior of the pink shrimp, *Penaeus duorarum* Burkenroad. Bulletin of Marine Science of the Gulf and Caribbean, 14(1):62–73.
- Fuss, C. M., Jr., and L. H. Ogren. 1966. Factors affecting activity and burrowing habits of the pink shrimp, *Penaeus duorarum* Burkenroad. Biological Bulletin, 130(2):170–191.
- Futch, C. R. 1966. The stone crab in Florida. Florida Board of Conservation Marine Laboratory, Salt Water Fisheries Leaflet, 2, 6 pages.
- Gadzhiev, D. V. 1963. Dutch crab in the Caspian Sea. (Gollandskii krab v Kaspiiskom more.) Priroda, 10:126. (In Russian.)
- Garth, J. S. 1946. Littoral brachyuran fauna of the Galapagos Archipelago. Allan Hancock Pacific Expeditions, 5(10):i-w, 341–601, plates 49–87. 1952. "Tyche potiguara," a new species of decapod crustacean from Brazil (Maiidae, Ophthalmiminae). Revista Brasileira de Biologia, 12(1):45–48. 1958. Brachyura of the Pacific coast of America, Oxyrhyncha. Allan Hancock Pacific Expeditions, 21(1):i-xii, 1–499.
1961. Eastern Pacific Expeditions of the New York Zoological Society. XLV. Non-intertidal brachygnathous crabs from the west coast of tropical America. Part 2. Brachygnatha Brachyrhyncha. Zoologica, part 3, 46(13):133–160, 1 plate.

1965. The brachyuran decapod crustaceans of Clipperton Island. Proceedings of the California Academy of Sciences, 33(1):1–45.
- Geer, C. de.
1778. Mémoires pour servir à l'histoire des insectes, Stockholm, 1752–1778, [8 vols.], 7:i-xii, 1–950, plates 1–49.
- George, C. J., and V. Athanassiu.
1965. The occurrence of the American blue crab, *Callinectes sapidus* Rathbun, in the coastal waters of Lebanon. Doriana, 4(160):1–3.
- Gerstaecker, A.
1856. Carcinologische Beiträge. Archiv für Naturgeschichte, 22(1):101–162, plates 4–6.
- Getty, T., and B. A. Hazlett.
1978. Decoration behavior in *Microphrys bicornutus* (Latreille, 1825) (Decapoda, Brachyura). Crustaceana, 34(1):105–108.
- Gibbes, L. R.
1850. On the carcinological collections of the United States. Proceedings of the American Association for the Advancement of Science, 3:167–201.
- Gifford, C. A.
1962. Some aspects of osmotic and ionic regulation in the blue crab, *Callinectes sapidus*, and the ghost crab, *Ocypode albicans*. Publications of the Institute of Marine Science, Texas, 8:97–125.
- Gill, T.
1898. The crustacean genus *Scyllarides*. Science (new series), 7(160):98–99.
- Glaessner, M. F.
1960. The fossil decapod Crustacea of New Zealand and the evolution of the order Decapoda. New Zealand Department of Scientific and Industrial Research, New Zealand Geological Survey, Paleontological Bulletin, 31:5–79.
1969. Decapoda. In Raymond C. Moore (ed.), Treatise on invertebrate paleontology, part R, Arthropoda 4, 2: R399-R533, R626-R628, University of Kansas and Geological Society of America, Inc.
- Glassell, S. A.
1937. *Pinnixa lunzi* a new commensal crab from South Carolina. The Charleston Museum Leaflet, 9:3–8.
- Glude, J. B.
1955. The effects of temperature and predators on the abundance of the soft-shell clam, *Mya arenaria* in New England. Transactions of the American Fisheries Society, 84:13–26.
- Gmitter, T. E., and R. M. Wotton.
1953. Crabs from the island of St. Thomas. Proceedings of the Pennsylvania Academy of Science, 27:261–272.
- Goeke, G. D.
1980. Range extensions of six western Atlantic frog crabs (Brachyura: Gymnopleura: Raninidae) with notes on the taxonomic status of *Lyreidus bairdii*. Proceedings of the Biological Society of Washington, 93(1):145–152.
1981. Symethinae, new subfamily, and *Symethis garthi*, new species, and the transfer of *Raninoides ecuadorensis* to *Notosceles* (Raninidae: Brachyura: Gymnopleura). Proceedings of the Biological Society of Washington, 93(4):971–981.
- Goeke, G. D., and J. K. Shaw.
1980. On the occurrence of *Sphenocarcinus corrosus* Milne-Edwards (Brachyura: Majidae) in the Gulf of Mexico. Northeast Gulf Science, 4(1):64–67.
- Gomes Corrêa, M. M.
1968. Sobre as espécies de "Upogebia" Leach do litoral Brasileiro, com descrição de uma espécie nova (Decapoda, Callianassidae). Revista Brasileira de Biologia, 28(2):97–109.
1970. Crustáceos braquiúros Brasileiros da família Raninidae (Decapoda-Brachyura). Boletim do Museu Nacional, Rio de Janeiro (Zoology), 267:1–21, 7 plates.
- Gooch, J. L.
1977. Allozyme genetics of life cycle stages of brachyurans. Chesapeake Science, 18(3):284–289.
- Gordan, J.
1956. A bibliography of pagurid crabs, exclusive of Alcock, 1905. Bulletin of the American Museum of Natural History, 108(3):256–352.
- Gordon, I.
1938. A comparison of the two genera *Albunea* and *Lepidopa* (Crustacea, Anomura) with description of a new species from Singapore. Bulletin of the Raffles Museum, Singapore, 14:186–197, 1 plate.
1950. Crustacea Dromiacea. Part I. Systematic account of the Dromiacea collected by the "John Murray" Expedition. Part II. The morphology of the spermatheca in certain Dromiacea. The John Murray Expedition, 1933–34, Scientific Reports 9, Zoology and Botany, pages 201–253, 1 plate.
1963. On the relationship of Dromiacea, Tymolinae and Raninidae to the Brachyura. Pages 51–57 in H. B. Whittington and W. D. I. Rolfe (eds.), Phylogeny and evolution of Crustacea. Museum of Comparative Zoology, Special Publication, xii + 192 pages, Cambridge, Mass.
- Gore, R. H.
1968. The larval development of the commensal crab *Polyonyx gibbesi* Haig, 1956 (Crustacea: Decapoda). Biological Bulletin, 135(1):111–129.
1970. *Pachycheles cristobalensis*, sp. nov., with notes on the porcellanid crabs of the southwestern Caribbean. Bulletin of Marine Science, 20(4):957–970.
1971. The complete larval development of *Porcellana sigsbeiana* (Crustacea: Decapoda) under laboratory conditions. Marine Biology, 11(4):344–355.
1973. Studies on decapod Crustacea from the Indian River of Florida. II. *Megalobrachium soriatum* (Say, 1818): the larval development under labora-

- tory culture (Crustacea: Decapoda: Porcellanidae). Bulletin of Marine Science, 23(4):837–856.
1974. On a small collection of porcellanid crabs from the Caribbean Sea (Crustacea, Decapoda, Anomura). Bulletin of Marine Science, 24(3):700–721.
- 1977a. Studies on decapod Crustacea from the Indian River region of Florida. VI. The identity of *Parthenope (Platylambrus) serrata* (H. Milne Edwards, 1834) and *Parthenope (Platylambrus) granulata* (Kingsley, 1879). Proceedings of the Biological Society of Washington, 90(3):505–531.
- 1977b. Studies on decapod Crustacea from the Indian River region of Florida. VII. A field character for rapid identification of the swimming crabs *Callinectes ornatus* Ordway, 1863 and *C. similis* Williams, 1966 (Brachyura: Portunidae). Northeast Gulf Science, 1(2):119–123, 1 colored plate.
1979. Larval development of *Galathea rostrata* under laboratory conditions, with a discussion of larval development in the Galatheidae (Crustacea Anomura). Fishery Bulletin, 76(4):781–806.
- Gore, R. H., and L. G. Abele.
1976. Shallow water porcelain crabs from the Pacific coast of Panama and adjacent Caribbean waters (Crustacea: Anomura: Porcellanidae). Smithsonian Contributions to Zoology, 237, 30 pages.
- Gore, R. H., and L. E. Scotto.
1979. Crabs of the family Parthenopidae (Crustacea Brachyura: Oxyrhyncha) with notes on specimens from the Indian River region of Florida. Memoirs of the Hourglass Cruises, 3(6):1–98.
- Gore, R. H., and K. A. Wilson.
1978. Studies on decapod Crustacea from the Indian River region of Florida, X. A first continental record for *Discis atlanticus* Gurney, 1939 (Cardiida, Disciadidae). Crustaceana, 35(1):109–111.
- Gore, R. H., L. E. Scotto, and L. J. Becker.
1976. Crustacean community stability on sabellariiid worm reefs in Florida. American Zoologist, 16(2):286.
1978. Community composition, stability, and trophic-partitioning in decapod crustaceans inhabiting some subtropical sabellariiid worm reefs. Bulletin of Marine Science, 28(2):221–248.
- Gosner, K. L.
1971. Guide to identification of marine and estuarine invertebrates, Cape Hatteras to the Bay of Fundy. Wiley-Interscience, New York, xxix + 693 pages.
- Gould, A. A.
1841. Report on the invertebrata of Massachusetts, comprising the Mollusca, Crustacea, Annelida, and Radiata. Folsom, Wells, and Thurston, Cambridge, xiii + 373 pages.
- Gowanloch, J. N.
1952. The Louisiana crab fishery. Louisiana Conservationist, 4(9–10):6–9.
- Goy, J. W., and A. J. Provenzano, Jr.
1978. Larval development of the rare burrowing mud shrimp *Naushonia crangonoides* Kingsley (Decapoda: Thalassinidea; Laomediidae). Biological Bulletin, 154(2):241–261.
1979. Juvenile morphology of the rare burrowing mud shrimp *Naushonia crangonoides* Kingsley, with a review of the genus *Naushonia* (Decapoda: Thalassinidea: Laomediidae). Proceedings of the Biological Society of Washington, 92(2):339–359.
- Grant, J., and J. McDonald.
1979. Desiccation tolerance of *Eurypanopeus depressus* (Smith) (Decapoda: Xanthidae) and the exploitation of microhabitat. Estuaries, 2(3):172–177.
- Grant, W. C., Jr.
1963. Notes on the ecology and behavior of the hermit crab, *Pagurus acadianus*. Ecology, 44(4):767–771.
- Gray, E. H.
1942. Ecological and life history aspects of the red-jointed fiddler crab, *Uca minax* (Le Conte), region of Solomons Island, Maryland. Board of Natural Resources, State of Maryland, Department of Research and Education, Chesapeake Biological Laboratory Publication, 51:3–20.
- Gray, I. E.
1957. A comparative study of the gill area of crabs. Biological Bulletin, 112(1):34–42.
1961. Changes in abundance of the commensal crabs of *Chaetopterus*. Biological Bulletin, 120(3):353–359.
- Gray, I. E., L. R. McCloskey, and S. C. Weihe.
1968. The commensal crab *Dissodactylus mellitae* and its reaction to sand dollar host-factor. Journal of the Elisha Mitchell Scientific Society, 84(4):472–481.
- Green, J. W., M. Harsch, L. Barr, and C. L. Prosser.
1959. The regulation of water and salt by the fiddler crabs, *Uca pugnax* and *Uca pugilator*. Biological Bulletin, 116(1):76–87.
- Gregory, D. R., Jr.
1979. Reproductive dynamics of the spiny lobster, *Panulirus argus* (Latreille), in south Florida. Seagrant '70s, 9(12):14–15.
- Greve, L.
1963. The genera *Spirontocaris*, *Lebbeus*, *Eualus* and *Thoralus* in Norwegian waters (Crust. Dec.). Sarsia, 11:29–42.
- Grieg, J. A.
1927. Decapoda Crustacea from the west coast of Norway and the North Atlantic. Bergens Museums Aarbok 1926, 2(7):1–53.
- Grizzle, R. E.
1974. The estuarine decapod crustaceans in Brevard County, Florida. Florida Scientist, 37(3):129–141.
- Gruffydd, LL. D., R. A. Rieser, and D. Machin.
1975. A comparison of growth and temperature tolerance in the larvae of the lobsters *Homarus*

- gammaurus* (L.) and *Homarus americanus* H. Milne Edwards (Decapoda, Nephropidae). *Crustaceana*, 28(1):23–32.
- Guérin-Méneville, M. F.-E.
1853. III. Mélanges et Nouvelles. *Revue et Magasin de Zoologie Pure et Appliquée*, series 2, 5:45–48.
- Guinot, D.
1964. Les trois espèces du genre *Domecia* (Decapoda, Brachyura); *D. hispida* Eydoux & Souleyet, *D. glabra* Alcock et *D. acanthophora* (Desbonne & Schramm). *Crustaceana*, 7(4):267–283.
- 1964a. Sur une collection de Crustacés Décapodes Brachyoures de mer Rouge et de Somalie. Remarques sur les genres *Calappa* Weber, *Menæthiops* Alcock, *Tyche* Bell, *Ophthalmais* Rathbun et *Stilognathus* von Martens. *Bulletino del Museo Civico di Storia Naturale di Venezia*, 15(for 1962):7–63, 4 plates.
1966. Recherches préliminaires sur les groupements naturels chez les Crustacés Décapodes Brachyoures. I. Les affinités des genres *Aethra*, *Oscarella*, *Hepatus*, *Hepatella* et *Actaeomorpha*. *Bulletin du Muséum National d'Histoire Naturelle*, Paris, series 2, 38(5):744–762.
1967. Recherches préliminaires sur les groupements naturels chez les Crustacés Décapodes Brachyoures. I. Les affinités des genres *Aethra*, *Oscarella*, *Hepatus*, *Hepatella* et *Actaeomorpha* (suite et fin). *Bulletin du Muséum National d'Histoire Naturelle*, Paris, series 2, 38(6)(1966):828–845.
- 1967a. Recherches préliminaires sur les groupements naturels chez les Crustacés Décapodes Brachyoures. II. Les anciens genres *Micropanope* Stimpson et *Medaeus* Dana. *Bulletin du Muséum d'Histoire Naturelle*, Paris, series 2, 39(2):345–374.
- 1967b. Recherches préliminaires sur les groupements naturels chez les Crustacés Décapodes Brachyoures. III. A propos des affinités des genres *Dairoides* et *Daira* de Haan. *Bulletin du Muséum National d'Histoire Naturelle*, Paris, series 2, 39(3):540–563.
1968. Recherches préliminaires sur les groupements naturels chez les Crustacés Décapodes Brachyoures. IV. Observations sur quelques genres de Xanthidae. *Bulletin du Muséum National d'Histoire Naturelle*, Paris, series 2, 39(4) (1967):695–727.
1969. Sur divers Xanthidae notamment sur *Actaea* de Haan et *Paractaea* gen. nov. (Crustacea Decapoda Brachyura). *Cahiers du Pacifique*, 3:223–267.
- 1969a. Recherches préliminaires sur les groupements naturels chez les Crustacés Décapodes Brachyoures. VII. Les Gonoplacidae. *Bulletin du Muséum National d'Histoire Naturelle*, Paris, series 2, 41(1):241–265.
- 1969b. Recherches préliminaires sur les groupements naturels chez les Crustacés Décapodes Brachyoures. VII. Les Gonoplacidae (suite). *Bulletin du Muséum National d'Histoire Naturelle*, Paris, series 2, 41(2):507–528.
- 1969c. Recherches préliminaires sur les groupements naturels chez les Crustacés Décapodes Brachyoures. VII. Les Gonoplacidae (suite et fin). *Bulletin du Muséum National d'Histoire Naturelle*, series 2, 41(3):688–724.
1971. Recherches préliminaires sur les groupements naturels chez les Crustacés Décapodes des Brachyoures. VIII. Synthèse et Bibliographie. *Bulletin du Muséum National d'Histoire Naturelle*, Paris, series 2, 42(5) (1970):1063–1090.
1978. Principes d'une classification évolutive des Crustacés Décapodes Brachyoures. *Bulletin Biologique de la France et de la Belgique*, new series, 112(3):211–292.
1979. Morphologie et phylogénie des Brachyoures. *Mémoires du Muséum National d'Histoire Naturelle*, new series, series A, Zoologie, 112:1–354, 27 plates.
- Guinot-Dumortier, D.
1959. Sur une collection de Crustacés (Decapoda Reptantia) de Guyane Française. I. Brachyura (Oxyrhyncha exclus). *Bulletin du Muséum National d'Histoire Naturelle*, Paris, series 2, 31(5):423–434.
1960. Sur une collection de Crustacés (Decapoda Reptantia) de Guyane Française. I. Brachyura (Oxyrhyncha exclus) (suite). *Bulletin du Muséum National d'Histoire Naturelle*, Paris, series 2, 31(6)(1959):510–515.
- Guinot-Dumortier, D., and B. Dumortier.
1960. La stridulation chez les crabes. *Crustaceana*, 1(2):117–155.
- Guise, W. V.
1854. XXVII. Upon a new species of "Alpheus" discovered upon the coast of "Herm" (Channel Islands). *The Annals and Magazine of Natural History*, series 2, 14(82):275–280.
- Gulland, J. A.
1970. The fish resources of the ocean. FAO Fisheries Technical Paper, 97, ii + 425 pages.
- Gunter, G.
1937. Observations on the river shrimp, *Macrobrachium ohionis* (Smith). *American Midland Naturalist*, 18(6):1038–1042.
1950. Seasonal population changes and distributions as related to salinity, of certain invertebrates of the Texas Coast, including the commercial shrimp. *Publications of the Institute of Marine Science, Texas*, 1(2):7–51.
1956. Principles of shrimp fishery management. *Proceedings of the Gulf and Caribbean Fisheries Institute*, 8th Annual Session, Nov. 1955, pages 99–106.
1961. Habitat of juvenile shrimp (Family Penaeidae). *Ecology*, 42(3):598–599.
- 1962a. Specific names of the Atlantic American white shrimp (Family Penaeidae). *Gulf Research Reports*, 1(3):107–114.
- 1962b. Reply to Dr. L. B. Holthuis on the names of

- white shrimp. *Gulf Research Reports*, 1(3):118–121.
- Gunter, G., and H. H. Hildebrand.  
1954. The relation of total rainfall of the state and catch of the marine shrimp (*Penaeus setiferus*) in Texas waters. *Bulletin of Marine Science of the Gulf and the Caribbean*, 4(4):95–103.
- Gunter, G., J. Y. Christmas, and R. Killebrew.  
1964. Some relations of salinity to population distributions of motile estuarine organisms, with special reference to penaeid shrimp. *Ecology*, 54(1):181–185.
- Gurney, R.  
1936a. Notes on some decapod crustaceans of Bermuda. I. The larvae of *Leptocheila* and *Latreutes*. *Proceedings of the Zoological Society of London for 1935*:785–793, 6 plates.
- 1936b. Notes on some decapod Crustacea of Bermuda. II. The species of *Hippolyte* and their larvae. *Proceedings of the Zoological Society of London*, 106(1936):25–32, 5 plates.
- 1936c. Larvae of decapod Crustacea. Part I. Stenopidea. Part II. Amphionidae. Part III. Phyllosoma. *Discovery Reports*, 12:377–440.
- 1936d. Notes on some decapod Crustacea of Bermuda. III. The larvae of the Palaemonidae. (*Anchistiooides*, *Periclimenes*, *Mesocaris*). IV. A description of *Processa bermudensis*, Rankin, and its larva. V. The first zoea of *Heteractaea ceratopus* (Stimpson). *Proceedings of the Zoological Society of London for 1936*:619–630,
1939. A late larval stage of the sargassum prawn, *Leander tenuicornis* (Say), and a note on the statocyst of the adult. *Annals and Magazine of Natural History*, series 11, 3:120–126.
- 1939a. A new species of the decapod genus *Discias* Rathbun from Bermuda. *Annals and Magazine of Natural History*, series 11, 3:388–393.
1942. Larvae of decapod Crustacea. Ray Society, London, viii + 306 pages.
- 1943a. Notes on *Periclimenes americanus* and the growth of the cheliped in this and other palaemonid prawns. *Annals and Magazine of Natural History*, series 11, 10(67):495–504.
- 1943b. The larval development of two penaeid prawns from Bermuda of the genus *Sicyonia* and *Penaeopsis*. *Proceedings of the Zoological Society of London*, series B, 113(1):1–16.
- Gurney, R., and M. V. Lebour.  
1941. On the larvae of certain Crustacea Macrura, mainly from Bermuda. *Journal of the Linnaean Society of London, Zoology*, 41(277):89–181.
- Gutsell, J. S.  
1928. The spider crab, *Libinia dubia*, and the jellyfish, *Stomolophus meleagris*, found associated at Beaufort, North Carolina. *Ecology*, 9(3):358–359.
- Haburay, K.  
1975. *Plagusia depressa* from the northeastern Gulf of Mexico. *Florida Scientist*, 38(1):28–30.
- Haefner, P. A., Jr.  
1961. A blue crab. *Estuarine Bulletin*, University of Delaware, 6(3–4):3–5.
1976. Distribution, reproduction and moulting of the rock crab, *Cancer irroratus* Say, 1917, in the mid-Atlantic Bight. *Journal of Natural History*, 10:377–397.
1977. Aspects of the biology of the Jonah crab, *Cancer borealis* Stimpson, 1859 in the mid-Atlantic Bight. *Journal of Natural History*, 11:303–320.
- 1977a. Reproductive biology of the female deep-sea red crab, *Geryon quinquedens*, from the Chesapeake Bight. *Fishery Bulletin*, 75(1):91–102.
1979. Comparative review of the biology of North Atlantic caridean shrimps (*Crangon*), with emphasis on *C. septemspinosa*. *Bulletin of the Biological Society of Washington*, 3:1–40.
- Haefner, P. A., Jr., and W. A. Van Engel.  
1975. Aspects of molting, growth and survival of male rock crabs, *Cancer irroratus*, in Chesapeake Bay. *Chesapeake Science*, 16(4):253–265.
- Hagen, H.-O. von.  
1976. Review. Jocelyn Crane, Fiddler crabs of the world. *Ocypodidae: genus Uca*. *Crustaceana*, 31(2):221–224.
1980. A key to the “X-species” of North American fiddler crabs (Genus *Uca*). *Zoologische Mededelingen*, 55(8):87–96.
- Haig, J.  
1956. The Galatheidae (Crustacea Anomura) of the Allan Hancock Expedition with a review of the Porcellanidae of the Western Atlantic. *Allan Hancock Atlantic Expedition, Report 8*, 44 pages, 1 plate.
1960. The Porcellanidae (Crustacea Anomura) of the eastern Pacific. *Allan Hancock Pacific Expeditions*, 24, vii + 440 pages, 41 plates.
1978. Contribution toward a revision of the porcellanid genus *Porcellana* (Crustacea: Decapoda: Anomura). *Proceedings of the Biological Society of Washington*, 91(3):706–714.
- Haley, S. R.  
1969. Relative growth and sexual maturity of the Texas ghost crab, *Ocypode quadrata* (Fabr.) (Brachyura, Ocypodidae). *Crustaceana*, 17(3):285–297.
1972. Reproductive cycling in the ghost crab, *Ocypode quadrata* (Fabr.) (Brachyura, Ocypodidae). *Crustaceana*, 23(1):1–11.
- Hall, D. N. F.  
1956. The Malayan Penaeidae (Crustacea, Decapoda). Part I. Introductory notes on the species of the genera *Solenocera*, *Penaeus*, and *Metapenaeus*. *Bulletin of the Raffles Museum, Singapore*, 27:68–90.
- Hamilton, P. V.  
1976. Predation on *Littorina irrorata* (Mollusca: Gastropoda) by *Callinectes sapidus* (Crustacea: Portunidae). *Bulletin of Marine Science*, 26(3):403–409.

- Hamilton, P. V., R. T. Nishimoto, and J. G. Halusky.  
 1976. Cheliped laterality in *Callinectes sapidus* (Crustacea: Portunidae). *Biological Bulletin*, 150(3): 393–401.
- Hansen, H. J.  
 1897. The Choniostomatidae, a family of copepoda, parasites on Crustacea Malacostraca. Andr. Fred. Høst & Sons, Copenhagen, 206 pages, 8 plates.  
 1919. The Sergestidae of the Siboga Expedition. *Siboga Monographie*, 38:1–65, 5 plates.  
 1921. Studies on Arthropoda: I. Copenhagen. 80 pages, 4 plates.  
 1922. Crustacés Décapodes (Sergestides) provenant des Campagnes des yachts *Hirondelle* et *Princesse-Alice* (1885–1915). Résultats des Campagnes Scientifiques, Monaco, fascicule 64, 232 pages, 11 plates.  
 1933. A North American species of *Acetes*. *Journal of the Washington Academy of Sciences*, 23(1):30–34.
- Hard, W. L.  
 1942. Ovarian growth and ovulation in the mature blue crab *Callinectes sapidus* Rathbun. Chesapeake Biological Laboratory, Publication 46:1–17, 3 plates.
- Harper, D. E., Jr.  
 1968. Distribution of *Lucifer faxoni* (Crustacea: Decapoda: Sergestidae) in neritic waters off the Texas coast, with a note on the occurrence of *Lucifer typus*. *Contributions in Marine Science*, 13:1–16.
- Hartnoll, R. G.  
 1960. An hermaphrodite specimen of the spider crab *Hyas coarctatus* Leach. *Crustaceana*, 1(4):326–330.  
 1963. The biology of Manx spider crabs. *Proceedings of the Zoological Society of London*, 141(3):423–496.  
 1965. The biology of spider crabs: a comparison of British and Jamaican species. *Crustaceana*, 9(1):1–16.  
 1965a. The zoeal stages of the spider crab (*Microphrys bicornutus* (Latr.). *Annals and Magazine of Natural History*, series 13, 7(76)(for 1964):241–246.  
 1966. A new entoniscid from Jamaica (Isopoda, Epi-caridea) *Crustaceana*, 1(1):45–52.  
 1967. The effect of sacculinid parasites on two Jamaican crabs. *Journal of the Linnaean Society (Zoology)*, 46(310):275–295.  
 1968. The female reproductive organs of *Lucifer* (Decapoda, Sergestidae). *Crustaceana*, 15(3):263–271.  
 1969. Mating in the Brachyura. *Crustaceana*, 16(2):161–181.  
 1970. Swimming in the dromiid crab (*Homola barbata*). *Animal Behaviour*, 18(3):588–591.  
 1974. Variation in growth pattern between some secondary sexual characters in crabs (Decapoda, Brachyura). *Crustaceana*, 27(2):131–136.
- Haseman, J. D.  
 1907. The reversal of the direction of differentiation in the chelipeds of the hermit crab. *Wilhelm Roux' Archiv für Entwicklungsmechanik der Organismen*, Leipzig, 24:663–669.
- Hay, W. P.  
 1917. Preliminary description of five new species of crustaceans from the coast of North Carolina. *Proceedings of the Biological Society of Washington*, 30:71–74.
- Hay, W. P., and C. A. Shore.  
 1918. The decapod crustaceans of Beaufort, N. C., and the surrounding region. *Bulletin of the United States Bureau of Fisheries*, 35(for 1915 and 1916):369–475, plates 25–39.
- Hayasaka, I.  
 1935. The burrowing activities of certain crabs and their geologic significance. *American Midland Naturalist*, 16(1):99–103, 2 plates.
- Hayashi, K.-I.  
 1975. The Indo-West Pacific Processidae (Crustacea, Decapoda, Caridea). *Journal of the Shimonoseki University of Fisheries*, 24(1):47–145.  
 1977. Studies on the hippolytid shrimps from Japan—IV. The genus *Spirontocaris* Bate. *Journal of the Shimonoseki University of Fisheries*, 25(3):155–186.
- Haynes, E.  
 1973. Descriptions of prezoae and Stage I zoeae of *Chionoecetes bairdi* and *C. opilio*. (Oxyrhyncha, Oregoniinae). *Fishery Bulletin*, 71(3):769–775.  
 1976. Description of zoeae of coonstripe shrimp, *Pandalus hypsinotus*, reared in the laboratory. *Fishery Bulletin*, 74(2):323–342.  
 1978a. Description of larvae of the humpy shrimp, *Pandalus goniurus*, reared in situ in Kachemak Bay, Alaska. *Fishery Bulletin*, 76(1):235–248.  
 1978b. Description of larvae of a hippolytid shrimp, *Lebbeus groenlandicus*, reared in situ in Kachemak Bay, Alaska. *Fishery Bulletin*, 76(2):457–465.  
 1979. Description of larvae of the northern shrimp, *Pandalus borealis*, reared in situ in Kachemak Bay, Alaska. *Fishery Bulletin*, 77(1):157–173.
- Haynes, E. B., and R. L. Wigley.  
 1969. Biology of the northern shrimp, *Pandalus borealis*, in the Gulf of Maine. *Transactions of the American Fisheries Society*, 98(1):60–76.
- Hazel, J. E.  
 1970. Atlantic continental shelf and slope of the United States—Ostracode zoogeography in the southern Nova Scotian and northern Virginian faunal provinces. *Geological Survey Professional Paper* 529-E, pages i-v, E1-E21, 69 plates.
- Hazlett, B. A.  
 1966a. The behavior of some deep-water hermit crabs (Decapoda: Paguridea) from the Straits of Florida. *Bulletin of Marine Science*, 16(1):76–92.  
 1966b. Social behaviour of the Paguridae and Diogenidae of Curaçao. *Studies on the Fauna of Cur-*

- açao and other Cariben Islands, Vol. 23, No. 88. In Uitgaven van de Natuurwetenschappelijke Studiekring voor Suriname en de Nederlandse Antillen, 45:1–143.
- 1968a. Size relationships and aggressive behaviour in the hermit crab *Clibanarius vittatus*. Zeitschrift für Tierpsychologie, 25(5):608–614.
- 1968b. Stimuli involved in the feeding behaviour of the hermit crab *Clibanarius vittatus* (Decapoda, Paguridea). Crustaceana, 15(3):305–311.
1972. Ritualization in marine Crustacea. Pages 60–96 in H. E. Winn and B. L. Olla (eds.), Behavior of marine animals, current perspectives in research. Volume I. Invertebrates. Plenum Press, New York, London, xxix + 244 pages.
- 1972a. Responses to agonistic postures by the spider crab *Microphrys bicornutus*. Marine Behaviour and Physiology, 1(1):85–92.
- 1972b. Stereotypy of agonistic movements in the spider crab *Microphrys bicornutus*. Behaviour, 42(3–4):270–278.
- Hazlett, B. A., and A. J. Provenzano, Jr.
1965. Development of behavior in laboratory reared hermit crabs. Bulletin of Marine Science, 15(3):616–633.
- Hazlett, B. A., and D. Rittschof.
1975. Daily movements and home range in *Mithrax spinosissimus* (Majidae, Decapoda). Marine Behaviour and Physiology, 3(2):101–118.
- Hazlett, B. A., and G. F. Estabrook.
1974. Examination of agonistic behavior by character analysis. I. The spider crab *Microphrys bicornutus*. Behaviour, 48(1):131–144.
- Hazlett, B. A., and H. E. Winn.
1962. Sound production and associated behavior of Bermuda crustaceans (*Panulirus*, *Gonodactylus*, *Alpheus*, and *Synalpheus*). Crustaceana, 4(1):25–38, 1 plate.
- Heard, R. W.
1970. Parasites of the clapper rail, *Rallus longirostris* Boddaert. Some trematodes and cestodes from *Spartina* marshes of the eastern United States. Proceedings of the Helminthological Society of Washington, 37(2):147–153.
1975. Feeding habits of white catfish from a Georgia estuary. Florida Scientist, 38(1):20–28.
1977. Review: Joycelyn Crane, Fiddler crabs of the world. Ocypodidae: Genus *Uca*. Northeast Gulf Science, 1(1): 52–53.
1982. Guide to common tidal marsh invertebrates of the northeastern Gulf of Mexico. Mississippi-Alabama Sea Grant Consortium, MASGP-79-004, 82 pages.
- Hedgecock, D., K. Nelson, J. Simons, and R. Shleser.
1977. Genic similarity of American and European species of the lobster *Homarus*. Biological Bulletin, 152(1):41–50.
- Hedgpeth, J. W.
1949. The North American species of *Macrobrachium* (River Shrimp). Texas Journal of Science, 1(3):28–38.
1950. Notes on the marine invertebrate fauna of salt flat areas in Aransas National Wildlife Refuge, Texas. Publications of the Institute of Marine Science, Texas, 1(2):103–119.
1953. An introduction to the zoogeography of the northwestern Gulf of Mexico with reference to the invertebrate fauna. Publications of the Institute of Marine Science, Texas, 3(1):107–224.
- Heegaard, P. E.
1941. The zoology of east Greenland. Decapod Crustaceans. Meddelelser om Grønland, 126(6):1–72.
1953. Observations on spawning and larval history of the shrimp, *Penaeus setiferus* (L.). Publications of the Institute of Marine Science, Texas, 3(1):73–105.
- Heegaard, P. E., and L. B. Holthuis.
1960. Proposed use of the plenary powers to validate the generic name *Idotea* J. C. Fabricius, 1798 (Class Crustacea, Order Isopoda) and matters connected therewith. Z. N. (S.) 412. Bulletin of Zoological Nomenclature, 17(6–8):178–182.
- Heller, C.
1862. Beiträge sur naheren Kenntniss der Maccrounen. Sitzungsberichte Akademie der Wissenschaften, Wien, 54(1):389–426, 2 plates.
- Hemming, F. (editor).
- 1958a. Official list of generic names in zoology. First Installment: Names 1–1274. International Trust for Zoological Nomenclature, London, pages i–xxxvi, 1–200.
- 1958b. Official list of specific names in zoology. First Installment: Names 1–1525. International Trust for Zoological Nomenclature, pages i–xviii, 1–206.
- Henderson, J. R.
1888. Report on the Anomura collected by H. M. S. Challenger during the years 1873–76. Report on the scientific results of the voyage of H. M. S. Challenger during the years 1873–76. Zoology, 27(69):i–xi, 1–221, 21 plates.
- Hendrix, G. Y.
1971. A systematic study of the genus *Alpheus* (Crustacea: Decapoda: Alpheidae) in south Florida. Ph.D. Dissertation, University of Miami, Coral Gables, Florida, pages i–vi, 1–184, 24 plates.
- Henning, H. G., and F. Klaassen.
1973. Dekapode Crustaceen auf der Isla de Salamanca (Atlantik-Kuste, Kolumbien). Mitteilungen aus dem Instituto Colombo-Aleman de Investigaciones Cientificas “Punta de Betin,” Santa Marta, 7:63–84.
- Herbst, G. N., A. B. Williams, and B. B. Boothe, Jr.
1979. Reassessment of northern geographic limits for decapod crustacean species in the Carolinian Province, USA; some major range extensions itemized. Proceedings of the Biological Society of Washington, 91(4):989–998.
- Herbst, J. F. W.
- 1782–1804. Versuch einer Naturgeschichte der Krabben und Krebse nebst einer systema-

- tischen Beschreibung ihrer verschiedenen Arten, volume 1 (1782–1790), pages 1–274, text-figure A, plates 1–21; volume 2 (1791–1796), pages i–viii, iii, iv, 1–225, plates 22–46; volume 3 (1799–1804), pages 1–66, plates 47–50.
- Herman, S. S., J. A. Mihursky, and A. J. McErlean.  
 1968. Zooplankton and environmental characteristics of the Patuxent River estuary 1963–1965. Chesapeake Science, 9(2):67–82.
- Herrick, F. H.  
 1892. *V. Alpheus*: a study in the development of Crustacea. See in Brooks and Herrick, 1892.  
 1896. The American lobster. A study of its habits and development. Bulletin of the United States Fish Commission, 15(1)(for 1895):1–252, plates A–J, 1–54.  
 1911. Natural History of the American Lobster. Bulletin of the United States Bureau of Fisheries, 29:147–408, plates 28–32.
- Herrnkind, W. F.  
 1968a. The breeding of *Uca pugilator* (Bosc) and mass rearing of the larvae with comments on the behavior of the larval and early crab stages (Brachyura, Ocypodidae). Crustaceana, supplement 2, Studies on decapod larval development: 214–224.  
 1968b. Adaptive visually-directed orientation in *Uca pugilator*. American Zoologist, 8(3):585–598.  
 1969. Queuing behavior of spiny lobsters. Science, 164(3886):1425–1427.  
 1970. Migration of the spiny lobster. Natural History, 79(5):36–43.  
 1972. Orientation in shore living arthropods, especially the sand fiddler crab. Pages 1–59 in H. E. Winn and B. L. Olla (eds.), Behavior of marine animals, current perspectives in research. Volume I: Invertebrates. Plenum Press, New York, London, xxix + 244 pages.  
 1975. Strange march of the spiny lobster. National Geographic, 147(6):819–831.
- Herrnkind, W. F., and W. C. Cummings.  
 1964. Single file migrations of the spiny lobster, *Panulirus argus* (Latreille). Bulletin of Marine Science of the Gulf and Caribbean, 14(1):123–125.
- Herrnkind, W. F., and R. McLean.  
 1971. Field studies of homing, mass emigration, and orientation in the spiny lobster, *Panulirus argus*. Annals of the New York Academy of Sciences, 188:359–377.
- Hess, W. N.  
 1940. Regional photosensitivity and photoreceptors of *Crangon armillatus* and the spiny lobster, *Panulirus argus*. Papers of the Carnegie Institution of Washington, Tortugas Laboratory, 32(10): 153–161, 1 plate  
 1941. Factors influencing moulting in the crustacean, *Crangon armillatus*. Biological Bulletin, 81(2): 215–220.
- Hiatt, R. W.  
 1948. The biology of the lined shore crab, *Pachygrapsus crassipes* Randall. Pacific Science, 2(3):135–213.
- Higman, J. B.  
 1952. Preliminary investigation of the live bait shrimp fishery of Florida Bay and the Keys. The Marine Laboratory, University of Miami, (mimeographed), 8 pages.  
 1959. Surinam fishery explorations, May 11–July 31, 1957. Commercial Fisheries Review, 21(9):8–15.
- Hildebrand, H. H.  
 1954. A study of the fauna of the brown shrimp (*Penaeus aztecus* Ives) grounds in the western Gulf of Mexico. Publications of the Institute of Marine Science, Texas, 3(2):233–366.  
 1955. A study of the fauna of the pink shrimp (*Penaeus duorarum* Burkenroad) grounds in the Gulf of Campeche. Publications of the Institute of Marine Science, Texas, 4(1):169–232.  
 1957. Estudios biológicos preliminares sobre la Laguna Madre de Tamaulipas. Ciencia, Revista Hispano-americana de Ciencias puras y aplicadas, 17(7–9):151–173.
- Hildebrand, H. H., and G. Gunter.  
 1953. Correlation of rainfall with Texas catch of white shrimp, *Penaeus setiferus* (Linneaus). Transactions of the American Fisheries Society, 82:151–155.
- Hill, G. W., and R. E. Hunter.  
 1973. Burrows of the ghost crab *Ocypode quadrata* (Fabricius) on the barrier islands, south-central Texas coast. Journal of Sedimentary Petrology, 43(1):24–30.
- Hillis, J. P.  
 1966. Stone crab, *Lithodes maia* (Linn.) from Co. Kerry, first reliable record of the species from Ireland. The Irish Naturalist's Journal, 15(6): 175–176.
- Hillman, N. S.  
 1964. Studies on the distribution and abundance of decapod larvae in Narragansett Bay, Rhode Island, with consideration of morphology and mortality. Master's Thesis, University of Rhode Island, Kingston, R. I., 74 pages.
- Hinsch, G. W.  
 1968. Reproductive behavior in the spider crab, *Libinia emarginata* (Leach). Biological Bulletin, 135(2):273–278.  
 1969. Microtubules in the sperm of the spider crab, *Libinia emarginata* L. Journal of Ultrastructure Research, 29:525–534.  
 1973. Sperm structure of Oxyrhyncha. Canadian Journal of Zoology, 51:421–426.
- Hinsch, G. W., and M. H. Walker.  
 1974. The vas deferens of the spider crab, *Libinia emarginata*. Journal of Morphology, 143(1):1–19, 6 plates.
- Hitchcock, H. B.  
 1941. The coloration and color changes of the Gulfweed crab, *Planes minutus*. Biological Bulletin, 80(1):26–30.
- Hjort, J., and J. T. Ruud.  
 1938. Deep-sea prawn fisheries and their problems. Hvalradets Skrifter, Scientific Results of Ma-

- rine Biological Research, 17, 144 pages, Oslo.
- Hobbs, H. H., Jr., and W. H. Massmann.
1952. The river shrimp *Macrobrachium ohione* (Smith), in Virginia. The Virginia Journal of Science, new series, 3(3):206–207.
- Hoese, H. D.
1960. Juvenile penaeid shrimp in the shallow Gulf of Mexico. Ecology, 41(3):592–593.
1972. Invertebrates. Pages 33–45 in H. D. Hoese and J. M. Valentine, Jr. (eds.), University of Southwestern Louisiana Studies on the Chandeleur Islands, Research Series No. 10, Biology, 60 pages.
- Hogarth, P. J.
- 1975a. Pattern polymorphism and predation in the shore crab, *Carcinus maenas* (L.). Crustaceana, 28(3):316–319.
- 1975b. Instar number and growth of juvenile *Carcinus maenas* (L.) (Decapoda, Brachyura). Crustaceana, 29(3):299–300.
1978. Variation in the carapace pattern of juvenile *Carcinus maenas*. Marine Biology, 44(4):337–343.
- Holland, A. F., and T. T. Polgar.
1976. Seasonal changes in the structure of an intertidal community. Marine Biology, 37(4):341–348.
- Holthuis, L. B.
1946. The Decapoda Macrura of the Snellius Expedition. I. The Stenopodidae, Nephropsidae, Scyllaridae and Palinuridae. Biological results of the Snellius Expedition. XIV. Temminckia 7:1–178, 11 plates.
1947. The Decapoda of the Siboga-Expedition. Part IX. The Hippolytidae and Rhynchocinetidae collected by the Siboga and Snellius Expeditions with remarks on other species. Siboga-Expeditie, Monographie 39a<sup>b</sup>, 100 pages.
1948. Note on some Crustacea Decapoda Natantia from Surinam. Proceedings Koninklijke Nederlandische Akademie van Wetenschappen, 51(9):1104–1113.
1949. Note on the species of *Palaemonetes* (Crustacea Decapoda) found in the United States of America. Proceedings Koninklijke Nederlandische Akademie van Wetenschappen, 52(1):87–95.
1950. Decapoda (K IX) A. Natantia, Macrura Reptantia, Anomura en Stomatopoda (K X). Fauna van Nederland, Leiden, 164 pages. (In Dutch.)
- 1951a. A general revision of the Palaemonidae (Crustacea Decapoda Natantia) of the Americas. I. The Subfamilies Euryrhynchinae and Pontoniinae. Allan Hancock Foundation Publications, Occasional Papers, 11:1–332, 63 plates.
- 1951b. The caridean Crustacea of tropical West Africa. Atlantide Report, 2:7–187.
1952. A general revision of the Palaemonidae (Crustacea Decapoda Natantia) of the Americas. II. The Subfamily Palaemoninae. Allan Hancock Foundation Publications, Occasional Papers, 12:1–396, 55 plates.
- 1952a. Reports of the Lund University Chile Expedition 1948–49. The Crustacea Decapoda Macrura of Chile. Lunds Universitets Årsskrift, N.F. Avd. 2, 47(10):1–110.
1955. The recent genera of caridean and stenopodidean shrimps (Class Crustacea, Order Decapoda, Supersection Natantia) with keys for their determination. Zoologische Verhandelingen, 26, 157 pages.
1956. Three species of Crustacea Decapoda Macrura from southern Brazil, including a new species of *Upogebia*. Zoologische Mededelingen, 34(11):173–181.
1958. West Indian crabs of the genus *Calappa*, with a description of three new species. Studies on the Fauna of Curaçao and other Caribbean Islands, 8(7). In Uitgaven Natuurwetenschappelijke Studiekring voor Suriname en de Nederlandse Antillen, 17:146–186.
1959. The Crustacea Decapoda of Suriname (Dutch Guiana). Zoologische Verhandelingen, Rijksmuseum van Natuurlijke Historie, Leiden, 44, 296 pages, 16 plates.
- 1960a. Notes on American Albuneidae (Crustacea Decapoda, Anomura) with the description of a new genus and species. Proceedings Koninklijke Nederlandse Akademie van Wetenschappen, Amsterdam, series C, 64(1):21–36.
- 1960b. Preliminary descriptions of one new genus, twelve new species and three new subspecies of scyllarid lobsters (Crustacea Decapoda Macrura). Proceedings of the Biological Society of Washington, 73:147–154.
- 1961a. Report on a collection of Crustacea Decapoda and Stomatopoda from Turkey and the Balkans. Zoologische Verhandelingen, Rijksmuseum van Natuurlijke Historie, Leiden, 47, 67 pages, 2 plates.
1962. On the names of *Penaeus setiferus* (L.) and *Penaeus schmitti* Burkenroad. Gulf Research Reports, 1(3):115–118.
1968. Polybiinae, the correct name for the subfamily containing the genus *Macropipus* Prestandrea, 1833 (Decapoda Brachyura, Portunidae). Crustaceana, 14(2):220–221.
1969. Enkele interessante Nederlandse Crustacea. Bijdragen Faunistiek Nederland 1, Zooloogische Bijdragen, 11 (1969):34–49, 1 plate.
- 1969a. *Portunus binocularis*, n. sp., a new deep-water swimming crab from the Caribbean region (Crustacea, Decapoda, Brachyura). Bulletin of Marine Science, 19(2):409–427.
1974. The lobsters of the superfamily Nephropidea of the Atlantic Ocean (Crustacea: Decapoda). Bulletin of Marine Science, 24(4):723–884.
1977. The Grapsidae, Gecarcinidae and Palicidae (Crustacea: Decapoda: Brachyura) of the Red Sea. Israel Journal of Zoology, 26(3–4):141–192.
1979. *Panopeus* H. Milne Edwards, 1834 (Crustacea, Decapoda) proposed designation of type species under the plenary powers. Z.N.(S.) 2236.

- Bulletin of Zoological Nomenclature, 36(3): 158–160.
1980. FAO species catalogue. FAO Fisheries Synopsis No. 125, Vol. 1. Shrimps and prawns of the world. An annotated catalogue of species of interest to fisheries, xviii + 271 pages, Rome.
- Holthuis, L. B., and E. Gottlieb.  
 1955. The occurrence of the American blue crab, *Callinectes sapidus* Rathbun, in Israel waters. Bulletin of the Research Council of Israel, 5B(2):154–156.
1958. An annotated list of the decapod Crustacea of the Mediterranean coast of Israel, with an appendix listing the Decapoda of the eastern Mediterranean. Bulletin of the Research Council of Israel, 7B(1–2):1–126.
- Holthuis, L. B., and A. J. Provenzano, Jr.  
 1970. New distribution records for species of *Macrobrachium* with notes on the distribution of the genus in Florida (Decapoda, Palaemonidae). Crustaceana, 19(2):211–213.
- Hood, M. R.  
 1962. Studies on the larval development of *Rithropanopeus harrisii* (Gould) of the family Xanthidae (Brachyura). Gulf Research Reports, 1(3):122–130, 3 plates.
- Hopkins, S. H.  
 1947. The nemertean *Carcinonemertes* as an indicator of the spawning history of the host, *Callinectes sapidus*. Journal of Parasitology, 33(2):146–150.
- Horch, K. W., and M. Salmon.  
 1969. Production, perception and reception of acoustic stimuli by semiterrestrial crabs genus *Ocypode* and *Uca*, (family Ocypodidae). Forma et Functio, 1:1–25.
- Horne, F., and S. Beisser.  
 1977. Distribution of river shrimp in the Guadalupe and San Marcos rivers of central Texas, U.S.A. (Decapoda, Caridea). Crustaceana, 33(1):56–60.
- Horsted, S. A., and E. Smidt.  
 1965. Influence of cold water on fish and prawn stocks in West Greenland. ICNAF Environmental Symposium held in the Headquarters of FAO, Rome, 1964. International Commission for the Northwest Atlantic Fisheries, Special Publication, 6:199–207.
- Howard, J. D.  
 1969. X-ray radiography for examination of burrowing in sediments by marine invertebrate organisms. Sedimentology, 11(3/4):249–258.
- Hoyt, J. H., and R. J. Weimer.  
 1964. Reconstruction of Pleistocene sea levels using burrows of *Callianassa major*. Abstracts for 1963. Special Papers of the Geological Society of America, 76:84.
- Hubschman, J. H., and A. C. Broad.  
 1974. The larval development of *Palaemonetes intermedius* Holthuis, 1949 (Decapoda, Palaemonidae) reared in the laboratory. Crustaceana, 26(1):89–103.
- Hughes, D. A.  
 1968. Factors controlling emergence of pink shrimp (*Penaeus duorarum*) from the substrate. Biological Bulletin, 134(1):48–59.
1973. On mating and the “copulation burrows” of crabs of the genus *Ocypode* (Decapoda, Brachyura). Crustaceana, 24(1):72–76.
- Hughes, D. A., and J. D. Richard.  
 1973. Some current-directed movements of *Macrobrachium acanthurus* (Wiegmann 1836) (Decapoda, Palaemonidae) under laboratory conditions. Ecology, 54(4):927–929.
- Hughes, J. T., and G. C. Matthiessen.  
 1962. Observations on the biology of the American lobster, *Homarus americanus*. Limnology and Oceanography, 7(3):414–421.
- Humes, A. G.  
 1941. A new harpacticoid copepod from the gill chambers of a marsh crab. Proceedings of the United States National Museum, 90(3110): 379–386.
- Hunter, H. E.  
 1972. Spawning season, embryonic and larval life of *Emerita talpoida*. American Zoologist, 12(4): 726. (Abstract.)
- Hutchins, L. W.  
 1947. The bases for temperature zonation in geographical distribution. Ecological Monographs, 17(3):325–335.
- Huxley, J. S.  
 1924. The variation in the width of the abdomen in immature fiddler crabs considered in relation to their relative growth-rate. American Naturalist, 58(658):468–475.
1927. Further work on heterogonic growth. Biologisches Zentralblatt, 47(3):151–163.
- Hyatt, G. W., and M. Salmon.  
 1978. Combat in the fiddler crabs *Uca pugilator* and *U. pugnax*: a quantitative analysis. Behaviour, 65(3–4):182–211.
- Hyman, O. W.  
 1920. The development of *Gelasimus* after hatching. Journal of Morphology, 33(2):485–501, 12 plates.
1922. Adventures in the life of a fiddler crab. Annual Report of the Smithsonian Institution, 1920: 443–459, 4 plates.
- 1924a. Studies on larvae of crabs of the family Pinotheridae. Proceedings of the United States National Museum, 64(7):1–7, 6 plates.
- 1924b. Studies on larvae of crabs of the family Grapsidae. Proceedings of the United States National Museum, 65(10)(for 1925):1–8, 3 plates.
1925. Studies on the larvae of the crabs of the family Xanthidae. Proceedings of the United States National Museum, 67(3)(for 1926):1–22, 14 plates.
- Idyll, C. P., D. C. Tabb, and B. Yokel.  
 1967. The value of estuaries to shrimp. Proceedings of a symposium on marsh and estuary-management, Baton Rouge, Louisiana, pages 83–90.

- International Code of Zoological Nomenclature. 1961, emended 1964. XV International Congress of Zoology. The International Trust for Zoological Nomenclature, London, xviii + 176 pages.
- Ito, H. 1976. Some findings concerning *Pandalus borealis* Kroyer originating in the Sea of Japan. Bulletin of the Japanese Sea Regional Fisheries Research Laboratory (Nihonkai-Ku Suisan Kenkyusho Kenkyu), 27:75–89. (English translation, NOAA, United States Department of Commerce.)
- Ito, K. 1968. Ecological studies on the edible crab, *Chionoecetes opilio* O. Fabricius in the Japan Sea. 2-description of young crabs, with note on their distribution. Bulletin of the Japan Sea Regional Fisheries Research Laboratory, 19(20):43–50. (In Japanese, English summary.)
- Ivanov, B. 1969. The biology and distribution of the northern shrimp (*Pandalus borealis* Kr.) in the Bering Sea and Gulf of Alaska. Proceedings of the World Scientific Conference on the Biology and Culture of Shrimps and Prawns. FAO Fisheries Reports, 57(3):799–810.
- Ivanov, B. G. 1971. The larvae of some eastern shrimps in relation to their taxonomic status. (Lichinki nekotorykh dal'nevostochnykh krevetok v svyazi s ikh sistematicheskim polozheniem). Zoologicheskii Zhurnal, 50(5):657–665.
- Iversen, E. S., and C. P. Idyll. 1960. Aspects of the biology of the Tortugas pink shrimp, *Penaeus duorarum*. Transactions of the American Fisheries Society, 89(1):1–8.
- Iversen, E. S., and A. C. Jones. 1961. Growth and migration of the Tortugas pink shrimp, *Penaeus duorarum*, and changes in the catch per unit of effort of the fishery. State of Florida Board of Conservation, Technical Series, 34, 30 pages.
- Ives, J. E. 1891. Crustacea from the northern coast of Yucatan, the harbor of Vera Cruz, the west coast of Florida and the Bermuda Islands. Proceedings of the Academy of Natural Sciences of Philadelphia, 43:176–207, plates 5–6.
- Iwai, M. 1973. Pesca exploratória e estudo biológico sobre camarão na costa centro-sul do Brasil do N/O “Prof. W. Besnard” em 1969–1971. SUDELPA Superintendência do Desenvolvimento do Litoral Paulista, Instituto Oceanográfico da Universidade de São Paulo, 71 pages.
- Jachowski, R. 1963. Observations on the moon jelly, *Aurelia aurita*, and the spider crab, *Libinia dubia*. Chesapeake Science, 4(4):195.
- Jackowski, R. L. 1974. Agonistic behaviour of the blue crab, *Callinectes sapidus* Rathbun. Behaviour, 50(3–4):232–253.
- Jägersten, G. 1936. Über die Geschlechtsverhältnisse und das Wachstum bei *Pandalus*. Arkiv för Zoologi, K. Svenska Vetenskapsakademien, 28A(20):1–26, 1 plate.
- Jeffries, H. P. 1966. Partitioning of the estuarine environment by two species of *Cancer*. Ecology, 47(3):477–481.
- Jenner, C. E. 1955. A field character for distinguishing *Palaemonetes vulgaris* from *Palaemonetes pugio*. Biological Bulletin, 109(3):360–361.
- Jennings, K. N. 1972. An example of hybridization between *Pagurus bernhardus* and *Pagurus pubescens* [Crustacea: Anomura]. Journal of the Marine Biological Association of the United Kingdom, 52(4):1057–1066.
- Jensen, A. J. C. 1967. The *Pandalus borealis* in the North Sea and Skagerrak. Proceedings of the Symposium on Crustacea, Marine Biological Association of India, 4:1317–1319.
- Johannes, R. E., and M. Satomi. 1966. Composition and nutritive value of fecal pellets of a marine crustacean. Limnology and Oceanography, 11(2):191–197.
- Johns, D. M., and W. H. Lang. 1977. Larval development of the spider crab, *Libinia emarginata* (Majidae). Fishery Bulletin, 75(4):831–841.
- Johnson, M. C., and J. R. Fielding. 1956. Propagation of the white shrimp, *Penaeus setiferus* (Linn.), in captivity. Tulane Studies in Zoology, 4(6):175–190.
- Johnson, T. L. 1964. A histological study of the male reproductive systems of decapod crustaceans. Ph.D. dissertation, University of Virginia, Charlottesville, 74 pages, also Dissertation Abstracts, 52(6):3202–3203.
- Johnson, V. R., Jr. 1969. Behavior associated with pair formation in the banded shrimp *Stenopus hispidus* (Olivier). Pacific Science, 23(1):40–50.
- Jones, A. C., D. E. Dimitriou, J. J. Ewald, and J. H. Tweedy. 1970. Distribution of early developmental stages of pink shrimp, *Penaeus duorarum*, in Florida waters. Bulletin of Marine Science, 20(3):634–661.
- Jones, H. G. 1968a. Preliminary studies on the brachyuran Crustacea of Barbados. I. The Journal of the Barbados Museum and Historical Society, 32(3):154–160.
- 1968b. Preliminary studies on the brachyuran Crustacea of Barbados. II. The Journal of the Barbados Museum and Historical Society, 32(4):187–189.
1969. Spider crabs of the genus *Mithrax* from Barbados. Zoologischer Anzeiger, 182(5/6):379–383.

- Jones, L. L.
- 1936. A study of the habitat and habits of *Emerita emerita*. Proceedings of the Louisiana Academy of Science, 3(1):88–91.
  - 1940. An introduction of an Atlantic crab into San Francisco Bay. Proceedings of the Sixth Pacific Science Congress of the Pacific Science Association, 3:485–486.
  - 1941. Osmotic regulation in several crabs of the Pacific Coast of North America. Journal of Cellular and Comparative Physiology, 18(1):79–192.
- Joyce, E. A., Jr.
- 1965. The commercial shrimp of the northeast coast of Florida. Florida Board of Conservation Marine Laboratory, Professional Papers Series, 6, 224 pages.
  - 1966. *Acetes* shrimp on the Florida east coast. Quarterly Journal of the Florida Academy of Sciences, 29(1):38.
  - 1974. Spiny lobster programs at the marine research laboratory. In W. Seaman and D. Y. Aska (eds.), Florida Sea Grant Program Conference Proceedings: Research and information needs of the Florida spiny lobster fishery, 64 pages.
- Juneau, C. L., Jr.
- 1977. A study of the seabob, *Xiphopeneus kroyeri* (Heller) in Louisiana. Louisiana Department of Wildlife and Fisheries Seafood Division, Technical Bulletin 24, ix + 24 pages.
- Kalber, F. A.
- 1970. Osmoregulation in decapod larvae as a consideration in culture techniques. Helgolaender Wissenschaftliche Meeresuntersuchungen, 20(1–4):697–706.
- Kalber, F. A., Jr., and J. D. Costlow, Jr.
- 1966. The ontogeny of osmoregulation and its neurosecretory control in the decapod crustacean, *Rhithropanopeus harrisii* (Gould). American Zoologist, 6(2):221–229.
  - 1968. Osmoregulation in larvae of the land-crab, *Cardisoma guanhumi* Latreille. American Zoologist, 8(3):411–416.
- Kämpfe, L., and R. Kittel.
- 1952/53. Eine zoologische Fangreise in das Nordmeer, zugleich ein Beitrag zur Fauna der Barents-See. Wissenschaftliche Zeitschrift der Martin-Luther-Universität Halle-Wittenberg, Jahrgang II, Heft 8, Mathematisch-naturwissenschaftliche Reihe, 4:463–469.
- Kanciruk, P., and W. F. Herrnkind.
- 1976. Autumnal reproduction in *Panulirus argus* at Bimini, Bahamas. Bulletin of Marine Science, 26(4):417–432.
- Karandieva, O., and A. Silva Lee.
- 1966. Intensidad de respiración y osmoregulación del cangrejo comercial *Menippe mercenaria* (Say) de las aguas Cubanas. Estudios Instituto de Oceanología, Academy de Ciencias de Cuba, La Habana, 2(1):5–19.
- Kellogg, C. W.
- 1971. The role of gastropod shells in determining the patterns of distribution and abundance in hermit crabs. Ph.D. dissertation, Duke University, Durham, North Carolina, xv + 210 pages.
- Kelly, J. A., Jr., and A. Dragovich.
- 1967. Occurrence of macrozooplankton in Tampa Bay, Florida, and the adjacent Gulf of Mexico. Fishery Bulletin, 66(2):209–221.
- Kemp, S.
- 1910. The Decapoda Natantia of the coasts of Ireland. Fisheries Branch, Ireland, Scientific Investigations, 1908, 1:1–190, 23 plates.
- Kennedy, F. S., J. J. Crane, R. A. Schlieder, and D. G. Barber.
- 1977. Studies of the rock shrimp, *Sicyonia brevirostris*, a new fishery resource on Florida's Atlantic shelf. Florida Marine Research Publications, 27, 69 pages.
- Kerwin, J. A.
- 1971. Distribution of the fiddler crab (*Uca minax*) in relation to marsh plants within a Virginia estuary. Chesapeake Science, 12(3):180–183.
- King, B. D., III.
- 1971. Study of migratory patterns of fish and shellfish through a natural pass. Texas Parks and Wildlife Department, Technical Series, 9, 54 pages.
- King, J. E.
- 1948. A study of the reproductive organs of the common marine shrimp, *Penaeus setiferus* (Linnaeus). Biological Bulletin, 94(3):244–262.
- Kingsley, J. S.
- 1878a. A synopsis of the North American species of the genus *Alpheus*. Bulletin of the United States Geological and Geographical Survey, 4(1): 189–199.
  - 1878b. Notes on the North American Caridea in the museum of the Peabody Academy of Science at Salem, Mass. Proceedings of the Academy of Natural Sciences of Philadelphia, 30:89–98.
  - 1878c–79. List of decapod Crustacea of the Atlantic coast, whose range embraces Fort Macon. Proceedings of the Academy of Natural Sciences of Philadelphia, 30:316–330 [pages 316–328 published Nov. 9, 1878, pages 329–330 published Jan. 7, 1879].
  - 1879. Notes on North American Decapoda. Proceedings of the Boston Society of Natural History, 20:145–160.
  - 1880. On a collection of Crustacea from Virginia, North Carolina, and Florida, with a revision of the genera of Crangonidae and Palaemonidae. Proceedings of the Academy of Natural Sciences of Philadelphia, 31(1879):383–427, 1 plate.
  - 1897. On a new genus and two new species of macrurous Crustacea. Bulletin of the Essex Institute, 27(for 1895):95–99, 3 plates.
- Kinne, O., E. Shirley, and H. E. Meen.
- 1963. Osmotic responses of hermit crabs (*Pagurus longicarpus* Say) exposed to various constant temperatures and salinities. Crustaceana, 5(4):317.
- Kinzelbach, R.
- 1965. Die Blaue Schwimmkrabbe (*Callinectes sapidus*), ein Neubürger im Mittelmeer. Natur und Mu-

- seum, Frankfurt, 95(7):293–296.
- Kircher, A. B.
- 1967. The larval development of *Clibanarius vittatus* and *Hypoconcha arcuata* in six salinities. Master's Thesis, Duke University, Durham, North Carolina, 143 pages.
  - 1970. The zoeal stages and glaucothoë of *Hypoconcha arcuata* Stimpson (Decapoda: Dormiidae) reared in the laboratory. Bulletin of Marine Science, 20(3):769–792.
- Kleinholz, L. H.
- 1961. Pigmentary effectors. In Talbot H. Waterman (ed.), The physiology of Crustacea, Vol. 2, Sense organs, integration, and behavior. Academic Press, New York and London, xiv + 681 pages.
- Knight, M. D.
- 1968. The larval development of *Raninoides benedicti* Rathbun (Brachyura, Raninidae), with notes on the Pacific records of *Raninoides laevis* (Latreille). Crustaceana, supplement 2:145–169.
- Knowlton, R. E.
- 1965. Effects of some environmental factors on the larval development of *Palaemonetes vulgaris* (Say). Journal of the Elisha Mitchell Scientific Society, 81(2):87.
  - 1973a. Occurrence of the glass shrimp, *Palaemonetes pugio* in southern Maine. Maine Nature, March, page 3.
  - 1973b. Larval development of the snapping shrimp *Alpheus heterochaelis* Say, reared in the laboratory. Journal of Natural History, 7(3):273–306.
  - 1974. Larval developmental processes and controlling factors in decapod Crustacea, with emphasis on Caridea. Thalassia Jugoslavica, 10(1/2):138–158.
- Knowlton, R. E., and J. M. Moulton.
- 1963. Sound production in the snapping shrimps *Alpheus* (*Crangon*) and *Synalpheus*. Biological Bulletin, 125(2):311–331.
- Knowlton, R. E., and A. B. Williams.
- 1970. The life history of *Palaemonetes vulgaris* (Say) and *P. pugio* Holthuis in coastal North Carolina. Journal of the Elisha Mitchell Scientific Society, 86(4):185.
- Kon, T.
- 1970. Fisheries biology of the tanner crab—IV. The duration of planktonic stages estimated by rearing experiments of larvae. Bulletin of the Japanese Society of Scientific Fisheries, 36(3):219–224, 6 plates.
- Kraeuter, J. N., and P. L. Wolf.
- 1974. The relationship of marine macroinvertebrates to salt marsh plants. Pages 449–462 in R. J. Reimold and W. H. Queen (eds.), Ecology of halophytes, Academic Press, New York, xiv + 605 pages.
- Kretz, J., and W. Bücherl.
- 1940. Contribuição ao estudo da anatomia e fisiologia do gênero *Callinectes* (Crustacea Decapoda, fam. Portunidae). Arquivos de Zoologia do Estado de São Paulo, 1(4):153–217, 1 unnumbered colored plate.
- Kropp, B., and E. B. Perkins.
- 1933. The occurrence of the humoral chromatophore activator among marine crustaceans. Biological Bulletin, 64(1):28–32.
- Krouse, J. S.
- 1972. Some life history aspects of the rock crab, *Cancer irroratus* in the Gulf of Maine. Journal of the Fisheries Research Board of Canada, 29(10):1479–1482.
- Kröyer, H.
- 1838. Grönlands amfipoder beskrevne af Henrik Kröyer. Det Kongelige Danske Videnskabernes Selskabs Naturvidenskabelige og Matematiske Afhandlinger, 7:229–326.
  - 1838a. Conspectus Crustaceorum Groenlandiae. Naturhistorisk Tidsskrift, 2(1):249–261.
- Krøyer, H.
- 1841. Udsigt over de nordiske Arter af Slaegten *Hippolyte*. Naturhistorisk Tidsskrift, 3:570–579.
- Krøyer, H.
- 1842. Mongrafisk Fremstilling af Slaegten *Hippolyte*'s nordiske Arter. Med Bidrag til Decapodernes Udklingshistorie. Kongelige Danske Videnskabernes Selskabs Naturvidenskabelig og Mathematisk Afhandling, 9:209–360, 6 plates.
- Kruczynski, W. L.
- 1973. Distribution and abundance of *Pinnotheres maculatus* Say in Bogue Sound, North Carolina. Biological Bulletin, 145(3):482–491.
  - 1974. Relationship between depth and occurrence of pea crabs *Pinnotheres maculatus*, in blue mussels, *Mytilus edulis*, in the vicinity of Woods Hole, Massachusetts. Chesapeake Science, 15(3):167–169.
  - 1975. A radioactive tracer study of food uptake by *Pinnotheres maculatus* in molluscan hosts. Biological Bulletin, 148(1):60–67.
- Kruczynski, W. L., and C. E. Jenner.
- 1969. *Stenopus hispidus* (Olivier, 1811) (Decapoda, Nantania, Stenopodidea), a northern record on the east coast of U. S. A. Crustaceana, 16(1): 105–106.
- Kurata, H.
- 1964. Larvae of decapod Crustacea of Hokkaido. 3. Pandalidae. Bulletin of the Hokkaido Regional Fisheries Research Laboratory, 28:23–24. (Japanese, translation by NMFS Office of International Fisheries, Language Services Branch.)
- Kurian, C. B.
- 1956. Larvae of decapod Crustacea from the Adriatic Sea. Acta Adriatica, 6(3):1–108.
- Kutkuhn, J. H.
- 1962. Gulf of Mexico commercial shrimp populations—trends and characteristics 1956–59. Fishery Bulletin, 62:i-iv, 343–402.
  - 1966. Dynamics of a penaeid shrimp population and management implications. Fishery Bulletin, 65(2):313–338.
- Labisky, R. F., D. R. Gregory, Jr., and J. A. Conti.
- 1980. Florida's spiny lobster fishery: an historical perspective. Fisheries, 5(4):28–37.

- Lagardere, J.-P.
- 1976. Recherches sur l'alimentation des crevettes bathypelagiques du talus continental du Golfe de Gascogne. *Revue des Travaux de l'Institut des Peches Maritime*, 39(2):213–229.
- Lamarck, J. B. P. A. de.
- 1801. *Système des animaux sans vertèbres, ou tableau général des classes, des ordres et des genres de ces animaux . . . , viii + 432 pages.*
  - 1818. *Histoire naturelle des animaux sans vertèbres, présentant les caractères généraux et particuliers de ces animaux, leur distribution, leurs classes, leurs familles, leurs genres, et la citation des principales espèces qui s'y rapportent; précédée d'une introduction offrant la détermination des caractères essentiels de l'animal, sa distinction du végétal et des autres corps naturelles, enfin, l'exposition des principes fondamentaux de la zoologie*, 5, 612 pages.
- Lance, J.
- 1964. The salinity tolerances of some estuarine planktonic crustaceans. *Biological Bulletin*, 127(1):108–118.
- Landers, W. S.
- 1954. Notes on the predation of the hard clam *Venus mercenaria*, by the mud crab, *Neopanope texana*. *Ecology*, 35(3):422.
- Lang, F., C. K. Govind, and W. J. Costello.
- 1978. Experimental transformation of muscle fiber properties in lobster. *Science*, 2011(4360):1037–1039.
- Lang, W. H., and A. M. Young.
- 1977. The larval development of *Clibanarius vittatus* (Bosc) (Crustacea: Decapoda: Diogenidae) reared in the laboratory. *Biological Bulletin*, 152(1):84–104.
- Langton, R. W., and R. D. Brodeur.
- 1978. Occurrence of a rare adult mud shrimp, *Nausuchia crangonoides* Kingsley, 1897, in the Chesapeake Bay region (Decapoda, Thalassinidea). *Crustaceana*, 35(1):96–98.
- Latreille, P. A.
- 1804. Des Langoustes du Muséum national d'Histoire naturelle. *Annales du Muséum National d'Histoire Naturelle*, Paris, 3:388–395.
  - 1806. Genera crustaceorum et insectorum secundum ordinem naturalem in familias disposita, iconibus exemplisque plurimis explicata. Parisiis et Argentorati apud Amand Koenig, Bibliopolam, 1:xviii + 302 pages.
  - 1817, 1819. Nouveau dictionnaire d'histoire naturelle appliquée aux arts, à l'agriculture, à l'économie rural et domestique, à la médecine, etc.... nouvelle édition presqu'entièrement refondue et considérablement augmentée; avec des figures tirées des trois règnes de la nature, 25(1817):1–610, 28(1819):1–570, Paris.
  - 1825. *In Genre de Crustacés. Encyclopédie méthodique. Histoire naturelle. Entomologie, ou histoire naturelle des Crustacés, des Arachnides et des Insects*, Paris, 10:832 pages + 1 page
- Le Conte, J.
- 1855. On a new species of *Gelasimus*. *Proceedings of the Academy of Natural Sciences of Philadelphia*, 7(11):402–403.
- Leach, W. E.
- 1814. Crustaceology. *In Edinburgh encyclopaedia*, 7:383–437, plate 221, Edinburgh.
  - 1815. The zoological miscellany; being descriptions of new, or interesting animals, 2:1–154 + index, plates 61–120, London.
  - 1815a. Malacostraca Podophthalmia Brittanniae; or descriptions of the British species of crabs, lobsters, prawns, and of other Malacostraca with pedunculated eyes. James Sowerby, London, II, plates 4, 15, 40.
  - 1815b. A tabular view of the external characters of four classes of animals, which Linné arranged under INSECTA; with the distribution of the genera composing three of these classes into orders, &c. and descriptions of several new genera and species. *Transactions of the Linnaean Society of London*, 11:306–400.
  - 1820. Galatéades. *Dictionnaire des Sciences Naturelles*, 18:49–56. Paris.
- Leahy, T. M.
- 1975. How big is a crab's world? *Sea Grant 70's*. NOAA, 5(5):1–2.
- Leary, S. P.
- 1964 and 1967. The crabs of Texas. *Texas Parks and Wildlife Department, Bulletin No. 43, Series VII, Coastal Fisheries*, 57 pages, colored frontis., unnumbered plates.
- Lebour, M. V.
- 1928. The larval stages of the Plymouth Brachyura. *Proceedings of the Zoological Society of London*, 2:473–560, 16 plates (1–3 colored).
  - 1940. The larvae of the Pandalidae. *Journal of the Marine Biological Association of the United Kingdom*, 24(for 1939)(1):239–252.
  - 1940a. The larvae of the British species of *Spirontocaris* and their relation to *Thor* (Crustacea Decapoda). *Journal of the Marine Biological Association of the United Kingdom*, 24(2):505–514.
  - 1941. Notes on thalassinid and processid larvae (Crustacea Decapoda) from Bermuda. *Annals and Magazine of Natural History*, series 11, 7(135):401–420.
  - 1944. Larval crabs from Bermuda. *Zoologica*, 29(3):113–128.
  - 1949. Some new decapod Crustacea from Bermuda. *Proceedings of the Zoological Society of London*, 118(4):1107–1117.
  - 1950. Notes on some larval decapods (Crustacea) from Bermuda. *Proceedings of the Zoological Society of London*, 120(2):369–379.
- Leim, A. H.
- 1921. A new species of *Spirontocaris* with notes on other species from the Atlantic coast. *Transactions of the Royal Canadian Institute*, 29, 13(1):133–145, plates 2–6.

- Lewis, E. G.
- 1976. Epizoites associated with *Bathynectes superbus* (Decapoda: Portunidae). *Fishery Bulletin*, 74(1):225–227.
  - 1977. Relative growth and sexual maturity of *Bathynectes superbus* (Costa) (Decapoda: Portunidae). *Journal of Natural History*, 11(6):629–643.
- Lewis, Jackson E.
- 1969. Reversal of asymmetry of chelae in *Calappa* Weber, 1795 (Decapoda: Oxyostomata). *Proceedings of the Biological Society of Washington*, 82(4):63–79.
- Lewis, John B.
- 1951. The phyllosoma larvae of the spiny lobster *Panulirus argus*. *Bulletin of Marine Science of the Gulf and Caribbean*, 1(2):89–103.
  - 1960. The fauna of rocky shores of Barbados, West Indies. *Canadian Journal of Zoology*, 38:391–435.
- Lewis, John. B., H. B. Moore, and W. Babis.
- 1952. The post-larval stages of the spiny lobster *Panulirus argus*. *Bulletin of Marine Science of the Gulf and Caribbean*, 2(1):324–337.
- Lewis, R. D.
- 1970. A bibliography of the lobsters, genus *Homarus*. United States Fish and Wildlife Service, Special Scientific Report—Fishes, 591, 47 pages.
- Lichtenstein, K. H.
- 1815. Die Gattung *Leucosia*. Als Probe einer neuen Bearbeitung der Krabben und Krebse. *Magazin der Gesellschaft Naturforschender Freunde zu Berlin, fur die neuesten Entdeckungen in der gesammten Naturkunde*, 7(1816):135–144.
- Limbaugh, C. P., H. Pederson, and F. A. Chace, Jr.
- 1961. Shrimps that clean fishes. *Bulletin of Marine Science*, 11(2):237–257.
- Lindner, M. J.
- 1957. Survey of shrimp fisheries of Central and South America. Special Scientific Report—Fishes, United States Fish and Wildlife Service, 235, 166 pages.
- Lindner, M. J., and H. L. Cook.
- 1970. Synopsis of biological data on the white shrimp *Penaeus setiferus* (Linnaeus) 1767. FAO Fisheries Reports, 57(4):1439–1469.
- Lindner, M. J., and W. W. Anderson.
- 1941. A new *Solenocera* and notes on the other Atlantic American species. *Journal of the Washington Academy of Science*, 31(5):181–187.
  - 1956. Growth, migrations, spawning and size distribution of shrimp *Penaeus setiferus*. *Fishery Bulletin* 106, 56:553–645.
- Linnaeus, C.
- 1758. *Systema naturae per regna tria naturae, secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis*, ed. 10, 1:iii + 824 pages.
  - 1763. *Amoenitates academicae; seu dissertationes variae, physicae, medicae, botanicae, antehac seorsim editae, nunc collectae and auctae*, 6:384–415.
- 1767. *Systema naturae per regna tria naturae, secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis*, ed. 12, 1:1–1327.
- Little, G.
- 1968. Induced winter breeding and larval development in the shrimp *Palaemonetes pugio* Holthuis (Caridea, Palaemonidae). *Crustaceana, supplement 2, Studies on decapod larval development*: 19–26.
- Loesch, H. C.
- 1957. Observations on bait shrimping activities in rivers north of Mobile Bay Causeway. *Journal of the Alabama Academy of Science*, 29:36–43.
  - 1965. Distribution and growth of penaeid shrimp in Mobile Bay, Alabama. *Publications of the Institute of Marine Science, Texas*, 10:41–58.
- Logan, D. T.
- 1975. Review of literature concerning the energy and physiology of the American lobster. *Delaware University, Newark. Sea Grant Project Report*, 18–74:1–51.
- Lopez, M. T.
- 1966. Biología de *Lucifer faxonii*, Borradaile 1915, en Cananéia, Brasil (Crustacea, Decapoda, Luciferidae). *Boletim do Instituto Oceanográfico, São Paulo*, 15(1):47–54.
- Lucas, H.
- 1849. Crustacés, Arachnides, Myriopodes et Hexapodes. *Exploration scientifique de l'Algérie pendant les années 1840, 1842. Sciences physiques. Zoologie I. Histoire naturelle des Animaux articulés*, Pt. 1:i-xxx, 1–403.
- Lunz, G. R., Jr.
- 1937a. Xanthidae (mud crabs) of the Carolinas. *The Charleston Museum Leaflet*, 9:9–27.
  - 1937b. Notes on *Callianassa major* Say. *The Charleston Museum Leaflet*, 10:1–15, 3 plates.
  - 1939. New crustacean records for the Carolinas and Florida. *Journal of the Elisha Mitchell Scientific Society*, 55(2):335–338.
  - 1945. Carolina shrimps of the genus *Eusicyonia*. *The Charleston Museum Leaflet*, 20:1–12.
  - 1965. Annual Report 1963–1964. Contributions from Bears Bluff Laboratories, 41:1–10.
- Lyons, W. G.
- 1970. Scyllarid lobsters (Crustacea, Decapoda). *Memoirs of the Hourglass Cruises*, 1(4):1–74, 2 colored plates.
  - 1980. The postlarval stage of scyllaridean lobsters. *Fisheries*, 5(4):47–49.
- Lytwin, M. W. and J. J. McDermott.
- 1976. Incidence, reproduction and feeding of *Stylococcus zebra*, a polyclad turbellarian symbiont of hermit crabs. *Marine Biology*, 38(4):291–303.
- MacDonald, J. D., R. B. Pike, and D. I. Williamson.
- 1957. Larvae of the British species of Diogenes, *Pagurus*, *Anapagurus* and *Lithodes* (Crustacea, Decapoda). *Proceedings of the Zoological Society of London*, 128(2):209–257.

- MacGinitie, G. E.
- 1934. The natural history of *Callianassa californiensis* Dana. American Midland Naturalist, 15(2):166–177, plates 5–6.
  - 1955. Distribution and ecology of the marine invertebrates of Point Barrow, Alaska. Smithsonian Miscellaneous Collections, 128:iv + 201 pages.
- Makarov, R. R.
- 1967. Larvae of the shrimps and crabs of the west Kamchatkan shelf and their distribution. Translation of a Russian book by B. Haigh, edited by A. L. Rice, published by National Lending Library for Science and Technology, Boston Spa, Yorkshire, England, pages 1–199.
  - 1968. On the larval development of the genus *Sclerocrangon* G. O. Sars (Caridea, Crangonidae). Crustaceana, supplement 2:27–37.
- Makarov, V. V.
- 1935. Beschreibung neuer Dekapoden-Formen aus den Meeren des Fernen Ostens. Zoologischer Anzeiger, 15(3), band 109, heft 11/12:319–325.
  - 1941. The decapod Crustacea of the Bering and the Chukchee seas [English title]. Pages 111–163 in K. M. Derjugin and S. A. Sernov (eds.), Investigations of the Far East Seas of USSR, Academy of Sciences of the USSR, Moscow and Leningrad.
- Man, J. G. de.
- 1888. Bericht über die von Herrn Dr. J. Brock im Indischen Archipel gesammelten Decapoden und Stomatopoden. Archiv für Naturgeschichte, Jahrgang, 53(1), heft 2 and 3:215–600, plates 7–22a.
  - 1925. The Decapoda of the Siboga-Expedition. Pt. VI. The Axiidae of the Siboga-Expedition. Siboga-Expeditie Monographie 39a<sup>5</sup>, 127 pages, 10 plates.
  - 1928a. A contribution to the knowledge of twenty-two species and three varieties of the genus *Callianassa* Leach. Capita Zoologica, 2(6):1–56, 12 plates.
  - 1928b. The Decapoda of the Siboga Expedition. Part 7. The Thalassinidae and Callianassidae collected by the Siboga-Expedition with some remarks on the Laomedidae. Siboga-Expeditie. Monographie 39a<sup>6</sup>, 187 pages, 20 plates.
- Mann, K. H.
- 1973. Seaweeds: their productivity and strategy for growth. Science, 182(4116):975–981, frontispiece.
- Manning, R. B.
- 1961. Some growth changes in the stone crab, *Menippe mercenaria* (Say). The Quarterly Journal of the Florida Academy of Sciences, 23 (for 1960)(4):273–277.
  - 1961a. A redescription of the palaemonid shrimp, *Leander paulensis* Ortmann, based on material from Florida. Bulletin of Marine Science of the Gulf and Caribbean, 11(4):525–536.
  - 1963. The east American species of *Gnathophyllum* (Decapoda, Caridea), with the description of a new species. Crustaceana, 5(1):47–63.
  - Manning, R. B., and F. A. Chace.
  - 1971. Shrimps of the family Processidae from the Northwestern Atlantic Ocean (Crustacea: Decapoda: Caridea). Smithsonian Contributions to Zoology, 89, 41 pages.
  - Manning, R. B., and L. B. Holthuis.
  - 1981. West African brachyuran crabs (Crustacea: Decapoda). Smithsonian Contributions to Zoology, 306, xii + 379 pages.
  - Mansueti, R. J.
  - 1962. Callico crab, *Ovalipes o. ocellatus* in mid-Chesapeake Bay, Maryland. Chesapeake Science, 3(2):129–130.
  - Manter, W. H.
  - 1933. The genus *Helicometra* and related trematodes from Tortugas, Florida. Papers from the Tortugas Laboratory of the Carnegie Institution of Washington, 28(11):167–182, 3 plates.
  - Margolis, L., and T. H. Butler.
  - 1954. An unusual and heavy infection of a prawn, *Pandalus borealis* Krøyer, by a nematode, *Contraceacum* sp. The Journal of Parasitology, 40(6):649–655.
  - Markham, J. C.
  - 1973. Six new species of bopyrid isopods parasitic on galatheid crabs of the genus *Munida* in the western Atlantic. Bulletin of Marine Science, 23(3):613–648.
  - 1977. Distribution and systematic review of the bopyrid isopod *Probopyrinella latreuticola* (Gissler, 1882). Crustaceana, 33(2):189–197.
  - Markham, J. D., and J. J. McDermott.
  - 1981. A tabulation of the Crustacea Decapoda of Bermuda. Proceedings of the Biological Society of Washington, 83(4):1266–1276.
  - Marr, D. H. A.
  - 1958. Analogies between the compensatory responses of fish and Crustacea to horizontal displacement of the body. Nature, 182(4649): 1621–1622.
  - Marsh, G. A.
  - 1973. The *Zostera* epifaunal community in the York River, Virginia. Chesapeake Science, 14(2):87–97.
  - Marshall, N.
  - 1948. The molting without growth of spiny lobsters, *Panulirus argus*, kept in a live car. Transactions of the American Fisheries Society, 75(for 1945):267–269.
  - Martinez, S. L.
  - 1975. Biología del camarón de agua dulce, *Macrobrachium acanthurus* (Weigmann, 1836) (Crustacea Palaemonidae) de la ciénaga de “El Totumo” y su cultivo experimental en estanques. Divulgacion Pesquera, Dirección Generalde Pesca, Bogotá, D. E., 9(1):46 + vi pages, 21 un-

- numbered pages of tables, maps and graphs.
- Martosubroto, P.
1974. Fecundity of pink shrimp, *Penaeus duorarum* Burkenroad. Bulletin of Marine Science, 24(3):606–627.
- Mattox, N. T.
1952. Preliminary report on biology and economics of the spiny lobster in Puerto Rico. Proceedings of the Gulf and Caribbean Fisheries Institute, 4th Annual Session, November 1951, pages 69–70.
- Maury, A.
1975. A propos du "Crabe Bleu." Bulletin Trimestriel de la Société Géologique de Normandie, Muséum du Havre, 62(4):25, photo.
- Mayo, B. S.
1973. A review of the genus *Cancellus* (Crustacea: Diogenidae) with the description of a new species from the Caribbean Sea. Smithsonian Contributions to Zoology, 150, iii + 63 pages.
- McCauley, J. E.
1964. Gastropod larvae from the brood pouch of an arctic shrimp. Transactions of the American Microscopical Society, 83(3):290–293.
- McCloskey, L. R.
1970. The dynamics of the community associated with a marine scleractinian coral. Internationale Revue der Gesamten Hydrobiologie, 55(1): 13–81.
- McCloskey, L. R., and S. P. Caldwell.
1965. *Enteromyces callianassae* Lichtwardt (Trichomycetes, Eccrinales) in the mud shrimp *Upogebia affinis* [sic] (Say). Journal of the Elisha Mitchell Scientific Society, 81(2):114–117.
- McCormick, R. N.
1934. *Macrobrachium ohionis*, the large fresh-water shrimp. Proceedings of the Indiana Academy of Science, 43:218–224.
- McCoy, E. G.
1972. Dynamics of North Carolina commercial shrimp populations. Division of Commercial and Sports Fisheries, North Carolina Department of Natural and Economic Resources, Special Scientific Report, 21, 53 pages.
- McCoy, E. G., and J. T. Brown.
1967. Migration and growth of commercial penaeid shrimps in North Carolina. North Carolina Department of Conservation and Development, Division of Commercial and Sport Fisheries, Special Scientific Report, 11, 29 pages.
- McDermott, J. J.
1960. The predation of oysters and barancles by crabs of the family Xanthidae. Proceedings of the Pennsylvania Academy of Science, 34:199–211.
1961. The incidence and host-parasite relations of pinnotherid crabs in bivalve molluscs of New Jersey. Bulletin of the Ecological Society of America, 42(3):82 (abstract).
1963. The occurrence of *Pinnixa cylindrica* (Crustacea, Pinnotheridae) in the tubes of the lugworm, *Arenicola cristata*. Proceedings of the Pennsylvania Academy of Science, 36(for 1962):53–57.
- McDermott, J. J., and F. B. Flower.
1952. Preliminary studies of the common mud crabs on oyster beds of Delaware Bay. National Shellfish Association Convention Addresses, 1952, pages 47–50.
- McDonald, H. J., and W. Lang.
1976. The larval development of *Pilumnus sayi* Rathbun reared in the laboratory. American Zoolologist, 16(2):219 (abstract).
- McFarland, W. N., and B. D. Lee.
1963. Osmotic and ionic concentrations of penaeidean shrimps of the Texas coast. Bulletin of Marine Science of the Gulf and Caribbean, 13(3):391–417.
- McFarland, W. N., and P. E. Pickens.
1965. The effects of season, temperature and salinity on standard and active oxygen consumption of the grass shrimp *Palaemonetes vulgaris* (Say). Canadian Journal of Zoology, 43(3):571–585.
- McLaughlin, P. A.
1973. Remarks on the presumed example of hybridization between two species of *Pagurus* [Crustacea: Decapoda: Paguridae]. Journal of the Marine Biological Association of the United Kingdom, 53(3):563–568.
1974. The hermit crabs (Crustacea Decapoda, Paguroidea) of northwestern North America. Zoologische Verhandelingen, 130, 396 pages, 1 plate.
1975. On the identity of *Pagurus brevidactylus* (Stimpson) (Decapoda: Paguridae), with the description of a new species of *Pagurus* from the western Atlantic. Bulletin of Marine Science, 25(3):359–376.
1981. Revision of *Pylopagurus* and *Tomopagurus* (Crustacea: Decapoda: Paguridae), with the descriptions of new genera and species. Part 1. Ten new genera of the Paguridae and a redescription of *Tomopagurus* A. Milne Edwards and Bouvier. Bulletin of Marine Science, 3(1):1–30.
- McLaughlin, P. A., and A. J. Provenzano, Jr.
1974. Hermit crabs of the genus *Paguristes* (Crustacea: Decapoda: Diogenidae) from the Western Atlantic. Part I. The *Paguristes tortugae* complex, with notes on variation. Bulletin of Marine Science, 24(1):165–234.
- McLeese, D. W.
1968. Temperature resistance of the spider crab *Chionoectes opilio*. Journal of the Fisheries Research Board of Canada, 25(8):1733–1736.
- McLeese, D. W., and J. Watson.
1968. Oxygen consumption of the spider crab (*Chionoectes opilio*) and the American lobster (*Homarus americanus*) at a low temperature. Journal

- of the Fisheries Research Board of Canada, 25(8):1729–1732.
- McRae, E. D.
- 1950. An ecological study of the xanthid crabs in the Cedar Key area. Master's Thesis, University of Florida, Gainesville, 72 pages.
- Meiss, D. E., and R. S. Norman.
- 1977a. Comparative study of the stomatogastric system of several decapod Crustacea. I. Skeleton. *Journal of Morphology*, 152(1):21–53.
  - 1977b. Comparative study of the stomatogastric system of the decapod Crustacea. II. Musculature. *Journal of Morphology*, 152(1):55–57.
- Menzel, R. W., and F. W. Nichy.
- 1958. Studies of the distribution and feeding habits of some oyster predators in Alligator Harbor, Florida. *Bulletin of Marine Science of the Gulf and Caribbean*, 8(2):125–145.
- Menzel, R. W., and S. H. Hopkins.
- 1956. Crabs as predators of oysters in Louisiana. *Proceedings of the National Shellfisheries Association*, 46(for 1955):177–184.
- Menzies, R. A., and J. M. Kerrigan.
- 1980. The larval recruitment problem of the spiny lobster. *Fisheries*, 5(4):42–46.
- Menzies, R. J.
- 1948. A revision of the brachyuran genus *Lophopanopeus*. Allan Hancock Foundation Publications, Occasional Paper No. 4, 45 pages.
- Menzies, R. J., R. Y. George, and G. T. Rowe.
- 1973. Abyssal environment and ecology of the world oceans. John Wiley and Sons, New York, London, Sydney, Toronto, xxiii + 488 pages.
- Miers, E. J.
- 1881. On a collection of Crustacea made by Baron Hermann-Maltzan at Gorée Island, Senegambia. *Annals and Magazine of Natural History*, series 5, 8:204–220, 259–281, 364–377, plates 13–16.
  - 1886. Report on the Brachyura collected by H. M. S. Challenger during the years 1873–76. Report on the scientific results of the voyage of H. M. S. Challenger, *Zoology*, 17(49):i-l + 362 pages, plates 1–29.
- Miller, D. C.
- 1961. The feeding mechanism of fiddler crabs, with ecological considerations of feeding adaptations. *Zoologica*, 46(2):89–100, 1 plate.
  - 1973. Growth in *Uca*, 1. ontogeny of asymmetry in *Uca pugillator* (Bosc) (Decapoda, Ocypodidae). *Crustaceana*, 24(1):119–131.
- Miller, D. C., and F. J. Vernberg.
- 1968. Some thermal requirements of fiddler crabs of the temperate and tropical zones and their influence on geographic distribution. *American Zoologist*, 8(3):459–469.
- Miller, K. G., and D. Maurer.
- 1973. Distribution of the fiddler crab, *Uca pugnax* and *Uca minax*, in relation to salinity in Delaware rivers. *Chesapeake Science*, 14(3):219–221.
- Miller, R. J.
- 1976. North American crab fisheries: regulations and their rationales. *Fishery Bulletin*, 74(3): 623–633.
- Milne, L. J., and M. J. Milne.
- 1946. Notes on the behavior of the ghost crab. *American Naturalist*, 80(792):362–380.
- Milne Edwards, A.
- 1873–1881. Études sur les Xiphosures et les Crustacés de la Région Mexicaine. In *Mission Scientifique au Mexique et dans l'Amérique centrale*, part 5, pages 1–368, plates 1–61. [Published in numbers cited as follows: 3, pages 57–120, plates 16–20, 1875; 4, pages 121–184, plates 21–27, 29–30, 1878; pages 185–224, plates 32–39, 1879; 7, pages 265–312, plates 49–54, 1880.] (See Monod 1956 for publication dates of all numbers.)
  - 1878. Note sur quelques Crustacés nouveaux appartenant au groupe des Oxyrhynques. *Bulletin de la Société Philomathique de Paris*, series 7, 2:222–225.
  - 1880. Reports on the results of dredging, under the supervision of Alexander Agassiz, in the Gulf of Mexico and in the Caribbean Sea, 1877, '78, '79, by the United States Coast Survey Steamer "Blake" . . . VIII.—Études préliminaires sur les Crustacés. *Bulletin of the Museum of Comparative Zoology at Harvard College*, 8(1):1–68, 2 plates.
  - 1881. Description de quelques Crustacés Macroures provenant des grandes profondeurs de la mer des Antilles. *Annales Sciences Naturelles*, series 6, *Zoologie*, 11(4):1–16.
  - 1883. Recueil de figures de Crustacés nouveaux ou peu connus, etc. Livr. 1, 44 plates 4°, Paris.
- Milne Edwards, A., and E. L. Bouvier.
- 1893. Reports of the results of dredging under the supervision of Alexander Agassiz, in the Gulf of Mexico (1877–78), in the Caribbean Sea (1878–79), and along the Atlantic coast of the United States (1880), by the U. S. Coast Survey Steamer "Blake" . . . XXXIII. Description des Crustacés de la Famille des Paguriens recueillis pendant l'expédition. *Memoirs of the Museum of Comparative Zoology at Harvard College*, 14(3):1–172, 12 plates.
  - 1894. Considérations générales sur la famille des Galathéidés. *Annales des Sciences Naturelles, Zoologie*, series 7, 16:191–327.
  - 1897. Reports on the results of dredging under the supervision of Alexander Agassiz in the Gulf of Mexico (1877–78) in the Caribbean Sea (1878–79) and along the Atlantic coast of the United States (1880) by the U. S. Coast Survey Steamer "Blake" . . . XXXV. Description des Crustacés de la famille des Galathéidés recueillis pendant l'expédition. *Memoirs of the Museum of Comparative Zoology at Harvard College*, 19(2):1–141, 12 plates.
  - 1900. Crustacés Décapodes. Première partie. Brach-

- yures et anomures. In *Expéditions scientifiques du Travailleur et du Talisman pendant les années 1880, 1881, 1882, 1883*. Masson et Cie, éd., Paris, 396 pages, 32 plates (plates 1–7 colored).
1902. Reports of the results of dredging, under the supervision of Alexander Agassiz, in the Gulf of Mexico (1877–78), in the Caribbean Sea (1878–79), and along the Atlantic coast of the United States (1880), by the U. S. Coast Survey Steamer "Blake", . . . XXXIX. Les Dromiacés et Oxystomes. Memoirs of the Museum of Comparative Zoology at Harvard College, 27(1):1–127, 25 plates.
1909. Reports on the results of dredging under the supervision of Alexander Agassiz, in the Gulf of Mexico (1877–78) in the Caribbean Sea (1878–79), and along the Atlantic Coast of the United States (1880), by the U. S. Coast Survey Steamer "Blake". . . XLIV Le Pénéides et Sténopides. Memoirs of the Museum of Comparative Zoology at Harvard College, 27(3): 179–274, 9 plates.
1923. Reports on the results of dredging under the supervision of Alexander Agassiz in the Gulf of Mexico (1877–78) in the Caribbean Sea (1878–79), and along the Atlantic coast of the United States (1880), by the U. S. Coast Survey Steamer "Blake". . . XLVII. Les Porcellanides et des Brachyures. Memoirs of the Museum of Comparative Zoology at Harvard College, 47(4):283–395, 12 plates.
- Milne Edwards, H.
1830. Description des genre *Glaucothôe*, *Sicyonie*, *Sergeste* et *Acète*, de l'ordre des Crustacés Décapodes. Annales des Sciences Naturelle, 19: 333–352, plates 8–11.
1832. Observations sur les Crustacés du genre *Mithrax*. Magasin de Zoologie, 2, class 7, plates 1–5.
- 1834–1840. Histoire naturelle des Crustacés, comprenant l'anatomie, la physiologie et, la classification de ces animaux. Vol. 1, 1834, xxxv + 468 pages; Vol. 2, 1837, 532 pages; Vol. 3, 1840, 638 pages; atlas, 32 pages, plates 1–42.
1853. Mémoire sur la famille des Ocyptodiens. Annales des Sciences Naturelle, series 3 (Zoologie), Paris, 20:163–228, plates 6–11.
- Milstein, A., M. Juanico, and J. Olazarri.
1976. Algunas asociaciones bentónicas frente a las costas de Rocha, Uruguay. Resultados de la campaña del R/V "Hero," Viaje 72–3A. Comunicaciones de la Sociedad Malacológica del Uruguay, 4(30):143–164.
- Milstein, C. B., D. L. Thomas, and Associates.
1977. Summary of ecological studies for 1972–1975 in the bays and other waterways near Little Egg Inlet and in the ocean in the vicinity of the proposed site for the Atlantic Generating Station, New Jersey. Ichthyological Associates, Inc., Bulletin 18, 757 pages.
- Miner, R. W.
1950. Field book of seashore life. G. P. Putnam's Sons, New York, 888 pages, 24 colored plates, 251 plates.
- Mistakidis, M. N.
1957. The biology of *Pandalus montagui* Leach. Fishery Investigations, series 2, 21(4):iv + 1–52, 8 plates.
- Mistakidis, M. N., and G. de S. Neiva.
1964. Occurrence of two penaeid shrimps, *Artemesia longinaris* Bate and *Hymenopenaeus mulleri* (Bate), and of some lesser-known shrimps in coastal waters of South America. Nature, 202(4931):471–472.
1966. New records of shrimps *Hymenopenaeus tropicallis* and *Parapenaeus americanus* from Brazil. Nature, 211(5047):434.
- Monod, Th.
1956. Hippidea et Brachyura ouest-africains. Mémoires de l'Institut Français d'Afrique Noire, 45, 674 pages.
- Moore, D. R.
1962. Notes on the distribution of the spiny lobster *Panulirus* in Florida and the Gulf of Mexico. Crustaceana, 3(4):318–319.
- Mootz, C. A., and C. E. Epifanio.
1974. An energy budget for *Menippe mercenaria* larvae fed *Artemia* nauplii. Biological Bulletin, 146(1):44–55.
- More, W. R.
1969. A contribution to the biology of the blue crab (*Callinectes sapidus* Rathbun) in Texas, with a description of the fishery. Texas Parks and Wildlife Department, Technical Series, 1, 31 pages.
- Moreira, C.
1901. Contribuições para o conhecimento da fauna Brasileira. Crustaceos do Brazil. Archivos do Museu Nacional do Rio de Janeiro, 11:1–51.
- Morgan, R. P., II, E. Kramarsky, and S. D. Sulkin.
1978. Biochemical changes during larval development of the xanthid crab *Rhithropanopeus harrisii*. III. Isozyme changes during ontogeny. Marine Biology, 48(3):223–226.
- Morgan, T. H.
1900. Further experiments on the regeneration of the appendages of the hermit crab. Anatomischer Anzeiger, 17(1):1–9.
1901. Regeneration. New York, The Macmillan Co., 316 pages.
1921. Variation in juvenile fiddler crabs. American Naturalist, 55:82–83.
1923. Further evidence on variation in the width of the abdomen in immature fiddler crabs. American Naturalist, 57(650):274–283.
- Mota, A., M. Ivone, and M. M. Rodrigues.
1977. Aspectos da reprodução do camarão sete-barbas, *Xyphopenaeus kroyeri* (Heller) (Decapoda, Macrura), na costa do Estado do Ceará. Arquivos de Ciências do Mar, 17(1):29–35.

- Motoh, H.
- 1973. Laboratory-reared zoeae and megalopae of zuwai crab from the Sea of Japan. Bulletin of the Japanese Society of Scientific Fisheries, 39(12):1233–1230.
- Moulton, J. M.
- 1957. Sound production in the spiny lobster *Panulirus argus* (Latreille). Biological Bulletin, 113(2):286–295.
- Munro, J. L., A. C. Jones, and D. Dimitriou.
- 1968. Abundance and distribution of the larvae of the pink shrimp (*Penaeus duorarum*) on the Tortugas shelf of Florida, August 1962–October 1964. Fishery Bulletin, 67(1):165–181.
- Muraoka, K.
- 1965. On the post-larval stage of *Plagusia depressa tuberculata* Lamarck (Grapidae). Researches on Crustacea, 2:83–90, plates 10–11. The Carcinological Society of Japan. (In Japanese with English summary.)
  - 1967. On the post-larval stages of *Percnon planissimum* (Herbst), Grapsidae. Researches on Crustacea, 3:61–67, plate 7. The Carcinological Society of Japan. (In Japanese with English summary.)
- Musick, J. A., and J. D. McEachran.
- 1972. Autumn and winter occurrence of decapod crustaceans in Chesapeake Bight, U. S. A. Crustaceana, 22(2):190–200.
- Muus, B. J.
- 1967. The fauna of Danish estuaries and lagoons. Distribution and ecology of dominating species in the shallow reaches of the mesohaline zone. Meddelelser fra Danmarks Fiskeri-og Havundersogelser, new series 5(1):3–316.
- Nagabhushanam, R.
- 1961. Tolerance of the prawn, *Palaeomonetes vulgaris* (Say), to waters of low salinity. Science and Culture, 27(1):43.
- Nations, J. D.
- 1975. The genus *Cancer* (Crustacea: Brachyura): systematics, biogeography and fossil record. Natural History Museum of Los Angeles County Science Bulletin, 23:4, 1–104, frontispiece.
  - 1979. The genus *Cancer* and its distribution in time and space. Bulletin of the Biological Society of Washington, 3:153–187.
- Naylor, E.
- 1960. A North American xanthoid crab new to Britain. Nature, 187:256–257.
  - 1962. Seasonal changes in a population of *Carcinus maenas* (L.) in the littoral zone. Journal of Animal Ecology, 31(3):601–609.
- Naylor, E., and M. J. Isaac.
- 1973. Behavioural significance of pressure responses in megalopa larvae of *Callinectes sapidus* and *Macropipus* sp. Marine Behaviour and Physiology, 1(4):341–350.
- Needham, J. G.
- 1947. Obituary, William Perry Hay, 1871–1947. Science, 105 (2732):490.
- Neiva, G. de S.
- 1969. Observations on the shrimp fisheries of the central and southern coast of Brazil. FAO Fisheries Reports, 57(3):847–858.
- Nesis, K. N.
- 1963. Pacific elements in northwest Atlantic benthos. Pages 82–99 in Yu. Yu. Marti (ed.), Soviet fisheries investigations in the northwest Atlantic. Translated from Russian, Israel Program for Scientific Translations, Jerusalem, vi + 370 pages.
  - 1964. Systematic and zoogeographic position of two benthic invertebrates in the north-western Atlantic Ocean. Zoologichesky Zhurnal, 43(5):662–670. (Russian with English summary).
- Nichols, P. R., and P. M. Keney.
- 1963. Crab larvae (*Callinectes*), in plankton collections from cruises of M/V Theodore N Gill, South Atlantic coast of the United States, 1953–54. United States Fish and Wildlife Service, Special Scientific Report—Fisheries, 448, 14 pages.
- Noël, P.
- 1978. *Eualus drachi* nov. sp. (Crustacea, Caridea, Hippolytidae) des côtes Françaises de la Méditerranée. Archives de Zoologie Expérimentale & Générale, 119(1):21–38.
- Nolan, B. A., and M. Salmon.
- 1970. The behavior and ecology of snapping shrimp (Crustacea: *Alpheus heterochaelis* and *Alpheus normanni*). Forma et Functio, 2:289–335.
- Nomura, H., and J. Fausto-Filho.
- 1966. Alguns dados biometricos de dois crustáceos marinhos do nordeste Brasileiro. Arquivos da Estação de Biologia Marinha da Universidade Federal do Ceará, 6(2):119–121.
- Norse, E. A.
- 1978. An experimental gradient analysis: hyposalinity as an “upstress” distributional determinant of Caribbean portunid crabs. Biological Bulletin, 155(3):586–598.
  - 1978a. Physicochemical and biological stressors as distributional determinants of Caribbean and tropical eastern Pacific swimming crabs. Pages 120–140, in J. H. Thorp and J. W. Gibbons (eds.), Energy and Environmental Stress in Aquatic Systems. DOE Symposium Series, Augusta, Ga., Nov. 2–4, 1977, CONF-771114.
- Novak, A., and M. Salmon.
- 1974. *Uca panacea*, a new species of fiddler crab from the Gulf Coast of the United States. Proceedings of the Biological Society of Washington, 87(28):313–326.
- Nyblade, C. F.
- 1970. Larval development of *Pagurus annulipes* (Stimpson, 1862) and *Pagurus pollicaris* Say, 1817 reared in the laboratory. Biological Bulletin, 139(3):557–573.
- Odum, H. T.
- 1953. Factors controlling marine invasion into Florida freshwaters. Bulletin of Marine Science of the Gulf and Caribbean, 3(2):134–156.

- Odum, W. E., and E. J. Heald.  
 1972. Trophic analyses of an estuarine mangrove community. *Bulletin of Marine Science*, 22(3):671–738.
- Ogawa, E. F., and C. A. S. Rocha.  
 1976. Sobre a fecundidade de Crustáceos Decapodos marinhos do Estado do Ceará, Brazil. *Arquivos de Ciências do Mar*, 16(2):101–104.
- Oler, T. M.  
 1941. Some notes on the occurrence of a small land crab (*Sesarma cinereum* Bosc) on the Magothy River, Maryland. *Maryland Natural History Society Bulletin*, 11(3):51–53.
- Oliveira, L. P. H. de.  
 1940. Observações preliminares sobre a biologia dos Crustaceos do genero *Panopeus* Milne Edwards, 1834. *Memorias do Instituto Oswaldo Cruz, Rio de Janeiro*, 35(1):153–171.
- Olivier, M.  
 1811. *Encyclopédie Méthodique. Histoire Naturelle*, 8:1–722. H. Agasse, Paris.
- Olsen, D. A., A. E. Dammann, and J. A. LaPlace.  
 1978. *Portunus spinimanus* Latreille, a portunid crab with resource potential in the U. S. Virgin Islands. *Marine Fisheries Review*, 40(7):12–14.
- Omori, M.  
 1975. The systematics, biogeography, and fishery of epipelagic shrimps of the genus *Acetes* (Crustacea, Decapoda, Sergestidae). *Bulletin of the Ocean Research Institute, University of Tokyo*, 7:1–91.
- Ong, K., and J. D. Costlow, Jr.  
 1970. The effect of salinity and temperature on the larval development of the stone crab, *Menippe mercenaria* (Say), reared in the laboratory. *Chesapeake Science*, 11(1):16–29.
- Oord, A. M. van den, and L. B. Holthuis.  
 1959. De Columbus crab in Nederland gevonden. [The Columbus crab *Planes minutus* (L.) found in the Netherlands]. *Levende Natuur*, 62(2):30–32.
- Opinion 763.  
 1966. *Stenorhynchus* Lamarck, 1818 (Crustacea, Decapoda): validated under the plenary powers with designation of *Cancer seticornis* Herbst, 1788, as type species. *Bulletin of Zoological Nomenclature*, 23(1):19–21.
- Opinion 864.  
 1969. Penaeid generic names (Crustacea Decapoda): addition of twenty-eight to the official list. *Bulletin of Zoological Nomenclature*, 25(4/5): 138–147.
- Ordway, A.  
 1863. Monograph of the genus *Callinectes*. *Journal of the Boston Society of Natural History*, 7(13):567–583.
- O'Riordan, C. E.  
 1968. Second Irish record of stone crab, *Lithodes maia* (L.). *The Irish Naturalist's Journal*, 16(4):106–107.
- Orth, R. J.  
 1977. The importance of sediment stability in seagrass communities. Pages 281–300 in Bruce C. Coull (ed.), *Ecology of marine benthos. The Belle W. Baruch Library in Marine Science No. 6*, University of South Carolina Press, Columbia, xx + 467 pages.
- Ortmann, A. E.  
 1893. Die Decapoden-Krebse des Strassburger Museums. VII. Theil. Abtheilung: Brachyura (Brachyura genuina Boas) II. Unterabtheilung: Cancroidea, 2. Section: Cancrinae, 1. Gruppe: Cyclometopha. *Zoologischen Jahrbüchern. Abtheilung für Systematik, Geographie und Biologie der Thiere*, 7:411–495.
1896. Die geographische Verbreitung der Decapoden gruppe der Hippidea. *Zoologische Jahrbücher, Abteilung für Systematik*, Jena, 9:219–243.
- Overstreet, R. M.  
 1973. Parasites of some penaeid shrimps with emphasis on reared hosts. *Aquaculture*, 2(2):105–140.
- Overstreet, R. M., and R. W. Heard.  
 1978. Food of the red drum, *Sciaenops ocellata*, from Mississippi Sound. *Gulf Research Reports*, 6(2):131–135.
- Paiva, M. P.  
 1971. Estudo sobre a pesca de lagostas no Ceará, durante o ano de 1970. *Arquivos de Ciências do Mar*, 11(2):73–81.
1973. Estudo sobre a pesca lagostas no Ceará durante o ano de 1972. *Arquivos de Ciências do Mar*, 13(1):65–67.
1976. Estudo sobre a pesca de lagostas no Ceará durante o ano de 1975. *Arquivos de Ciências do Mar*, 16(1):27–30.
- Paiva, M. P., and M. H. Pitombeira.  
 1962. Ação da pesca sobre os sexos e tamanhos da lagosta *Panulirus argus* (Latr.), da costa do Ceará. *Arquivos do Museu Nacional Rio de Janeiro*, 52:169–177.
- Paiva, M. P., and R. S. da Costa.  
 1962. Sobre os ovos de *Macrobrachium acanthurus* (Wiegmann, 1836) Pearse, 1911. *Boletim Sociedade Cearense de Agronomia*, 3:37–40.
1971. Estudos de biologia da pesca de lagostas no Ceará, dados de 1970. *Arquivos de Ciências do Mar*, 11(2):139–146.
- Park, J. R.  
 1969. A preliminary study of portunid crabs in Biscayne Bay. *Quarterly Journal of the Florida Academy of Sciences*, 32(1):12–20.
1978. A study of the distribution and ecology of the tropical swimming crabs of the western Atlantic. Master's Thesis, University of Miami, Coral Gables, Fla., 88 pages.
- Parker, J. D.  
 1970. Distribution of juvenile brown shrimp (*Penaeus aztecus* Ives) in Galveston Bay, Texas, as related to certain hydrographic features and salinity.

- Contributions in Marine Science, 15:1–12.
- Parrack, M. L.
- 1979. Aspects of brown shrimp, *Penaeus aztecus*, growth in the northern Gulf of Mexico. *Fishery Bulletin*, 76(4):827–836.
- Passano, L. M.
- 1960. Low temperature blockage of molting in *Uca pugnax*. *Biological Bulletin*, 118(1):129–136.
- Patton, W. K.
- 1967. Studies on *Domecia acanthophora*, a commensal crab from Puerto Rico, with particular reference to modification of the coral host and feeding habits. *Biological Bulletin*, 132(1):56–67.
  - 1967a. Commensal Crustacea. Proceedings of the Symposium on Crustacea, Marine Biological Association of India, 3(2): 1228–1243.
  - 1972. Studies on the animal symbionts of the gorgonian coral, *Leptogorgia virgulata* (Lamarck). *Bulletin of Marine Science*, 22(2):419–431.
- Pauley, G. B., M. W. Newman, and E. Gould.
- 1975. Serum changes in the blue crab, *Callinectes sapidus*, associated with *Paramoeba perniciosa*, the causative agent of gray crab disease. *Marine Fisheries Review*, 37(5–6):34–38.
- Paulson, O.
- 1875. Studies on the Crustacea of the Red Sea with notes regarding other seas. Part 1. Podophthalmata and Edriophthalmata (Cumacea). S. V. Kul'zhenko, 83 Malo-Zhitomirskaya St., Kiev. Translation published for The National Science Foundation, Washington, D.C., and Smithsonian Institution, USA, by The Israel Program for Scientific Translations, 1961, 164 pages, including introduction and 21 plates.
- Pearse, A. S.
- 1913. On the habits of the crustaceans found in *Chaeopterus* tubes at Woods Hole. *Biological Bulletin*, 24(2):102–114.
  - 1914. On the habits of the *Uca pugnax* (Smith) and *U. pugilator* (Bosc). *Transactions of the Wisconsin Academy of Science, Arts, and Letters*, 17(2):791–802.
  - 1929. The ecology of certain estuarine crabs at Beaufort, N. C. *Journal of the Elisha Mitchell Scientific Society*, 44(2):230–237.
  - 1932a. Freezing points of bloods of certain littoral and estuarine animals. *Papers of the Tortugas Laboratory*, Carnegie Institution of Washington, 28:93–102.
  - 1932b. Observations on the parasites and commensals found associated with crustaceans and fishes at Dry Tortugas, Florida. *Papers of the Tortugas Laboratory*, Carnegie Institution of Washington, 28:103–115.
  - 1934. Inhabitants of certain sponges at Dry Tortugas. *Papers of the Tortugas Laboratory*, Carnegie Institution of Washington, 28(7):117–124, 2 plates.
  - 1945. Ecology of *Upogebia affinis* (Say). *Ecology*, 26(3): 303–305.
  - 1950. Notes on the inhabitants of certain sponges at Bimini. *Ecology*, 31(1):149–151.
- 1952a. Parasitic crustaceans from Alligator Harbor, Florida. *Journal of the Florida Academy of Science*, 15:187–243.
- 1952b. Parasitic Crustacea from the Texas coast. *Publications of the Institute of Marine Science, Texas*, 2(2):7–42.
- Pearse, A. S., and L. G. Williams.
- 1951. The biota of the reefs off the Carolinas. *Journal of the Elisha Mitchell Scientific Society*, 67(1):133–161.
  - Pearse, A. S., H. J. Humm, and G. W. Wharton.
  - 1942. Ecology of sand beaches at Beaufort, N. C. *Ecological Monographs*, 12(2):35–190, 1 map.
- Pearson, J. C.
- 1939. The early life histories of some American Penaeidae, chiefly the commercial shrimp, *Penaeus setiferus* (Linn.). *Bulletin of the United States Bureau of Fisheries*, 49(for 1950) (30):1–73.
  - 1948. Fluctuations in the abundance of the blue crab in Chesapeake Bay. *United States Fish and Wildlife Service, Research Report* 14, 26 pages.
- Pemberton, G. S., M. J. Risk, and D. E. Buckley.
- 1976. Supershrimp: deep bioturbation in the Strait of Canso, Nova Scotia. *Science*, 192(4241):790–791.
- Pequegnat, L. H.
- 1970. Deep-sea caridean shrimps with descriptions of six new species. In W. E. Pequegnat and F. A. Chace, Jr. (eds.). *Texas A & M University Oceanographic Studies*, 1(4), Contributions on the biology of the Gulf of Mexico, pages 59–123.
- Pequegnat, L. H., and W. E. Pequegnat.
- 1970. Deep-sea anomurans of Superfamily Galatheoidea with descriptions of two new species. In W. E. Pequegnat and F. A. Chace, Jr. (eds.), *Texas A & M University Oceanographic Studies*, 1(5), Contributions on the biology of the Gulf of Mexico, pages 125–170.
- Pequegnat, L. H., and J. P. Ray.
- 1974. Crustacea and other arthropods. Pages 231–288 in T. J. Bright and L. H. Pequegnat (eds.), *Biota of the West Flower Garden Bank*, Gulf Publishing Co., x + 435 pages.
- Pequegnat, W. E.
- 1970. Deep-water brachyuran crabs. In W. E. Pequegnat and F. A. Chace, Jr. (eds.). *Texas A & M University Oceanographic Studies*, 1(6), Contributions on the biology of the Gulf of Mexico, pages 171–204.
- Pequegnat, W. E., L. H. Pequegnat, R. W. Firth, Jr., B. M. James, and T. W. Roberts.
- 1971. Gulf of Mexico deep-sea fauna, Decapoda Euphausiacea. *Serial Atlas of the Marine Environment*, Folio 20, American Geographical Society, New York, pages 1–12, 7 text-figures, drawings, 6 plates.
- Pérez Farfante, I.
- 1969. Western Atlantic shrimps of the genus *Penaeus*. *Fishery Bulletin*, 67(3):i–x, 461–591.

1970. Diagnostic characters of juveniles of the shrimps *Penaeus aztecus aztecus*, *P. duorarum duorarum* and *P. brasiliensis* (Crustacea, Decapoda, Penaeidae). United States Fish and Wildlife Service, Special Scientific Report-Fisheries, 599, 26 pages.
1971. Range extension of the shrimp *Penaeus (Meli-*  
*certus) brasiliensis* Latreille, 1817 (Decapoda, Penaeidae). Bulletin of Marine Science, 21(3):745-747.
- 1971a. Western Atlantic shrimps of the genus *Meta-*  
*penaeopsis* (Crustacea, Decapoda, Penaeidae), with descriptions of three new species. Smithsonian Contributions to Zoology, 79, 37 pages.
1975. Spermatophores and thelyca of the American white shrimps, genus *Penaeus*, subgenus *Lito-*  
*penaeus*. Fishery Bulletin, 73(3):463-486.
1977. American solenocerid shrimps of the genera *Hymenopenaeus*, *Haliporides*, *Pleoticus*, *Hadropenaeus* new genus, and *Mesopenaeus* new genus. Fishery Bulletin, 75(2):261-346.
1978. Shrimps and prawns, 46 pages. In W. Fischer (ed.), FAO species identification sheets for fishery purposes. Western Central Atlantic (Fishing Area 31), 6.
1980. A new species of rock shrimp of the genus *Sicyonia* (Penaeoidea), with a key to the western Atlantic species. Proceedings of the Biological Society of Washington, 93(3):771-780.
- Pérez Farfante, I., and H. R. Bullis, Jr.
1973. Western Atlantic shrimps of the genus *Solenocera* with description of a new species (Crustacea: Decapoda: Penaeidae). Smithsonian Contributions to Zoology, 153, 33 pages.
- Perkins, E. J., E. Gribbon, and R. B. Murray.
1969. Some aspects of biology of *Carcinus maenas* (L.). 2. Survival at low salinity. Transactions, Journal and Proceedings of the Dumfrieshire and Galloway Natural History and Antiquities Society, 46:27-28.
- Perschbacher, P. W., and F. J. Schwartz.
1979. Recent records of *Callinectes danae* and *Callinectes marginatus* (Decapoda: Portunidae) from North Carolina with environmental notes. Fishery Bulletin, 76(4):879-880.
- Phillips, A. M.
1940. The ghost crab-adventures investigating the life of a curious and interesting creature that lives on our doorstep, the only large crustacean of our North Atlantic Coast that passes a good part of its life on land. Natural History, 46(1):36-41.
- Phillips, B. F., and J. S. Cobb, (eds.).
1977. Workshop on lobsters and rock lobsters ecology and physiology. Division of Fisheries and Oceanography, Commonwealth Scientific and Industrial Research Organization, Australia, Circular 7, 300 pages.
- Phillips, P. J., W. D. Burke, and E. J. Kenner.
1969. Observations on the trophic significance of jelly fishes in Mississippi Sound with quantitative data on the associative behavior of small fishes with medusae. Transactions of the American Fisheries Society, 98(4):703-712.
- Phipps, C. J.
1774. A voyage towards the North Pole undertaken by his Majesty's Command, 1773. London, J. Nourse, the Strand, viii + 253 pages, 14 plates, appendix.
- Pike, R. B.
1954. Notes on the growth and biology of the prawn *Spirontocaris lilljeborgii* (Danielssen). Journal of the Marine Biological Association of the United Kingdom, 33(3):739-747.
- Pike, R. B., and D. I. Williamson.
1960. Larvae of decapod Crustacea of the families Diogenidae and Paguridae from the Bay of Naples. *Publicationi della Stazione Zoologica di Napoli*, 31(3):493-552.
1961. The larvae of *Spirontocaris* and related genera (Decapoda, Hippolytidae). *Crustaceana*, 2(3): 187-208.
1964. The larvae of some species of Pandalidae (Decapoda). *Crustaceana*, 6(4):265-284.
- Pileggi, J., and B. G. Thompson.
1980. Fisheries of the United States, 1979. Current Fishery Statistics, 8000, 131 pages.
- Pilsbry, H. A.
1907. The barnacles (Cirripedia) contained in the collections of the U. S. National Museum. United States National Museum Bulletin, 60, x + 366 pages, 76 plates.
- Pinschmidt, W. C.
1963. Distribution of crab larvae in relation to some environmental conditions in the Newport River estuary, North Carolina. Ph.D. dissertation, Department of Zoology, Duke University, Durham, N. C., i-x + 112 pages.
1964. Distribution of crab larvae in relation to some environmental conditions in the Newport River estuary, North Carolina. Dissertation Abstracts, 24(11):4883.
- Pohl, M. E.
1946. Ecological observations on *Callianassa major* Say at Beaufort, North Carolina. Ecology, 27(1):71-80.
- Poore, G. C. B.
1975. Systematics and distribution of *Callianassa* (Crustacea, Decapoda, Macrura) from Port Phillip Bay, Australia, with descriptions of two new species. Pacific Science, 29(2):197-209.
- Porter, H. J.
1960. Zoeal stages of the stone crab, *Menippe mercenaria* Say. Chesapeake Science, 1(3-4):168-177.
- Powell, E. H., Jr., and G. Gunter.
1968. Observations on the stone crab *Menippe mercenaria* Say, in the vicinity of Port Aransas, Texas. Gulf Research Reports, 2(3):285-299.
- Powers, L. W.
1977. A catalogue and bibliography to the crabs (Brachyura) of the Gulf of Mexico. Contributions in Marine Science, 20(supplement):1-190.

- Powles, H.
- 1968. Distribution and biology of the spider crab *Chionoecetes opilio* in the Magdalen Shallows, Gulf of St. Lawrence. Fisheries Research Board of Canada, Biological Station, St. Andrews, N. B., Manuscript Report Series, 997, 106 pages.
- Pretzmann, G.
- 1966. Atypische Ausbildung der sekundären Geschlechtsmerkmale bei *Callinectes sapidus acutidens* Rathbun 1895. Annalen des Naturhistorischen Museums in Wien, 69 (1965):305–306, 2 plates.
- Proctor, W.
- 1933. Biological survey of the Mount Desert region. Part V, Marine fauna. Wistar Institute of Anatomy and Biology, Philadelphia, 402 pages, 15 plates.
- Provenzano, A. J., Jr.
- 1959. The shallow-water hermit crabs of Florida. Bulletin of Marine Science of the Gulf and Caribbean, 9(4):349–420.
  - 1960. Albinism in an American population of the shore crab, *Carcinus maenas* (L.). Nature, 187(4736):521.
  - 1961. Pagurid crabs (Decapoda Anomura) from St. John, Virgin Islands, with descriptions of three new species. Crustaceana, 3(2):151–166.
  - 1963a. *Pylopagurus discoidalis* (A. Milne-Edwards, 1880) (Decapoda, Anomura) found off North Carolina (U.S.A.), a northern record for the genus. Crustaceana, 5(3):239–240.
  - 1963b. The glaucothoës of *Petrochirus diogenes* (L.) and two species of *Dardanus* (Decapoda: Diogenidae). Bulletin of Marine Science of the Gulf and Caribbean, 13(2):242–261.
  - 1968. The complete larval development of the West Indian hermit crab *Petrochirus diogenes* (L.) (Decapoda, Diogenidae) reared in the laboratory. Bulletin of Marine Science, 18(1):143–181.
  - 1978. Larval development of the hermit crab, *Paguristes spinipes* Milne-Edwards, 1880 (Decapoda, Diogenidae) reared in the laboratory. Bulletin of Marine Science, 28(3):512–526.
- Provenzano, A. J., Jr., and W. N. Brownell.
- 1977. Larval and early post-larval stages of the West Indian spider crab, *Mithrax spinosissimus* (Lamarck) (Decapoda: Majidae). Proceedings of the Biological Society of Washington, 90(3):735–752.
- Provenzano, A. J., Jr., and S. Dobkin.
- 1962. Variation among larvae of decapod Crustacea reared in the laboratory. American Zoologist, 2(3):439 (abstract).
- Provenzano, A. J., Jr., and A. L. Rice.
- 1966. Juvenile morphology and the development of taxonomic characters in *Paguristes sericeus* A. Milne-Edwards (Decapoda, Diogenidae). Crustaceana, 10(1):53–69.
- Przibram, H.
- 1931. Connecting laws in animal morphology; four lectures held at the University of London, March 1929. University of London Press, Ltd., 62 pages.
- Pullen, E. J., and W. L. Trent.
- 1970. Carapace width-total weight relation of blue crabs from Galveston Bay, Texas. Transactions of the American Fisheries Society, 99(4):795–798.
- Rae, B. B., and J. M. Lamont.
- 1963. Rare marine invertebrates found in the Scottish area. The Scottish Naturalist, 71:23–28.
- Ramos, M. de A.
- 1971. Os crustáceos decápodos natantes do estuário do Rio Paraíba do Norte. Arquivos do Museu Nacional, 54:43–44.
- Randall, J. E.
- 1967. Food habits of reef fishes of the West Indies. Studies in Tropical Oceanography, Miami, 5:665–847.
- Rankin, W. M.
- 1898. The Northrop collection of Crustacea from the Bahamas. Annals of the New York Academy of Sciences, 11(12):225–258, plates 29–30.
  - 1900. The Crustacea of the Bermuda Islands, with notes on the Collections made by the New York University Expeditions in 1897 and 1898. Annals of the New York Academy of Sciences, 12(12):521–548, plate 17.
- Rasmussen, B.
- 1953. On the geographical variation in growth and sexual development of the deep sea prawn (*Pandalus borealis* Kr.). Reports on Norwegian Fishery and Marine Investigations, 10(3):1–160.
  - 1967. Note on growth and protandric hermaphroditism in the deep sea prawn, *Pandalus borealis*. Proceedings of the Symposium on Crustacea, Marine Biological Association of India, 2:701–706.
- Rasmussen, E.
- 1959. Behaviour of sacculinized shore crabs (*Carcinus maenas* Pennant). Nature, 183(4659):479–480.
  - 1973. Systematics and ecology of the Isefjord marine fauna (Denmark). Ophelia, 11(1–2):1–495.
- Rathbun, M. J.
- 1892. Catalogue of the crabs of the family Periceridae in the U. S. National Museum. Proceedings of the United States National Museum, 15(901):231–277, plates 28–40.
  - 1893. Catalogue of the crabs of the family Majidae in the U. S. National Museum. Proceedings of the United States National Museum, 16(927):63–103, plates 3–8.
  - 1894. Notes on the crabs of the family Inachidae in the U. S. National Museum. Proceedings of the United States National Museum, 17(984):43–75, 1 plate.
  - 1896a. The genus *Callinectes*. Proceedings of the United States National Museum, 18(for 1895) (1070): 349–375, plates 12–28.
  - 1896b. Description of a new genus and four new species of crabs from the West Indies. Proceedings of the United States National Museum,

- 19(1104):141–144.
- 1897a. Synopsis of the American species of *Palicus* Philippi (= *Cymopolia* Roux), with descriptions of six new species. Proceedings of the Biological Society of Washington, 11:93–99.
- 1897b. List of the decapod Crustacea of Jamaica. Annals of the Institute of Jamaica, Kingston, 1(1):1–46.
- 1897c. Synopsis of the American species of *Ethusa*, with description of a new species. Proceedings of the Biological Society of Washington, 11:109–110.
- 1898a. The Brachyura of the biological expedition to the Florida Keys and the Bahamas in 1893. Bulletin from the Laboratories of Natural History of the State University of Iowa, 4(3):250–294, 9 plates.
- 1898b. The Brachyura collected by the United States Fish Commission steamer *Albatross* on the voyage from Norfolk, Virginia, to San Francisco, California, 1887–1888. Proceedings of the United States National Museum, 21:567–616, plates 41–44.
1900. The decapod crustaceans of west Africa. Proceedings of the United States National Museum, 22(1199):271–316.
- 1900a. Synopses of North-American invertebrates: X. The Oxyrhynchous and Oxystomatous crabs of North America, pages 503–519; XI. The Catometopous or Grapsoid crabs of North America, pages 583–591, American Naturalist, 34.
1901. The Brachyura and Macrura of Porto Rico. Bulletin of the United States Fish Commission for 1900, 20(2):1–127, and 129\*–137\*, 2 colored plates.
1902. Description of new decapod crustaceans from the west coast of North America. Proceedings of the United States National Museum, 24(1272):885–905.
- 1902a. Papers from the Hopkins Stanford Galapagos Expedition, 1898–1899. VIII. Brachyura and Macrura. Proceedings of the Washington Academy of Sciences, 4:275–292, plate 12.
1904. Decapod crustaceans of the northwest coast of North America. Harriman Alaska Expedition, 10, Crustaceans, pages 3–190, 10 plates, Doubleday, Page & Co., New York. Reprinted 1910, Smithsonian Institution, Washington.
1905. Fauna of New England. 5. List of the Crustacea. Occasional Papers of the Boston Society of Natural History, 7:1–117.
1916. Description of three species of crabs (*Osachila*) from the eastern coast of North America. Proceedings of the United States National Museum, 50(2138):647–652, plate 36.
- 1918a. Contributions to the geology and paleontology of the Canal Zone, Panama, and geologically related areas in Central America and the West Indies. Decapod crustaceans from the Panama region. United States National Museum Bulle-
- tin, 103:123–184, plates 54–56.
- 1918b. The grapsoid crabs of America. United States National Museum Bulletin, 97, i–xxii + 461 pages, 161 plates.
1920. New species of spider crabs from the Straits of Florida and Caribbean Sea. Proceedings of the Biological Society of Washington, 33:23–24.
1921. On intersexes in fiddler crabs. American Naturalist, 55:80–82.
1924. New species and subspecies of spider crabs. Proceedings of the United States National Museum, 64(14):1–5.
1925. The spider crabs of America. United States National Museum Bulletin, 129, x + 613 pages 283 plates.
1926. The fossil stalk-eyed Crustacea of the Pacific slope of North America. United States National Museum Bulletin, 138, i–vii + 155 pages, 39 plates.
1929. Canadian Atlantic fauna. 10. Arthropoda. 10 m. Decapoda. Biological Board of Canada, Atlantic Biological Station, St. Andrews, N. B., 38 pages.
- 1930a. The cancrinid crabs of America of the families Euryalidae, Portunidae, Atelecyclidae, Cancridae and Xanthidae. United States National Museum Bulletin, 152, i–xvi + 609 pages, 230 plates.
- 1930b. Fossil decapod crustaceans from Mexico. Proceedings of the United States National Museum, 78(8):1–10.
1933. Brachyuran crabs of Porto Rico and the Virgin Islands. In Scientific Survey of Porto Rico and the Virgin Islands. New York Academy of Sciences, 15(1):1–121.
- 1933a. Preliminary descriptions of nine new species of oxystomatous and allied crabs. Proceedings of the Biological Society of Washington, 46:183–186.
1934. *Neopanope texana nigrodigita* a new subspecies of xanthid crab from South Carolina. The Charleston Museum Leaflet, 7:1–4, 1 plate.
1935. Fossil Crustacea of the Atlantic and Gulf Coastal Plain. Geological Society of America, Special Paper, 2, vii + 160 pages, 26 plates.
1937. The Oxystomatous and allied crabs of America. United States National Museum Bulletin, 166, i–vi + 278 pages, 86 plates.
- Rathbun, R.
1884. Crustaceans. In George Brown Goode, The fisheries and fishery industries of the United States, section I, part 5, Natural history of useful aquatic animals, pages 759–830, plates 260–275. United States Commission of Fish and Fisheries, Washington, D. C.
- Ray, J. P.
1974. A study of the coral reef crustaceans (Decapoda and Stomatopoda) of two Gulf of Mexico reef systems: West Flower Garden, Texas and Isla de Lobos, Veracruz, Mexico. Ph.D. Dissertation, Texas A & M University, College Sta-

- tion, 323 pages.
- Rebach, S.
- 1974. Burying behavior in relation to substrate and temperature in the hermit crab, *Pagurus longicarpus*. *Ecology*, 55(1):195–198.
- Rees, G. H.
- 1959. Larval development of the sand crab *Emerita talpoida* (Say) in the laboratory. *Biological Bulletin*, 117(2):356–370.
- Reese, E. S.
- 1962. Shell selection behaviour of hermit crabs. *Animal Behaviour*, 10(3–4):347–360.
- Reilly, P. N., and S. B. Sailsa.
- 1978. Biology and ecology of the rock crab, *Cancer irroratus* Say, 1817, in southern New England waters (Decapoda, Brachyura). *Crustaceana*, 34(2):121–140.
- Reinhard, E. G.
- 1944. A hermit crab as intermediate host of *Polymorphus* (Acanth). *Journal of Parasitology*, 30:201.
  - 1945. *Paguritherium alatum* n. g., n. sp., an entoniscian parasite of *Pagurus longicarpus*. *Journal of Parasitology*, 31(3):198–204.
  - 1950a. An analysis of the effects of a sacculinid parasite on the external morphology of *Callinectes sapidus* Rathbun. *Biological Bulletin*, 98(3):277–288.
  - 1950b. The morphology of *Loxothylacus texanus* Boschma, a sacculinid parasite of the blue crab. *The Texas Journal of Science*, 2(3):360–365.
  - 1951. *Loxothylacus*, a parasite of the blue crab in Texas. *Texas Game and Fish*, 9(5):14–17.
  - 1958. Rhizocephala of the family Peltogastridae parasitic on West Indian species of Galatheidae. *Proceedings of the United States National Museum*, 108(3403):295–307, 1 plate.
- Reinhard, E. G., and F. M. Buckeridge.
- 1950. The effect of parasitism by an entoniscid on the secondary sex characters of *Pagurus longicarpus*. *Journal of Parasitology*, 36(2):131–138.
- Renfro, W. C.
- 1964. Life history stages of a Gulf of Mexico brown shrimp. *United States Fish and Wildlife Service Circular* 183, pages 94–98.
- Renfro, W. C., and H. L. Cook.
- 1963. Early larval stage of the seabob, *Xiphopenaeus kroyeri* (Heller). *Fishery Bulletin*, 63(1):165–177.
- Rice, A. L.
- 1964. The metamorphosis of a species of *Homola* (Crustacea, Decapoda: Dromiaceae). *Bulletin of Marine Science of the Gulf and Caribbean*, 14(2):221–238.
  - 1980. Crab zoeal morphology and its bearing on the classification of the Brachyura. *Transactions of the Zoological Society of London*, 35:271–424.
- Rice, A. L., and R. W. Ingle.
- 1975. The larval development of *Carcinus maenas* (L.) and *C. mediterraneus* Czerniavsky (Crustacea, Brachyura, Portunidae) reared in the laboratory. *Bulletin of the British Museum (Natural History), Zoology*, 28(3):103–119, 1 plate.
- Rice, A. L., and A. J. Provenzano, Jr.
- 1965. The zoeal stages and the glaucothoe of *Paguristes sericeus* A. Milne-Edwards (Anomura, Diogenidae). *Crustaceana*, 8(3):239–254.
  - 1966. The larval development of the West Indian sponge crab *Dromidia antillensis* (Decapoda: Dromiidae). *Journal of Zoology*, London, 149:297–319.
  - 1970. The larval stages of *Homola barbata* (Fabricius) (Crustacea, Decapoda, Homolidae) reared in the laboratory. *Bulletin of Marine Science*, 20(2):446–471.
- Rice, A. L., and K. G. von Levetzow.
- 1967. Larvae of *Homola* (Crustacea: Dromiaceae) from South Africa. *Journal of Natural History*, 1(3):435–453.
- Ricketts, E. F., and J. Calvin.
- 1952. *Between Pacific Tides*, 3rd ed. Stanford University Press, California, xiii + 502 pages.
- Rickner, J. A.
- 1975. Notes on members of the family Porcellanidae (Crustacea: Anomura) collected on the east coast of Mexico. *Proceedings of the Biological Society of Washington*, 88(16):159–166.
  - 1975a. New records of the porcellanid crab, *Polyonyx gibbesi* Haig, from the Texas coast (Decapoda, Anomura). *Crustaceana*, 28(3):313–314.
  - 1977. Notes on a collection of crabs (Crustacea: Brachyura) from the east coast of Mexico. *Proceedings of the Biological Society of Washington*, 90(4):831–838.
- Righi, G.
- 1967. Sobre alguns Decapoda do Brasil (Crustacea, Brachyura: Pinnotheridae e Parthenopidae). *Papéis Avulsos de Zoologia*, São Paulo, 20(10):99–116.
- Ringo, R. D., and G. Zamora, Jr.
- 1968. A penaeid postlarval character of taxonomic value. *Bulletin of Marine Science*, 18(2):471–476.
- Ringuet, R. A.
- 1963. Hallazgo de *Callinectes sapidus acutidens* Rathbun en la ribera occidental del Rio de la Plata (Crust. Brach. Portunidae). *Physis, Revista de la Asociación Argentina de Ciencias Naturales*, 24(7):86.
- Ritzmann, R.
- 1973. Snapping behavior of the shrimp *Alpheus californiensis*. *Science*, 181(4098):459–460.
- Roberts, M. H., Jr.
- 1968a. Functional morphology of mouth parts of the hermit crabs, *Pagurus longicarpus* and *Pagurus pollicaris*. *Chesapeake Science*, 9(1):9–20.
  - 1968b. Larval development of the decapod *Euceramus praelongus* in laboratory culture. *Chesapeake Science*, 9(2):121–130.
  - 1969. Larval development of *Bathynectes superba* (Costa) reared in the laboratory. *Biological Bulletin*, 137(2):338–351.
  - 1970. Larval development of *Pagurus longicarpus* Say reared in the laboratory, I. description of larval instars. *Biological Bulletin*, 139(1):188–202.

- 1971a. Larval development of *Pagurus longicarpus* Say reared in the laboratory. II. Effects of reduced salinity on larval development. *Biological Bulletin*, 140(1):104–116.
- 1971b. Larval development of *Pagurus longicarpus* Say reared in the laboratory. III. Behavioral responses to salinity discontinuities. *Biological Bulletin*, 140(3):489–501.
- 1971c. Larval development of *Pagurus longicarpus* Say reared in the laboratory. IV. Aspects of the ecology of the megalopa. *Biological Bulletin*, 141(1):162–166.
1973. Larval development of *Pagurus acadianus* Benedict, 1901, reared in the laboratory (Decapoda, Anomura). *Crustaceana*, 24(3):303–317.
1975. Description of a pea crab, *Pinnotheres chamae*, sp. nov. from the Jewel Box, *Chama congregata*. *Chesapeake Science*, 16(4):238–241.
- 1975a. Larval development of *Pinnotheres chamae* reared in the laboratory. *Chesapeake Science*, 16(4):242–252.
- Roberts, T. W., and W. E. Pequegnat.
1970. Deep-water decapod shrimps of the family Penaeidae. Texas A & M University Oceanographic Studies, 1(3). In W. E. Pequegnat and F. A. Chace, Jr. (eds.), Contributions on the biology of the Gulf of Mexico, pages 21–27.
- Robertson, P. B.
- 1968a. The larval development of some western Atlantic lobsters of the family Scyllaridae. Ph.D. Dissertation, University of Miami, Coral Gables, Florida, 530 pages.
- 1968b. The complete larval development of the sand lobster, *Scyllarus americanus* (Smith), (Decapoda, Scyllaridae) in the laboratory, with notes on larvae from the plankton. *Bulletin of Marine Science*, 18(2):294–342.
1971. The larvae and postlarva of the scyllarid lobster *Scyllarus depressus* (Smith). *Bulletin of Marine Science*, 21(4):841–865.
- Robinson, L. A. (ed.).
1977. Fisheries statistics of the United States, 1976. United States Department of Commerce, National Marine Fisheries Service, Current Fishery Statistics, 7200, 96 pages.
- Rodrigues, S. de A.
1965. Ocorrência de *Callianassa major* Say no litoral de São Paulo. *Ciência e Cultura*, São Paulo, 17:226.
1966. Estudos sobre *Callianassa*. Sistemática, biologia e anatomia. Doctoral dissertation, Universidade de São Paulo, Brazil, 168 pages.
1971. Mud shrimps of the genus *Callianassa* Leach from the Brazilian coast (Crustacea, Decapoda). *Arquivos de Zoologia*, São Paulo, 20(3):191–223.
- Rodrigues da Costa, H.
1962. Notas sobre os Hippidea da costa Brasileira (Crustacea Anomura) Parte 2. Centro de Estudos Zoológicos, Universidade Brasil, 14:1–11, 3 plates.
1971. As espécies Brasileiras da família Pinnotheridae (Crustacea Reptantia) com descrição de uma nova espécie (*Fabia sebastianensis*). Trabalhos Oceânicos, Universidade Federal de Pernambuco, Recife, 9/11(1967/9):255–264.
- Roessler, M. A., and R. G. Rehrer.
1971. Relation of catches of postlarval pink shrimp in Everglades National Park, Florida, to the commercial catches on the Tortugas Grounds. *Bulletin of Marine Science*, 21(4):790–805.
- Rogers, B. G.
1968. An extension of the range of the pinnotherid crab *Dissodactylus mellitae* Rathbun. *Crustaceana*, 14(3):318.
- Ronholz, L. L.
1963. Distribution and relative abundance of commercially important pandalid shrimps in the northeastern Pacific Ocean. United States Fish and Wildlife Service, Special Scientific Reports—Fisheries, 449, 28 pages.
- Ropes, J. W.
1968. The feeding habits of the green crab, *Carcinus maenas* (L.). *Fishery Bulletin*, 67(2):183–203.
- Rosen, B.
1967. Shell disease of the blue crab, *Callinectes sapidus*. *Journal of Invertebrate Pathology*, 9(3): 348–353.
- Rosenberg, R., and J. D. Costlow, Jr.
1976. Synergistic effects of cadmium and salinity combined with constant and cycling temperatures on the larval development of two estuarine crab species. *Marine Biology*, 38(4):291–303.
- Ross, A., J. E. Lewis, and R. J. Scolaro.
1964. New Eocene decapods from Florida. *Quarterly Journal of the Florida Academy of Sciences*, 27(3):187–196.
- Ross, J. C.
1835. Account of the objects in the several departments of natural history, seen and discovered during the present expedition. Pages i-c, in Appendix to the narrative of a second voyage in search of a north-west passage, and of a residence in the arctic regions during the years 1829, 1830, 1831, 1832, 1833, including the reports of Commander . . . Ross . . . and the discovery of the northern magnetic pole. A. W. Webster, London.
- Rouse, W. L.
1970. Littoral Crustacea from southwest Florida. *Quarterly Journal of the Florida Academy of Science*, 32(for 1969)(2):127–152.
- Roux, P.
- 1828–1830. Crustacés de la Méditerranée et de son littoral. (pages i-iv, 1–176 unnumbered), 45 plates, Paris, Marseille. [Published in 9 parts; part 1, 2 (plates 1–10), 1828; part 3 (plates 11–15), 1829; parts 4–9 (plates 16–45), 1830.]
- Rowe, G. T., and R. J. Menzies.
1968. Orientation in two bathyal, benthic decapods, *Munida valida* Smith and *Parapagurus pilosimanus* Smith. *Limnology and Oceanography*, 13(3):549–552.

- Ryan, E. P.
- 1956. Observations on the life histories and the distribution of the Xanthidae (mud crabs) of Chesapeake Bay. *American Midland Naturalist*, 56:138–162, 2 plates.
- Sabine, E.
- 1824. Invertebrate animals. Pages ccix-ccxxxix in W. E. Parry, *Journal of a voyage for the discovery of a north-west passage from the Atlantic to the Pacific; performed in the years 1819–20, in His Majesty's Ships Hecla and Griper, under the orders of William Edward Parry, R. N., F.R.S., and commander of the expedition. A supplement to the appendix of Captain Parry's first voyage . . . natural history. Appendix X.* John Murray, London, 310 + cccx pages, plates 1–2, 4 unnumbered plates.
- Sage, L. E., and S. S. Herman.
- 1972. Zooplankton of the Sandy Hook Bay area, N. J. *Chesapeake Science*, 13(1):29–39.
- Saila, S. B., and S. D. Pratt.
- 1973. Mid-Atlantic Bight fisheries. Pages 6-1–6-125 in *Coastal and offshore environmental inventory Cape Hatteras to Nantucket shoals. Occasional Paper No. 5, Marine Publication Series 2*, University of Rhode Island, Kingston.
- Saila, S. B., J. M. Flowers, and J. T. Hughes.
- 1969. Fecundity of the American lobster, *Homarus americanus*. *Transactions of the American Fisheries Society*, 98(3):537–539.
- St. Amant, L. S., K. C. Corkum, and J. G. Broom.
- 1963. Studies on growth dynamics of the brown shrimp, *Penaeus aztecus*, in Louisiana waters. *Gulf and Caribbean Fisheries Institute, Proceedings of the 15th Annual Session, Galveston, Texas, November, 1962*, pages 14–26.
- Saint Laurent, M. de.
- 1972. Un thalassinide nouveau du Golfe de Gasconie, *Calastacus laevis* sp. nov. Remarques sur le genre *Calastacus* Faxon (Crustacea Decapoda Axiidae). *Bulletin du Muséum National d'Histoire Naturelle, Paris, series 3, Zoologie*, 29(35):347–356.
  - 1973. Sur la systématique et la phylogénie des Thalassinidea: définition des familles des Callianassidae et des Upogebiidae et diagnose de cinq genres nouveaux (Crustacea Decapoda). *Comptes Rendus Hebdomadaires des Séances de l'Academie des Sciences, Paris*, 290, series D(19):513–516.
  - 1980a. Sur la classification et la phylogénie des Crustacés Décapodes Brachyoures. I. Podotremata Guinot, 1977, et Eubrachyura sect. nov. *Comptes Rendus Hebdomadaires des Séances de l'Academie des Sciences, Paris*, 290, series D (19):1265–1268.
  - 1980b. Sur la classification et la phylogénie des Crustacés Décapodes Brachyoures. Heterotremata et Thoracotremata Guinot, 1977. *Comptes Rendus Hebdomadaires des Séances de l'Academie des Sciences, Paris*, 290, series D (20):1317–1320.
- Saint Laurent-Dechancé, M. de.
- 1966. *Iridopagurus*, genre nouveau de Paguridae (Crustaces Decapodes) des mers tropicales Américaines. *Bulletin du Muséum National d'Histoire Naturelle, Paris, series 2*, 38(2):151–173.
- Sakai, T.
- 1976. Crabs of Japan and the adjacent seas. Kodansha Ltd., Tokyo, 773 pages (English text), 251 plates (many colored), 461 pages (Japanese text), as 3 separate volumes.
- Salmon, M.
- 1971. Signal characteristics and acoustic detection by the fiddler crabs, *Uca rapax* and *Uca pugilator*. *Physiological Zoology*, 44(4):210–224.
- Salmon, M., and K. W. Horch.
- 1972. Acoustic signalling and detection by semiterrestrial crabs of the family Ocypodidae. Pages 60–96 in H. E. Winn and B. L. Olla (eds.), *Behavior of marine animals, current perspectives in research. Volume I: Invertebrates*. Plenum Press, New York, London, xxix + 244 pages.
- Salmon, M., and S. P. Atsaises.
- 1968. Behavioral, morphological and ecological evidence for two new species of fiddler crabs (genus *Uca*) from the Gulf coast of the United States. *Proceedings of the Biological Society of Washington*, 81:275–290.
- Salmon, M., K. Horch, and G. W. Hyatt.
- 1977. Barth's myochordotonal organ as a receptor for auditory and vibrational stimuli in fiddler crabs (*Uca pugilator* and *U. minax*). *Marine Behaviour and Physiology*, 4(3):187–194.
- Salmon, M., G. Hyatt, K. McCarthy, and J. D. Costlow, Jr.
- 1978. Display specificity and reproductive isolation in the fiddler crabs, *Uca panacea* and *U. pugilator*. *Zeitschrift fur Tierpsychologie*, 48(3):251–276.
- Saloman, C. H.
- 1971. The shrimp *Leptalpheus forceps* in Old Tampa Bay, Florida. *Quarterly Journal of the Florida Academy of Science*, 34(1):67–77.
  - 1979. New records of caridean shrimps (Decapoda, Caridea) from the nearshore area of Panama City Beach, Florida, U. S. A. *Crustaceana*, supplement 5:147–152.
- Sanders, H. L., E. M. Goudsmit, E. L. Mills, and G. E. Hampson.
- 1962. A study of the intertidal fauna of Barnstable Harbor, Massachusetts. *Limnology and Oceanography*, 7(1):63–79.
- Sandifer, P. A.
- 1971. The first two phyllosomas of the sand lobster, *Scyllarus depressus* (Smith) (Decapoda, Scyllaridae). *Journal of the Elisha Mitchell Scientific Society*, 87(4):183–187.
  - 1972. Effects of diet on larval development of *Thor floridanus* (Decapoda, Caridea) in the laboratory. *Virginia Journal of Science*, 23(1):5–8.
  - 1973a. Effects of temperature and salinity on larval development of grass shrimp, *Palaemonetes vulgaris* (Decapoda, Caridea). *Fishery Bulletin*,

- 71(1):115–123.
- 1973b. Larvae of the burrowing shrimp, *Upogebia afinis*, (Crustacea, Decapoda, Upogebiidae) from Virginia plankton. Chesapeake Science, 14(2): 98–104.
- 1973c. Mud shrimp (*Callianassa*) larvae (Crustacea, Decapoda, Callianassidae) from Virginia plankton. Chesapeake Science, 14(3):149–159.
- 1973d. Distribution and abundance of decapod crustacean larvae in the York River estuary and adjacent lower Chesapeake Bay, Virginia, 1968–1969. Chesapeake Science, 14(4):235–257.
- 1974a. Larval stages of the crab, *Pilumnus dasypodus* Kingsley (Crustacea, Brachyura, Xanthidae), obtained in the laboratory. Bulletin of Marine Science, 24(2):378–391.
- 1974b. Larval stages of the shrimp, *Ogyrides limicola* Williams 1955 (Decapoda, Caridea) obtained in the laboratory. Crustaceana, 26(1):37–60.
1975. The role of pelagic larvae in recruitment to populations of adult decapod crustaceans in the York River estuary and adjacent lower Chesapeake Bay, Virginia. Estuarine and Coastal Marine Science, 3(3):269–279.
- Sandifer, P. A., and W. A. Van Engel.
1970. *Modiolus demissus*: A new host for oyster crab, *Pinnotheres ostreum* in Virginia. Veliger, 13(2): 145–146.
1971. Larval development of the spider crab, *Libinia dubia* H. Milne Edwards (Brachyura, Majidae, Pisinae), reared in laboratory culture. Chesapeake Science, 12(1):18–25.
1972. Larval stages of the spider crab, *Anasimus latus* Rathbun, 1894 (Brachyura, Majidae, Inachinae) obtained in the laboratory. Crustaceana, 23(2):141–151.
- 1972a. *Lepidopa* larva (Crustacea, Decapoda, Albuneidae) from Virginia plankton. Journal of the Elisha Mitchell Scientific Society, 88(4):220–225.
- Sandoz, M., and S. H. Hopkins.
1947. Early life history of the oyster crab *Pinnotheres ostreum* (Say). Biological Bulletin, 93(3):250–258.
- Santos, E. P. dos, and C. T. C. Ivo.
1973. Estimação de medidas de mortalidade da lagosta *Panulirus argus* (Latreille), em águas costeiras do Estado do Ceará. Arquivos de Ciências do Mar, 13(1):57–60.
- Sars, G. O.
1869. Nye Dybvandsrustaceer fra Lofoten. Forhandlinger I Videnskabs-Selskabet I Christiania, Aar 1869, pages 147–174.
1882. Oversigt af Norges Crustaceer med foreløbige bemaerkninger over de nye eller mindre bekjendte arter. Forhandlinger Videnskabs-Selskabet, I Christiania, 18:1–124, 6 plates.
1885. The Norwegian North-Atlantic Expedition 1876–1878. Zoology. Crustacea, I, 280 pages, 21 plates, 1 chart, Christiania.
1890. Bidrag til Kundskaben om Decapodernes Forvandlinger. III. Fam. Crangonidae. Archiv for Mathematic og Naturvidenskab, 14:132–195, 6 plates.
1900. Account of the postembryonal development of *Pandalus borealis* Krøyer with remarks on the development of other pandali, and description of the adult *Pandalus borealis*. Report on Norwegian Fishery and Marine Investigations, 1(3):1–45, 10 plates (colored).
- Sars, M.
1861. Beretning om en i Sommeren 1859 foretage zoologisk Reise ved Kysten af Romsdals Amt. Nyt Magazin for Naturvidenskaberne, 11B(for 1859):241–263.
1862. Bemaerkninger over Crangoninerne med Beskrivelse over to ny norske arter. Forhandlinger I Videnskabs-Selskabet I Christiania. Aar 1861, pages 179–187.
1868. Bidrag til Kundskab om Christianiafjordens Fauna. Nyt Magazin for Naturvidenskaberne, 15(6):241–344, 7 plates.
- Sastray, A. N.
- 1977a. The larval development of the rock crab, *Cancer irroratus* Say, 1817, under laboratory conditions (Decapoda Brachyura). Crustaceana, 32(2):155–168.
- 1977b. The larval development of the Jonah crab, *Cancer borealis* Stimpson, 1859, under laboratory conditions (Decapoda, Brachyura). Crustaceana, 32(3):290–303.
1978. Physiological adaptation of *Cancer irroratus* larvae to cyclic temperatures. Pages 57–65 in D. S. McLusky and A. J. Berry (eds.), Physiology and behaviour of marine organisms. Proceedings of the 12th European Symposium on Marine Biology, Stirling, Scotland, September 1977. Pergamon Press, Oxford, New York, xvi + 388 pages.
- Sastray, A. N., and L. Zeitlin-Hale.
1977. Survival of communally reared larval and juvenile lobsters, *Homarus americanus*. Marine Biology, 39(4):297–303.
- Saussure, H. de.
1857. Diagnoses de quelques Crustacés nouveaux de l'Amérique tropicale. Revue et Magzin de Zoologie Pure et Appliquée, series 2, 9:501–505.
1858. Mémoire sur divers Crustacés nouveaux du Mexique et des Antilles. Memoires, Societe Physique et d'Histoire Naturelle de Genève, 14(2):417–496, 6 plates.
- Savage, T.
1971. Mating of the stone crab, *Menippe mercenaria* (Say) (Decapoda, Brachyura). Crustaceana, 20(3):315–316, 1 plate.
- Savage, T., and M. R. McMahan.
1968. Growth of early juvenile stone crabs, *Menippe mercenaria* (Say, 1819). Florida Board of Conservation, Marine Research Laboratory Special Scientific Report, 21, 17 pages, unnumbered graph.
- Savage, T., J. R. Sullivan, and C. E. Kalman.
1974. Claw extraction during molting of a stone crab, *Menippe mercenaria* (Decapoda, Brachyura,

- Xanthidae). Florida Marine Research Publications, 4, 5 pages.
1975. An analysis of stone crab (*Menippe mercenaria*) landings on Florida's west coast, with a brief synopsis of the fishery. Florida Marine Research Publications, 13, 37 pages.
- Sawyer, R. T., A. R. Lawler, and R. M. Overstreet. 1975. Marine leeches of the eastern United States and the Gulf of Mexico with a key to the species. Journal of Natural History, 9:646–653.
- Say, T. 1817–1818. An account of the Crustacea of the United States. Journal of the Academy of Natural Sciences of Philadelphia, 1(1)(1817):57–63, 65–80, 97–101, 155–169; (2) (1818):235–253, 313–319, 374–401, 423–444, 445–458, plate 4.
- Scarratt, D. J., and R. Lowe. 1972. Biology of rock crab (*Cancer irroratus*) in Northumberland Strait. Journal of the Fisheries Research Board of Canada, 29(2):161–166.
- Scattergood, L. W. 1960. Blue crabs (*Callinectes sapidus*) in Maine. Maine Field Naturalist, 16(3):59–63.
- Scelzo, M. A. 1973. Lista de los crustaceos decapodos Anomura obtenidos en 1966 por la expedicion "Walther Herwig" en el Atlantico sur y depositados en las colecciones del Instituto de Biologia Marina. Physis, section A, 32(84):161–174 (Buenos Aires).
- Scelzo, M. A., and A. Valentini. 1974. Presencia de *Geryon quinquedens* Smith en aguas del Oceano Atlantico Sudoccidental (Decapoda, Brachyura, Geryonidae). Physis, section A, 33(87): 557–567.
- Schein, H. 1975. Aspects of the aggressive and sexual behaviour of *Alpheus heterochaelis* Say. Marine Behaviour and Physiology, 3(2):83–96.
1977. The role of snapping in *Alpheus heterochaelis* Say, 1818, the big-clawed snapping shrimp. Crustaceana, 33(2):182–188.
- Schmalfuss, H. 1976. Ökologisch-funktionsmorphologische Untersuchungen an karibischen Krabben (Decapoda, Brachyura). I. *Percnon gibbesi* (H. Milne-Edwards, 1837) (Grapsidae, Plagusinae). Studies on Neotropical Fauna and Environment, 11:211–222. (English summary.)
1978. Structure, patterns, and function of cuticular terraces in recent and fossil arthropods. Zoomorphologie, 90:19–40.
- Schmitt, W. L. 1921. The marine decapod Crustacea of California. University of California Publications in Zoology, 23:1–470, 50 plates.
- 1924a. Report on the Macrura, Anomura and Stomatopoda collected by the Barbados-Antigua Expedition from the University of Iowa in 1918. University of Iowa Studies in Natural History, 10(4):65–99, 5 plates.
- 1924b. The Macrura and Anomura collected by the Williams Galapagos Expedition, 1923. Zoologica, 5(15):161–171.
- 1924c. The macruran, anomuran, and stomatopod Crustacea. In *Bijdragen tot de kennis der fauna van Curaçao. Resultaten eener reis van Dr. C. J. van der Horst in 1920. Bijdragen Tot de Dierkunde Uitgegeven door het Koninklijk Zoologisch Genootschap Natura Artis Magistrale Amsterdam*, 23:61–81, plate 8.
1930. Some observations on the Crustacea of the Tortugas, Florida. Yearbook of the Carnegie Institution of Washington, 29:343–346.
1933. Four new species of decapod crustaceans from Porto Rico. American Museum Novitates, 662:1–9.
- 1935a. Crustacea Macrura and Anomura of Porto Rico and the Virgin Islands. Scientific Survey of Porto Rico and the Virgin Islands, New York Academy of Sciences, 15(2):125–227.
- 1935b. Mud shrimps of the Atlantic Coast of North America. Smithsonian Miscellaneous Collections, 93(2):1–21, 4 plates.
1939. Decapod and other Crustacea collected on the presidential cruise of 1938 (with introduction and station data). Smithsonian Miscellaneous Collections, 98(6):1–29, 3 plates.
- Schmitt, W. L., J. C. McCain, and E. S. Davidson. 1973. Decapoda I, Brachyura I, Fam. Pinnotheridae. In H.-E. Gruner and L. B. Holthuis (eds.), *Crustaceorum Catalogus*, 3:1–160, Dr. W. Junk B.V.-Den Haag.
- Schone, H. 1968. Agonistic and sexual display in aquatic and semi-terrestrial brachyuran crabs. American Zoologist, 8(3):641–654.
- Schramm, A. 1867. See Desbonne, I., and A. Schramm, 1867.
- Schroeder, W. C. 1959. The lobster, *Homarus americanus*, and the red crab, *Geryon quinquedens*, in the offshore waters of the western North Atlantic. Deep-Sea Research, 5(4):266–282.
- Schwartz, B., and S. R. Safir. 1915. The natural history and behavior of the fiddler crab. Cold Spring Harbor Monographs, 8:1–24.
- Schwartz, F. J. 1977. Evaluation of colored Floy anchor tags on white shrimp, *Penaeus setiferus*, tagged in Cape Fear River, North Carolina 1973–1975. Florida Scientist, 40(1):22–27.
- Scott, J. D. 1973. America's love affair with the lobster. National Wildlife, 11(5):27–31.
- Scotto, L. E. 1979. Larval development of the Cuban stone crab, *Menippe nodifrons* (Brachyura, Xanthidae), under laboratory conditions with notes on the status of the family Menippidae. Fishery Bulletin,

- letin, 77(2):359–386.
- Scrivener, J. C., and T. H. Butler.  
1971. A bibliography of shrimps of the family Pandalidae, emphasizing economically important species of the genus *Pandalus*. Fisheries Board of Canada, Technical Report, 241:1–42.
- Scully, E. P.  
1978. Utilization of surface foam as a food source by the hermit crab, *Pagurus longicarpus* Say, 1817. *Marine Behaviour and Physiology*, 5(2):159–162.
- Seilacher, A.  
1973. Fabricational noise in adaptive morphology. *Systematic Zoology*, 22(4):451–465.
- Seiple, W.  
1979. Distribution, habitat preferences and breeding periods in the crustaceans *Sesarma cinereum* and *S. reticulatum* (Brachyura: Decapoda: Grapsidae). *Marine Biology*, 52(1):77–86.
- Selbie, C. M.  
1921. The Decapoda Reptantia of the coasts of Ireland. Part II. Paguridea. *Fisheries, Ireland, Scientific Investigations*, 1921, 1:1–68, 9 plates.
- Serène, R.  
1968. The Brachyura of the Indo-West Pacific region. Prodromus for a check list of the (non-planktonic) marine fauna of south east Asia. (Indo-Pacific brachyurans). In UNESCO, Fourth Meeting of Marine Sciences, Singapore, 1–4:33–112.
- Serène, R., and A. F. Umali.  
1972. The Family Raninidae and other new and rare species of brachyuran decapods from the Philippines and adjacent regions. *The Philippine Journal of Science*, 99(1–2):21–105, 9 plates.
- Shield, P.  
1973. The chromatophores of *Emerita talpoida* (Say) zoeae considered as a diagnostic character. *Chesapeake Science*, 14(1):41–47.  
1978. Larval development of the caridean shrimp, *Hippolyte pleuracanthus* (Stimpson), reared in the laboratory. *Estuaries*, 1(1):1–16.
- Shoup, J. B.  
1968. Shell opening by crabs of the genus *Calappa*. *Science*, 160(3830):887–888, cover photo for issue.
- Sick, L. V.  
1970. Larval distribution of commercially important Penaeidae in North Carolina. *Journal of the Elisha Mitchell Scientific Society*, 86(3):118–127.
- Siebenaler, J. B.  
1952. Studies of "trash" caught by shrimp trawlers in Florida. Proceedings of the Gulf and Caribbean Fisheries Institute, Fourth Annual Session, Miami Beach, November, 1951, pages 94–99.
- Sikora, W. B., R. W. Heard, and M. D. Dahlberg.  
1972. The occurrence and food habits of two species of hake, *Urophycis regius* and *U. floridanus* in Georgia estuaries. *Transactions of the American Fisheries Society*, 101(3):513–525.
- Simmons, D. C.  
1980. Review of the Florida spiny lobster resource. *Fisheries*, 5(4):37–42.
- Simon, J. L., and D. M. Dauer.  
1977. Reestablishment of a benthic community following natural defaunation. Pages 139–154 in B. C. Coull (ed.), *Ecology of marine benthos. The Belle W. Baruch Library in Marine Science*, 6, University of South Carolina Press, Columbia, xx + 467 pages.
- Simpson, A. C., B. R. Howell, and P. J. Warren.  
1970. Synopsis of biological data on the shrimp *Pandalus montagui* Leach, 1814. Proceedings of the World Scientific Conference on the Biology and Culture of Shrimps and Prawns. FAO Fisheries Reports, 57(4):1225–1249.
- Sims, H. W., Jr.  
1966. Notes on the newly hatched phyllosoma of the sand lobster *Scyllarus americanus* (Smith). *Crustaceana*, 11(3):288–290.  
1968. Notes on spiny lobster larvae in the North Atlantic. *Quarterly Journal of the Florida Academy of Sciences*, 29(4):257–264.
- Sims, H. W., Jr., and E. A. Joyce, Jr.  
1966. Partial albinism in a blue crab. *Quarterly Journal of the Florida Academy of Sciences*, 28(4) (for 1965):373–374.
- Sinclair, M. E.  
1977. Agonistic behaviour of the stone crab, *Menippe mercenaria* (Say). *Animal Behaviour*, 25(1): 193–207.
- Sinderman, C. J., and A. Rosenfield.  
1967. Principal diseases of commercially important marine bivalve Mollusca and Crustacea. *Fishery Bulletin*, 66(2):335–385.
- Sinoda, M.  
1968. Studies on fishery of suwai crab in the Japan Sea – I: the growth. *Bulletin of the Japanese Society of Scientific Fisheries*, 34(3):185–190.
- Sivertsen, E.  
1953. Oldinger blant hummer og krabber. En hummer med "øyenhulene" gjenvokset av blåskjell. Det Kongelige Norske Videnskabers Selskab Museet Årbok for 1952, pages 117–121. (In Norwegian with English summary.)  
Sivertsen, E., and L. B. Holthuis.  
1956. Crustacea Decapoda (The Penaeidea and Stenopodidea excepted). Report on the Scientific Results of the "Michael Sars" North Atlantic Deep-Sea Expedition, 1910, 5(12):54 pages, 4 plates.
- Slizkin, A. G.  
1974. Peculiarities in the distribution of crabs (Crustacea, Decapoda, Lithodidae and Majidae) in the Bering Sea. Trudy Vsesouznogo nauchnoissledovatgel'skogo Institutamorskogo rebnogo khozieistva i okenaografi (VNIRO), 99:29–36. (Translated from Russian.)

- Smaldon, G.
- 1979. British coastal shrimps and prawns. In *Synopses of the British Fauna*, D. M. Kermack and R. S. K. Barnes (eds.), 15, 126 pages, Academic Press, New York.
- Smidt, E.
- 1969. *Pandalus borealis* in Greenland waters: Its fishery and biology. Proceedings of the World Scientific Conference on the Biology and Culture of Shrimps and Prawns. FAO Fisheries Reports, 57(3):983–901.
- Smith, F. G. W.
- 1951. Caribbean spiny lobster investigations. Proceedings of the Gulf and Caribbean Fisheries Institute, 3rd Annual Session, November 1950, pages 128–134.
  - 1954. Biology of the spiny lobster. Fishery Bulletin, 55:463–465.
- Smith, M.
- 1971. Productivity of marine ponds receiving treated sewage. In E. J. Kuenzler and A. F. Chestnut, Structure and functioning of estuarine ecosystems exposed to treated sewage wastes. Optimum ecological designs for estuarine ecosystems in North Carolina, Sea Grant No. GH103, Project UNC-10, Annual Report for 1970–71, pages 24–41.
- Smith, R. I.
- 1964. Chapter 13, Phylum Arthropoda, Class Crustacea, The higher Malacostraca (Decapoda and Stomatopoda). Pages 117–128, plates 16–17 in Keys to marine invertebrates of the Woods Hole region. Systematics-Ecology Program, Marine Biological Laboratory, Woods Hole, Mass., Contribution 11, x + 208 pages.
  - 1967. Osmotic regulation and adaptive reduction of water-permeability in brackish-water crab, *Rhithropanopeus harrisi* (Brachyura, Xanthidae). Biological Bulletin, 133(3):643–658.
- Smith, S. I.
- 1869. Notice of the Crustacea collected by Prof. C. F. Hartt on the coast of Brazil in 1867, list of the described species of Brazilian Podophthalmia. Transactions of the Connecticut Academy of Arts and Sciences, 2(1):1–41, 1 plate.
  - 1869a. Notes on new or little known species of American cancrinoid Crustacea. Proceedings of the Boston Society of Natural History, 12:274–289.
  - 1869b. Descriptions of a new genus and two new species of Scyllaridae and a new species of *Aethra* from North America. American Journal of Science, series 2, 48(142), article 14(2):118–121.
  - 1869c. In Verrill, A. E. 1869.
  - 1870. Notes on American Crustacea, no. 1, Ocipodoidea. Transactions of the Connecticut Academy of Arts and Sciences, 2(3):113–176, plates 2–5.
  - 1873a. The megalops stage of *Ocydora*. American Journal of Science and Arts, series 3, 6(31):67–68.
  - 1873b. C.—The metamorphoses of the lobster, and other Crustacea. Pages 522–537, in A. E. Verrill, Report upon the invertebrate animals of Vineyard Sound and the adjacent waters, with an account of the physical characters of the region, pages 295–778, plates 1–38. In Spencer F. Baird, Report on the condition of the sea fisheries of the south coast of New England in 1871 and 1872. United States Commission of Fish and Fisheries, 1:XLVII + 852 pages.
  - 1873c. See Verrill, A. E., S. I. Smith, and Oscar Harmer. 1873.
  - 1874. XXV.—The Crustacea of the fresh waters of the United States. Pages 637–665, 3 plates, in S. F. Baird, Report of the Commissioner for 1872 and 1873, with appendices A and B. United States Commission of Fish and Fisheries, 2:cii + 808 pages, 37 plates, 3 maps.
  - 1879. The stalk-eyed crustaceans of the Atlantic Coast of North America, north of Cape Cod. Transactions of the Connecticut Academy of Arts and Sciences, 5(1):27–136, plates 8–12.
  - 1880a. On the species of *Pinnixa* inhabiting the New England coast, with remarks on their early stages. Transactions of the Connecticut Academy of Arts and Sciences, 4(5):247–253.
  - 1880b. Occasional occurrence of tropical and subtropical species of decapod Crustacea on the coast of New England. Transactions of the Connecticut Academy of Arts and Sciences, 4(6):254–267.
  - 1881. Preliminary notice of the Crustacea dredged, in 64 to 325 fathoms, off the south coast of New England, by the United States Fish Commission in 1880. Proceedings of the United States National Museum, 3:413–452.
  - 1882. XVII.—Report on the Crustacea. Pt. I. Decapoda. Reports on the results of dredging, under the supervision of Alexander Agassiz, on the east coast of the United States, during the summer of 1880, by the U.S. Coast Survey Steamer "Blake," commander J. R. Bartlett U.S.N., commanding. Bulletin of the Museum of Comparative Zoology, Harvard College, 10(1):1–108, 16 plates.
  - 1883. Preliminary report on the Brachyura and Anomura dredged in deep water off the south coast of New England by the United States Fish Commission in 1880, 1881, and 1882. Proceedings of the United States National Museum, 6(1):1–57, 6 plates.
  - 1884. XV.—Report on the decapod Crustacea of the Albatross dredgings off the east coast of the United States in 1883. Pages 345–424 [1–82], 10 plates, in United States Commission of Fish and Fisheries. Part X. Report of the Commissioner for 1882, xcii + 1101 pages.
  - 1885. On some genera and species of Penaeidae, mostly from recent dredgings of the United States Fish Commission. Proceedings of the United States National Museum, 8(12):170–190.
  - 1886. XXI.—Report of the decapod Crustacea of the

- "Albatross" dredgings off the east coast of the United States during the summer and autumn of 1884. Pages 605–705 [1–101], 22 plates, in United States Commission of Fish and Fisheries, Part XIII. Report of the Commissioner for 1885, cxii + 1108 pages.
- Snodgrass, R. E.
- 1952. The sand crab *Emerita talpoida* (Say) and some of its relatives. Smithsonian Miscellaneous Collections, 117(8):1–34.
- Snow, C. D., and J. R. Nielsen.
- 1966. Premating and mating behavior of the Dungeness crab (*Cancer magister* Dana). Journal of the Fisheries Research Board of Canada, 23(9):1319–1323.
- Soto, L. A.
- 1980. *Allactaea lithostrota* Williams, 1979: new records and range extension (Decapoda: Xanthidae). Florida Scientist, 43(2):125–128.
- Sowerby, J.
- 1804–1806. The British miscellany; or colored figures of new, rare, or little known animal subjects; many not before ascertained to be inhabitants of the British Isles; and chiefly in the possession of the author. 2 vols., vi + 1–137, 17–18, plates 1–76 (colored). Printed by R. Taylor, London and sold by author. [Issued in 12 numbers; No. 9, 1805, not seen.]
- Spalding, J. F.
- 1942. The nature and formation of the spermatophore and sperm plug in *Carcinus maenas*. The Quarterly Journal of Microscopical Science, 83, parts 3 & 4(331, 332), new series, pages 399–422, plate 18.
- Spaulding, E. G.
- 1904. An establishment of association in hermit crabs *Eupagurus longicarpus*. Journal of Comparative Neurology and Psychology, 4(1):49–61.
- Spirito, C. P.
- 1972. An analysis of swimming behavior in the portunid crab *Callinectes sapidus*. Marine Behaviour and Physiology, 1(3):261–276.
- Sprague, V.
- 1970. Some protozoan parasites and hyperparasites in marine decapod Crustacea. Pages 416–430 in S. F. Snieszko (ed.), A symposium on diseases of fishes and shell-fishes. Special Publication, 5, American Fisheries Society, Washington, D. C.
- Springer, S., and H. R. Bullis.
- 1952. Exploratory shrimp fishing in the Gulf of Mexico. U. S. Fish and Wildlife Service, Fishery Leaflet 406, p. 1–34.
  - 1954. Exploratory shrimp fishing in the Gulf of Mexico. Summary Report for 1952–54. Commercial Fisheries Review, 16(10):1–16.
  - 1956. Collections by the *Oregon* in the Gulf of Mexico. List of crustaceans, mollusks, and fishes identified from collections made by the exploratory fishing vessel *Oregon* in the Gulf of Mexico and adjacent seas 1950 through 1955. United States Fish and Wildlife Service, Special Scientific Report—Fisheries No. 196, 134 pages.
- Sprunt, A., Jr.
- 1948. The tern colonies of the Dry Tortugas keys. The Auk, 65(1):1–19, 2 plates.
- Squires, H. J.
- 1957. Decapod Crustacea of the *Calanus* expeditions in Ungava Bay, 1947 to 1950. Canadian Journal of Zoology, 35:463–494.
  - 1962. Decapod Crustacea of the *Calanus* expeditions in Frobisher Bay, Baffin Island, 1951. Journal of the Fisheries Research Board of Canada, 19(4):677–686.
  - 1964. *Pagurus pubescens* and a proposed new name for a closely related species in the Northwest Atlantic (Decapoda: Anomura). Journal of the Fisheries Research Board of Canada, 21(2):355–365.
  - 1964a. Neotype of *Argis lar* compared with *Argis dentata* (Crustacea, Decapoda). Journal of the Fisheries Research Board of Canada, 21(3):461–467.
  - 1965. A new species of *Calocaris* (Crustacea: Decapoda, Thalassinidea) from the Northwest Atlantic. Journal of the Fisheries Research Board of Canada, 22(1):1–11.
  - 1965a. Decapod crustaceans of Newfoundland, Labrador and the Canadian eastern Arctic. Fisheries Research of Canada, Manuscript Report Series (Biological), 810, 212 pages.
  - 1965b. Larvae and megalopa of *Argis dentata* (Crustacea: Decapoda) from Ungava Bay. Journal of the Fisheries Research Board of Canada, 22(1):69–82.
  - 1966. Distribution of decapod Crustacea in the northwest Atlantic. Serial Atlas of the Marine Environment, Folio 12. American Geographical Society, New York, 4 pages, 4 text-figs., 4 plates.
  - 1967. Decapod Crustacea from *Calanus* collections in Hudson Bay in 1953, 1954, and 1958–61. Journal of the Fisheries Research Board of Canada, 24(9):1873–1903.
  - 1968. Decapoda Crustacea from the Queen Elizabeth and nearby islands in 1962. Journal of the Fisheries Research Board of Canada, 25(2):347–362.
  - 1968a. Relation of temperature to growth and self-propagation of *Pandalus borealis* in Newfoundland. World Scientific Conference on the Biology and Culture of Shrimps and Prawns. FAO Fisheries Reports, 57(2):243–250.
- Squires, H. J., and G. Riveros.
- 1978. Fishery biology of spiny lobster (*Panulirus argus*) of the Guajira Peninsula of Colombia, South America, 1969–1970. Proceedings of the National Shellfisheries Association, 68–1978:63–74.
- Stauber, L. A.
- 1945. *Pinnotheres ostreum* parasitic on the American oyster, *Ostrea (Gryphaea) virginica*. Biological Bulletin, 88(3):269–291.

- Stebbing, T. R. R.
- 1914. South African Crustacea (Part VII. of S. A. Crustacea, for the Marine Investigations in South Africa). Annals of the South African Museum, 15(1):1–55, plates 1–12.
  - 1915. South African Crustacea (Part VIII. of S. A. Crustacea, for the Marine Investigations in South Africa). Annals of the South African Museum, 15(2):57–104, plates 13–25.
- Stephensen, K.
- 1916. Zoogeographical investigation of certain fjords in southern Greenland with special reference to Crustacea, Pycnogonida and Echinodermata, including a list of Alcyonaria and Pisces. *Meddelelser om Grønland*, 53:229–378.
  - 1935. Crustacea Decapoda. The Godthaab Expedition, 1928. *Meddelelser om Grønland*, 80(1): 1–94.
  - 1945. The Brachyura of the Iranian Gulf. With an appendix: The male pleopoda of the Brachyura. Danish Scientific Investigations in Iran, 4:57–237, Copenhagen.
- Stephenson, W.
- 1969. The morphology of stridulatory structures in the genus *Ovalipes* Rathbun. Transactions of the Royal Society of New Zealand, Biological Sciences, 11(4):43–71, 2 plates.
- Stephenson, W., and B. Campbell.
- 1960. The Australian portunids (Crustacea: Portunidae). IV. Remaining genera. Australian Journal of Marine and Freshwater Research, 11(1): 73–122, 6 plates.
- Stephenson, W., and M. Rees.
- 1968. A revision of the genus *Ovalipes* Rathbun, 1898 (Crustacea, Decapoda, Portunidae). Records of the Australian Museum, Sydney, 27(11):213–261, plates 35–42.
- Števčić, Z.
- 1971. The main features of brachyuran evolution. Systematic Zoology, 20(3):331–340.
  - 1973. The systematic position of the family Raninidae. Systematic Zoology, 22(4):625–631.
- Stewart, J. E., and J. R. Dingle.
- 1968. Characteristics of hemolymphs of *Cancer irroratus*, *C. borealis*, and *Hyas coarctatus*. Journal of the Fisheries Research Board of Canada, 25(3):607–610.
- Stimpson, W.
- 1852. . . . description of a new crustacean belonging to the genus *Axius*, of Leach . . . . Proceedings of the Boston Society of Natural History, 4:222–223.
  - 1854. Synopsis of the marine Invertebrata of Grand Manan: or the region about the mouth of the Bay of Fundy. Smithsonian Contributions to Knowledge (1853), 6(5): iv + 67 pages, 3 plates.
  - 1857–1860. *Prodromus descriptionis animalium vertebratorum, quae in Expeditione ad Oceanum Pacificum Septentrionalem, a Republica Federata missa, Cadwaladaro Ringgold et Jo-*
- hanne Rodgers Ducibus, observavit et descripsit. *Proceedings of the Academy of Natural Sciences of Philadelphia*, 9, 1857 (December) (3), Crustacea Maioidea, pages 216–221 [23–28]; 10, 1858 (March) (4), Crustacea Cancroidea et Corystoidea, pages 31–40[29–37]; (April) (5), Crustacea Ocipodoidea, pages 93–110 [39–56]; (June) (6), Crustacea Oxystomata, pages 159–163 [57–61]; (December) (7), Crustacea Anomura, pages 225–252 [63–90]; 12, 1860 (January) (8), Crustacea Macrura, pages 22–47 [91–116].
- 1859. Notes on North American Crustacea, 1. Annals of the Lyceum of Natural History of New York, 7(1862)(2):49–93[1–47], 1 plate.
  - 1860a. Notes on North American Crustacea, in the Museum of the Smithsonian Institution. No. II. Annals of the Lyceum of Natural History of New York, 7:176–246, plates 2, 5.
  - 1860b. A trip to Beaufort, N. C. American Journal of Sciences and Arts, series 2, 29:442–445.
  - 1866. Description of new genera and species of macrurous Crustacea from the coasts of North America. *Proceedings of the Chicago Academy of Sciences*, 1:46–48[?]. [Portion of plates and text of vol. 1 destroyed by fire before publication; never reset].
  - 1871a. Preliminary report on the Crustacea dredged in the Gulf Stream in the Straits of Florida by L. F. de Pourtales, assistant United States Coast Survey. Part 1. Brachyura. *Bulletin of the Museum of Comparative Zoology at Harvard College*, 2(2):109–160.
  - 1871b. Notes on North American Crustacea in the Museum of the Smithsonian Institution. No. III. Annals of the Lyceum of Natural History of New York, 10(6):92–136 [119–163]. (Title page of whole vol. bears date 1874, Catalogue of the Royal Society gives 1873.)
- Subrahmanyam, C. B.
- 1971a. Descriptions of shrimp larvae (family Penaeidae) off the Mississippi coast. *Gulf Research Reports*, 3(2):241–258.
  - 1971b. The relative abundance and distribution of penaeid shrimp larvae off the Mississippi coast. *Gulf Research Reports*, 3(2):291–345.
- Subrahmanyam, C. B., W. L. Kruczynski, and S. H. Drake.
- 1976. Studies on the animal communities in two north Florida salt marshes. Part II. Macroinvertebrate communities. *Bulletin of Marine Science*, 26(2):172–195.
- Sulkin, S. D.
- 1975. The significance of diet in the growth and development of larvae of the blue crab, *Callinectes sapidus* Rathbun, under laboratory conditions. *Journal of Experimental Marine Biology and Ecology*, 20:119–135.
- Sulkin, S. D., and K. Norman.
- 1976. A comparison of two diets in the laboratory culture of the zoeal stages of the brachyuran

- crabs *Rhithropanopeus harrisii* and *Neopanope* sp. Helgolander Meeresuntersuchungen, 28(2): 183-190.
- Sumner, F. B., R. C. Osburn, and L. J. Cole. 1913a. Physical and zoological. In A biological survey of the waters of Woods Hole and vicinity. Part I. Bulletin of the United States Bureau of Fisheries, 31(for 1911):3-442.
- 1913b. Section III.—A catalogue of the marine fauna. In A biological survey of the waters of Woods Hole and vicinity. Bulletin of the United States Bureau of Fisheries, 31(for 1911)(2):545-794, + index for parts 2 and 3 combined.
- Sund, O. 1913. The glass shrimps (*Pasiphaea*) in northern waters. Bergens Museums Aarbok 1912, 6:1-17, 3 plates.
- Sushchenya, L. M., and R. Claro. 1973. Quantitative regularities of feeding and their connection with the balance of energy of the commercial crab *Menippe mercenaria* (Say). Investigations of the Central American seas. Published for the Smithsonian Institution and the National Science Foundation, Washington, D.C. by the Indian National Documentation Centre, New Delhi, pages 311-335. (Translated from Russian by Fisheries Research Board of Canada, "Naukova Dumka," Kiev, 1966.)
- Sutcliffe, W. H., Jr. 1952. Some observations of the breeding and migration of the Bermuda spiny lobster, *Panulirus argus*. Proceedings of the Gulf and Caribbean Fisheries Institute, 4th Annual Session, November 1951, pages 64-69.
1953. Further observations on the breeding and migration of the Bermuda spiny lobster, *Panulirus argus*. Journal of Marine Research, 12(2):173-183.
1956. Effect of light intensity on the activity of the Bermuda spiny lobster *Panulirus argus*. Ecology, 37(1):200-201.
1957. Observations on the growth rate of the immature Bermuda spiny lobster *Panulirus argus*. Ecology 38(3):526-529.
- Swartz, R. C. 1972. Postlarval growth and reproductive biology of the xanthid crab, *Neopanope sayi*. Ph.D. dissertation, College of William and Mary, Williamsburg, Virginia. 230 pages. Dissertation Abstracts, 33: 7150-7151B.
- 1976a. Agonistic and sexual behavior of the xanthid crab, *Neopanope sayi*. Chesapeake Science, 17(1):24-34.
- 1976b. Sex ratio as a function of size in the xanthid crab, *Neopanope sayi*. American Naturalist, 110(975):898-902.
1978. Reproductive and molt cycles in the xanthid crab, *Neopanope sayi* (Smith, 1869). Crustaceana, 34(1):15-32.
- Swingle, W. E. 1972. Survey of the live bait shrimp industry of Alabama. Alabama Marine Resources Bulletin, No. 8, 8 pages.
- Sykes, J. E. 1966. Occurrence in Tampa Bay, Florida, of immature species dominant in Gulf of Mexico commercial fisheries. Fishery Bulletin, 65(2):369-379.
- Tabb, D. C., and R. B. Manning. 1961. A checklist of the flora and fauna of northern Florida Bay and adjacent brackish waters of the Florida mainland collected during the period July, 1957 through September, 1960. Bulletin of Marine Science of the Gulf and Caribbean, 11(4):552-649.
- Tabb, D. C., D. L. Dubrow, and A. E. Jones. 1962. Studies on the biology of the pink shrimp *Penaeus duorarum* Burkenroad, in Everglades National Park, Florida. State of Florida Board of Conservation, Technical Series, 37, 30 pages.
- Tagatz, M. E. 1967. Noncommercial crabs of the genus *Callinectes* in St. Johns River, Florida. Chesapeake Science, 8(3):202-203.
1968. Biology of the blue crab, *Callinectes sapidus* Rathbun, in the St. Johns River, Florida. Fishery Bulletin, 67(1):17-33.
1971. Osmoregulatory ability of blue crabs in different temperature-salinity combinations. Chesapeake Science, 12(1):14-17.
- Tagatz, M. E., and A. B. Hall. 1971. Annotated bibliography on the fishing industry and biology of the blue crab, *Callinectes sapidus*. NOAA Technical Report NMFS SSRF-640, 94 pages.
- Taissoun, N., E. 1969. Las especies de cangrejos del género "Callinectes" (brachyura) en el Golfo de Venezuela y Lago de Maracaibo. Boletín del Centro de Investigaciones Biológicas, 2, 103 pages.
1973. Los cangrejos de la familia "Portunidae" (Crustáceos Decapodos Brachyura) en el occidente de Venezuela. Boletín del Centro do Investigaciones Biológicas, Universidad del Zulia, Maracaibo, Venezuela, 8, 77 pages.
- Tashian, R. E. 1956. Geographic variation in the respiratory metabolism and temperature coefficient in tropical and temperate forms of the fiddler crab, *Uca pugnax*. Zoologica, 41:39-47.
- Tashian, R. E., and F. J. Vernberg. 1958. The specific distinctness of the fiddler crabs *Uca pugnax* (Smith) and *Uca rapax* (Smith) at their zone of overlap in northeastern Florida. Zoologica, 43, 3(6):89-92, 1 plate.
- Taylor, H. 1975. The lobster: its life cycle. Colorful nature series. Sterling Publishing Co., Inc., Oak Tree Press, New York, N. Y., London, 80 pages.

- Tazelaar, M. A.
- 1933. A study of relative growth in *Uca pugnax*. Wilhelm Roux' Archiv für Entwicklungsmechanik der Organismen, 1(2):129–393.
- Teal, J. M.
- 1958. Distribution of fiddler crabs in Georgia salt marshes. *Ecology*, 39(2):185–193.
  - 1959. Respiration of crabs in Georgia salt marshes and its relation to their ecology. *Physiological Zoology*, 32(1):1–14.
- Teal, J. M., and F. G. Carey.
- 1967. The metabolism of marsh crabs under conditions of reduced oxygen pressure. *Physiological Zoology*, 40(1):83–91.
- Telford, M., and C. Daxboeck.
- 1978. *Porcellana sayana* Leach (Crustacea: Anomura) symbiotic with *Strombus gigas* (Linnaeus) Gastropoda: Strombidae and with three species of hermit crabs (Anomura: Diogenidae) in Barbados. *Bulletin of Marine Science*, 28(1):202–205.
- Temple, R. F., and C. C. Fischer.
- 1965. Vertical distribution of the planktonic stages of penaeid shrimp. *Publications of the Institute of Marine Science, Texas*, 10:59–67.
  - 1967. Seasonal distribution and relative abundance of planktonic-stage shrimp (*Penaeus* spp.) in the northwestern Gulf of Mexico, 1961. *Fishery Bulletin*, 66(2):323–334.
- Templeman, W.
- 1934. Mating in the American lobster. Contributions to Canadian Biology and Fisheries, 8(30)(series A, general, 45):423–432.
  - 1966. Marine resources of Newfoundland. *Bulletin of the Fisheries Research Board of Canada*, 154, viii + 170 pages.
- Teytaud, A. R.
- 1971. The laboratory studies of sex recognition in the blue crab *Callinectes sapidus* Rathbun. University of Miami Sea Grant Technical Bulletin, 15, 63 pages.
- Thistleton, D.
- 1973. A taxonomic comparison of the American *Upogebia* (Decapoda, Thalassinidea), including two new species from the Caribbean. *Breviora*, 408:23 pages.
- Thompson, L. C., and A. W. Pritchard.
- 1969. Osmoregulatory capacities of *Callianassa* and *Upogebia* (Crustacea: Thalassinidea). *Biological Bulletin*, 136(1):114–129.
- Thompson, M. T.
- 1901. Metamorphosis in the hermit crab. *Biological Bulletin*, 2 (Abstract 16):350–351.
  - 1903a. A rare thalassinid and its larva. *Proceedings of the Boston Society of Natural History*, 31(1):1–21, 3 plates.
  - 1903b. The metamorphoses of the hermit crab. *Proceedings of the Boston Society of Natural History*, 31(for 1904) (4):147–209, 7 plates.
- Thorp, J. H., and D. E. Hoss.
- 1975. Effects of salinity and cyclic temperature on survival of two sympatric species of grass shrimp (*Palaemonetes*), and their relationship to natural distributions. *Journal of Experimental Biology and Ecology*, 18(1):19–28.
- Toula, F.
- 1911. Die jungtertiaere Fauna von Gatun am Panamakanal. II. Teil. *Jahrbuch der Kaiserlich-Königlichen Geologischen Reichsanstalt*, Wien, 61: 487–530, 2 plates.
- Travis, D. F.
- 1954. The molting cycle of the spiny lobster, *Panulirus argus* Latreille. I. Molting and growth in laboratory maintained individuals. *Biological Bulletin*, 107(3):433–450.
  - 1955a. The molting cycle of the spiny lobster, *Panulirus argus* Latreille. II. Pre-ecdysial histological and histochemical changes in the hepatopancreas and integumental tissues. *Biological Bulletin*, 108(1):88–112.
  - 1955b. The molting cycle of the spiny lobster, *Panulirus argus* Latreille. III. Physiological changes which occur in the blood and urine during the normal molting cycle. *Biological Bulletin*, 109(3):484–503.
  - 1957. The molting cycle of the spiny lobster, *Panulirus argus* Latreille. IV. Post-ecdysial histological and histochemical changes in the hepatopancreas and integumental tissues. *Biological Bulletin*, 113(3):451–479.
- Tremel, E., and M. N. Mistakidis.
- 1965. Algumas observações sobre a pesca do camarão no Estado de Santa Catarina (1961–1963). Estado de Santa Catarina, Departamento Estadual de Caça e Pesca, Centro de Pesquisas de Pesca, Florianópolis, Santa Catarina, Brasil, 5 pages, 3 tables, summary (mimeo).
- Trueman, E. R.
- 1970. The mechanism of burrowing of the mole crab, *Emerita*. *Journal of Experimental Biology*, 53(3):701–710.
- Tuck, L. M., and H. J. Squires.
- 1955. Food and feeding habits of Brunnich's murre (*Uria lomvia lomvia*) on Akpatok Island. *Journal of the Fisheries Research Board of Canada*, 12(5):781–792.
- Türkay, M.
- 1968. Decapoden von den Margarita—Inseln (Venezuela) (Crustacea). *Senckenbergiana Biologica*, 49(3/4):249–257.
  - 1975. Zur Kenntnis der Gattung *Euchirograpsus* mit Bermerkungen zu *Brachygrapsus* und *Litocheira* (Crustacea: Decapoda). *Senckenbergiana Biologica*, 56(1/3):103–132.
- Turner, H. J., Jr.
- 1953. The edible crab fishery of Massachusetts. Pages 25–28 in *Sixth Report on Investigations of the Shellfisheries of Massachusetts*. Department of Natural Resources, Division of Marine Fisheries. Woods Hole Oceanographic Institution, 74 pages.
  - 1954. The edible crab fishery of Boston Harbor. Pages 7–16 in *Seventh Report on Investigations of the Shellfisheries of Massachusetts*, Department of

- Natural Resources, Division of Marine Fisheries. Woods Hole Oceanographic Institution, 35 pages.
- Turoboyski, K.
- 1973. Biology and ecology of the crab *Rhithropanopeus harrisii* ssp. *tridentatus*. *Marine Biology*, 23(4):303–313.
- Umphlett, C. J., and E. M. McCray, Jr.
- 1975. A brief review of the involvements of *Lagenidium*, an aquatic fungus parasite, with arthropods. *Marine Fisheries Review*, 37(5–6):61–64.
- Uzmann, J. R., and E. B. Haynes.
- 1968. A mycosis of the gills of the pandalid shrimp, *Dichelopandalus leptocerus*. *Journal of Invertebrate Pathology*, 12(3):275–277.
- Uzmann, J. R., R. A. Cooper, and K. J. Pecci.
- 1977. Migration and dispersion of tagged American lobsters, *Homarus americanus*, on the southern New England continental shelf. NOAA Technical Report NMFS SSRF-705, 92 pages.
- Valielas, I., D. F. Babiec, W. Atherton, S. Seitzinger, and C. Krebs.
- 1974. Some consequences of sexual dimorphism: feeding in male and female fiddler crabs, *Uca pugnax* (Smith). *Biological Bulletin*, 147(3):652–660.
- Van Engel, W. A.
- 1958. The blue crab and its fishery in Chesapeake Bay. *Commercial Fisheries Review*, 20(6):6–17.
  - 1962. The blue crab and its fishery in Chesapeake Bay. Part 2—Types of gear for hard crab fishing. *Commercial Fisheries Review*, 24(9):1–10.
- Van Engel, W. A., and P. A. Sandifer.
- 1972. Order Decapoda. Pages 155–164 in M. L. Wass, et al., A checklist of the biota of lower Chesapeake Bay. Virginia Institute of Marine Science, Special Scientific Report, 65, ix + 290 pages.
- Van Engel, W. A., W. A. Dillon, D. Zwerner, and D. Eldridge.
- 1966. *Loxothylacus panopaei* (Cirripedia, Sacculinidae) an introduced parasite on a xanthid crab in Chesapeake Bay, U.S.A. *Crustaceana*, 10(1): 110–112.
- Vernberg, F. J.
- 1956. Study of the oxygen consumption of excised tissues of certain marine decapod Crustacea in relation to habitat. *Physiological Zoology*, 29(3):227–234.
  - 1959. Studies on the physiological variation between tropical and temperate zone fiddler crabs of the genus *Uca*. II. Oxygen consumption of whole organisms. *Biological Bulletin*, 117(1):163–184.
- Vernberg, F. J., and J. D. Costlow, Jr.
- 1966a. Studies on the physiological variation between tropical and temperate-zone fiddler crabs of the genus *Uca*. IV. Oxygen consumption of larvae and young crabs reared in the laboratory. *Physiological Zoology*, 39(1):36–52.
  - 1966b. Handedness in fiddler crabs (genus *Uca*). *Crustaceana*, 11(1):61–64.
- Vernberg, F. J., and R. E. Tashian.
- 1959. Studies on the physiological variation between tropical and temperate zone fiddler crabs of the genus *Uca*. I. Thermal death limits. *Ecology*, 40(4):589–593.
- Vernberg, F. J., and W. B. Vernberg.
- 1970. Lethal limits and the zoogeography of the faunal assemblages of coastal Carolina waters. *Marine Biology*, 6(1):26–32.
- Vernberg, W. B., and F. J. Vernberg.
- 1970. Metabolic diversity in oceanic animals. *Marine Biology*, 6(1):33–42.
- Verrill, A. E.
- 1869. On the parasitic habits of Crustacea. *American Naturalist*, 3(5):239–250.
  - 1908a. Decapoda Crustacea of Bermuda. Part I. Brachyura and Anomura, their distribution, variations, and habits. *Transactions of the Connecticut Academy of Arts and Sciences*, 13:299–474, plates 9–28.
  - 1908b. Geographical distribution; origin of the Bermudian decapod fauna. *The American Naturalist*, 42(497):289–296.
  - 1922. Decapod Crustacea of Bermuda. Part II—Macrura. *Transactions of the Connecticut Academy of Arts and Sciences*, 26:1–179, 48 plates.
- Verrill, A. E., S. I. Smith, and O. Harger.
- 1873. D.—Catalogue of the marine invertebrate animals of the southern coast of New England, and adjacent waters. Pages 537–747 in A. E. Verrill, Report upon the invertebrate animals of Vineyard Sound and the adjacent waters, with an account of the physical characters of the region. Pages 295–778, 38 plates, in S. F. Baird, Report on the condition of the sea fisheries of the south coast of New England in 1871 and 1872. United States Commission of Fish and Fisheries, 1:XLVII + 852 pages.
- Verwey, J.
- 1957. A plea for the study of temperature influence on osmotic regulation. *L'Année Biologique*, 33:129–149.
- Vieira, B. B.
- 1947. Observações sobre a maturação de *Xyphopenaeus kroyeri* no litoral de São Paulo. *Boletim do Museu Nacional, Rio de Janeiro*, 74:1–22.
- Villalobos, Figueroa, A.
- 1969. Problemas de especiación en América de un grupo de Palaemonidae del género *Macrobrachium*. Proceedings of the World Scientific Conference on the Biology and Culture of Shrimps and Prawns, FAO Fisheries Reports, 57(3):1055–1066.
- Viosca, P., Jr.
- 1920. Report of the biologist. Fourth Biennial Report, Department of Conservation of Louisiana, Baton Rouge, pages 120–130.
- Virnstein, R. W.
- 1977. The importance of predation by crabs and fishes on benthic infauna in Chesapeake Bay. *Ecology*, 58(6):1199–1217.

- Voss, G. L.
- 1956. Protective coloration and habitat of the shrimp *Tozeuma carolinensis* Kingsley (Caridea: Hippolytidae). Bulletin of Marine Science of the Gulf and Caribbean, 6(4):359–363.
- Wald, G.
- 1968. Single and multiple visual systems in arthropods. Journal of General Physiology, 51:125–156.
- Walker, G.
- 1974. The occurrence, distribution and attachment of the pedunculate barnacle *Octolasmis mulleri* (Coker) on the gills of crabs, particularly the blue crab, *Callinectes sapidus* Rathbun. Biological Bulletin, 147(3):678–689.
- Walton, E., and A. B. Williams.
- 1971. Reef populations of mud crabs and snapping shrimp. Pages 205–238 in E. J. Kuenzler and A. F. Chestnut, Structure and functioning of estuarine ecosystems exposed to treated sewage wastes. Annual Report for 1970–1971, Optimum Ecological Designs for Estuarine Ecosystems in North Carolina, Sea Grant No. GH 103, Project UNC-10, University of North Carolina, Chapel Hill and Morehead City, 345 pages.
- Warren, P. J., and R. W. Sheldon.
- 1966. Association between *Pandalus borealis* and fine-grained sediments off Northumberland. Nature, 217(5128):579–580.
  - 1967. Feeding and migration patterns of the pink shrimp, *Pandalus montagui*, in the estuary of the River Crouch, England. Journal of the Fisheries Research Board of Canada, 24(3):569–580.
- Wass, M. L.
- 1955. The decapod crustaceans of Alligator Harbor and adjacent inshore areas of northwestern Florida. The Quarterly Journal of the Florida Academy of Sciences, 18(3):129–176.
  - 1963. New species of hermit crabs (Decapoda, Paguridae) from the western Atlantic. Crustaceana, 6(2):133–157.
- Waterman, T. H. (ed.).
- 1960. The physiology of Crustacea. Vol. I. Metabolism and growth. Academic Press, New York, xvii + 670 pages.
  - 1961. The physiology of Crustacea. Vol. II. Sense organs, integration, and behavior. Academic Press, New York, xiv + 681 pages.
- Waterman, T. H., and F. A. Chace, Jr.
- 1960. Chapter 1. General crustacean biology. Pages 1–33 in T. H. Waterman (ed.), The physiology of Crustacea. Vol. 1, Metabolism and growth, Academic Press, New York, 670 pages.
- Watling, L.
- 1979. Zoogeographic affinities of northeastern North American gammaridean Amphipoda. Bulletin of the Biological Society of Washington, 3:256–282.
- Watling, L., and D. Maurer (eds.).
- 1976. Ecological studies on benthic and planktonic assemblages in lower Delaware Bay. College of Marine Studies, University of Delaware, Newark. CMS-RANN-3–76, xviii + 634 pages.
- Watson, J.
- 1970. Maturity, mating, and egg laying in the spider crab, *Chionoecetes opilio*. Journal of the Fisheries Research Board of Canada, 27(9):1607–1616.
  - 1971. Ecdysis of the snow crab, *Chionoecetes opilio*. Canadian Journal of Zoology, 49(7):1025–1027, 1 plate.
  - 1972. Mating behavior in the spider crab, *Chionoecetes opilio*. Journal of the Fisheries Research Board of Canada, 29(4):447–449.
- Wear, R. G.
- 1974. Incubation in British decapod Crustacea, and the effects of temperature on the rate and success of embryonic development. Journal of the Marine Biological Association of the United Kingdom, 74:745–762.
- Wear, R. G., and E. J. Batham.
- 1975. Larvae of the deep sea crab *Cymonomus bathamiae* Dell, 1971 (Decapoda, Dorippidae) with observations on larval affinities of the Tymolimnæ. Crustaceana, 28(2):113–120.
- Weber, F.
- 1795. Nomenclator entomologicus secundum entomologiam systematicum ill. Fabricii, adjectis speciebus recens detectis et varietatibus, viii + 171 pages, Chilonii [Kiel] et Hamburgi.
- Weimer, R. J., and J. H. Hoyt.
- 1963. *Callianassa major* burrows, geologic indicators of littoral and shallow neritic environments. Abstracts for 1961. Special Papers of the Geological Society of America, 68:321.
  - 1964. Burrows of *Callianassa major* Say, geologic indicator of littoral and shallow neritic environments. Journal of Paleontology, 38(4):761–767, 2 plates.
- Welch, W. R.
- 1968. Changes in abundance of the green crab, *Carcinus maenas* (L.), in relation to recent temperature changes. Fishery Bulletin, 67(2):337–345.
- Wells, H. W., and M. J. Wells.
- 1961. Observations on *Pinnaxodes floridensis*, a new species of pinnotheriid crustacean commensal in holothurians. Bulletin of Marine Science of the Gulf and Caribbean, 11(2):267–279.
- Wells, H. W., M. J. Wells, and I. E. Gray.
- 1960. Marine sponges of North Carolina. Journal of the Elisha Mitchell Scientific Society, 76(2):200–245.
- Wells, M. J., and H. W. Wells.
- 1966. *Dactylokepon hunterae* and *Bopyrina pontoniae*, two new species of bopyrid isopods from North Carolina. Crustaceana, 11(1):53–60.
- Welsh, B. L.
- 1975. The role of grass shrimp, *Palaemonetes pugio*, in a tidal marsh ecosystem. Ecology, 56(3):513–530.
- Welsh, J. H.
- 1932. Temperature and light as factors influencing the rate of swimming of larvae of the mussel crab, *Pinnotheres maculatus* Say. Biological Bulletin, 62(1):1–10.

- 63(2):310–326.
- Wenner, A. M.
- 1972. Sex ratio as a function of size in marine Crustacea. *The American Naturalist*, 106(949):321–350.
- Wenner, E. L., and D. F. Boesch.
- 1979. Distribution patterns of epibenthic decapod Crustacea along the shelf-slope coenocline, Middle Atlantic Bight, U.S.A. *Bulletin of the Biological Society of Washington*, 3:106–133.
- Wenner, E. L., and T. Read.
- 1982. Seasonal composition and abundance of decapod crustacean assemblages from the South Atlantic Bight, USA. *Bulletin of Marine Science*, 32(1):181–206.
- Weymouth, F. W., M. J. Lindner, and W. W. Anderson.
- 1933. Preliminary report on the life history of the common shrimp *Penaeus setiferus* (Linn.). United States Bureau of Fisheries, Bulletin 14, 48:1–26.
- Wharton, G. W.
- 1942. A typical sand beach animal, the mole crab, *Emerita talpoida* (Say). See Pearse, Humm, and Wharton, 1942.
- Wheeler, D. E.
- 1978. Semilunar hatching periodicity in the mud fiddler crab *Uca pugnax* (Smith). *Estuaries*, 1(4):268–269.
- Wheeler, D. E., and C. E. Epifanio.
- 1978. Behavioral response to hydrostatic pressure in larvae of two species of xanthid crabs. *Marine Biology*, 46(2):167–174.
- Wheeler, J. F. G.
- 1937. Further observations on lunar periodicity. *Journal of the Linnaean Society of London, Zoology*, 40(272):325–345.
- Wheeler, J. F. G., and F. A. Brown.
- 1936. The periodic swarming of *Anchistiooides antiguensis* (Schmitt) (Crustacea Decapoda) at Bermuda. *Journal of the Linnaean Society of London*, 39(267):413–428.
- White, A.
- 1847a. Short descriptions of some new species of Crustacea in the collection of the British Museum. *Annals and Magazine of Natural History*, 20(132):205–207.
  - 1847b. List of the specimens of Crustacea in the collection of the British Museum, viii + 143 pages, London.
- White, C. J.
- 1977. Extension of the known range of *Macrobrachium olfersii* (Wiegmann 1836) in coastal Louisiana (Decapoda, Caridea). *Crustaceana*, 33(2):221–222.
- Whiting, N. H., and G. A. Moshiri.
- 1974. Certain organism-substrate relationships affecting the distribution of *Uca minax* (Crustacea: Decapoda). *Hydrobiologia*, 44(4):481–493.
- Whitten, H. L., and H. F. Rosene, and J. W. Hedgpeth.
- 1950. The invertebrate fauna of Texas coast jetties; a preliminary survey. *Publications of the Institute of Marine Science, Texas*, 1(2):53–87, 1 plate.
- Wiegmann, A. F. A.
- 1836. Beschreibung einiger neuen Crustaceen des Berliner Museums aus Mexico und Brasilien. *Archiv für Naturgeschichte*, 2(1):145–151.
- Wigley, R. L.
- 1960. Note on the distribution of Pandalidae (Crustacea, Decapoda) in New England waters. *Ecology*, 41(3):564–570.
  - 1970. A tropical shrimp in the Bay of Fundy (Decapoda, Palaemonidae). *Crustaceana*, 19(1):107–108.
- Wigley, R. L., R. B. Theroux, and H. E. Murray.
- 1975. Deep-sea red crab, *Geryon quinquedens*, survey off northeastern United States. *Marine Fisheries Review*, 37(8):1–21.
- Wilder, D. G.
- 1954. The lobster fishery of the southern Gulf of St. Lawrence. *General Series Circular, Biological Station, Fisheries Research Board of Canada*, 24:16 pages.
  - 1966. Canadian Atlantic crab resources. *Fisheries Research Board of Canada Biological Station, St. Andrews, N. B. General Series Circular No. 50*, 6 pages.
- Williams, A. B.
- 1953. Identification of juvenile shrimp (Penaeidae) in North Carolina. *Journal of the Elisha Mitchell Scientific Society*, 69(2):156–160.
  - 1955. A contribution to the life histories of commercial shrimps (Penaeidae) in North Carolina. *Bulletin of Marine Science of the Gulf and Caribbean*, 5(2):116–146.
  - 1955a. A survey of the North Carolina shrimp nursery grounds. *Journal of the Elisha Mitchell Scientific Society*, 71(2):200–207.
  - 1955b. The genus *Ogyrides* in North Carolina. *Journal of the Washington Academy of Sciences*, 45(2):56–59.
  - 1958. Substrates as a factor in shrimp distribution. *Limnology and Oceanography*, 3(3):283–290.
  - 1959. Spotted and brown shrimp postlarvae (*Penaeus*) in North Carolina. *Bulletin of Marine Science of the Gulf and Caribbean*, 9(3):281–290.
  - 1960. The influence of temperature on osmotic regulation in two species of estuarine shrimps (*Penaeus*). *Biological Bulletin*, 119(3):560–571.
  - 1962. A re-examination of *Ovalipes* species in the Carolinas (Decapoda, Portunidae). *Crustaceana*, 4(1):39–41.
  - 1965. Marine decapod crustaceans of the Carolinas. *Fishery Bulletin*, 65(1):i-xi + 298 pages.
  - 1965a. A new genus and species of snapping shrimp (Decapoda, Alpheidae) from the Southeastern United States. *Crustaceana*, 9(2):192–198.
  - 1966. The Western Atlantic swimming crabs *Callinectes ornatus*, *C. danae*, and a new, related species (Decapoda, Portunidae). *Tulane Studies in Zoology*, 13(3):83–93.
  - 1969. A ten-year study of meroplankton in North

- Carolina estuaries: Cycles of occurrence among penaeidean shrimps. *Chesapeake Science*, 10(1):36–47.
- 1969a. Penaeid shrimp catch and heat summation, an apparent relationship. FAO World Scientific Conference on the Biology and Culture of Shrimps and Prawns. FAO Fisheries Report, 57(3):643–656.
1971. A ten-year study of meroplankton in North Carolina estuaries: Annual occurrence of some brachyuran developmental stages. *Chesapeake Science*, 12(2):53–61.
- 1974a. *Allactaea lithostrota*, a new genus and species of crab (Decapoda: Xanthidae) from North Carolina, U.S.A. *Proceedings of the Biological Society of Washington*, 87(3):19–26.
- 1974b. The swimming crabs of the genus *Callinectes* (Decapoda: Portunidae). *Fishery Bulletin*, 72(3): 685–798.
- 1974c. Marine flora and fauna of the northeastern United States. Crustacea: Decapoda. NOAA Technical Report NMFS Circ-389, 50 pages.
- 1974d. Two new axiids (Decapoda: Thalassinidea: *Calocaris*) from North Carolina and the Straits of Florida. *Proceedings of the Biological Society of Washington*, 87(39):451–64.
1976. Distinction between a Gulf of Mexico and a Caribbean Atlantic species of the swimming crab *Ovalipes* (Decapoda: Portunidae). *Proceedings of the Biological Society of Washington*, 89(14):205–214.
1978. Transfer to *Pseudomedaeus* of the xanthid crab *Micropanope distinctus* (Rathbun). *Proceedings of the Biological Society of Washington*, 91(2): 546–557.
1981. Western Atlantic species of the caridean shrimp genus *Ogyrides*. *Journal of Crustacean Biology*, 1(1):143–147.
- Williams, A. B., and W. S. Brown.
1972. Notes on structure and parasitism of *Munida iris* A. Milne Edwards (Decapoda Galatheidae) from North Carolina U.S.A. *Crustaceana*, 22(3):303–308.
- Williams, A. B., and E. E. Deubler.
1968. A ten-year study of meroplankton in North Carolina estuaries: Assessment of environmental factors and sampling success among bothiid flounders and penaeid shrimp. *Chesapeake Science*, 9(1):27–41.
- Williams, A. B., and T. W. Duke.
1979. Crabs (Arthropoda: Crustacea: Decapoda: Brachyura). Chapter 6. Pages 171–233 in C. W. Hart and S. M. Fuller, (eds.), *Pollution ecology of estuarine invertebrates*. Academic Press, New York, 406 pages.
- Williams, A. B., and R. L. Wigley.
1977. Distribution of decapod Crustacea off northeastern United States based on specimens at the Northeast Fisheries Center, Woods Hole, Massachusetts. NOAA Technical Report NMFS Circular 407, iv + 44 pages.
- Williams, A. B., and D. McN. Williams.
1981. Carolinian records for American lobster, *Homarus americanus*, and tropical swimming crab, *Callinectes bocourti*. Postulated means of dispersal. *Fishery Bulletin*, 79(1):192–198.
- Williams, A. B., L. R. McCloskey, and I. E. Gray.
1968. New records of brachyuran decapod crustaceans from the continental shelf off North Carolina, U.S.A. *Crustaceana*, 15(1):41–66.
- Williams, A. B., J. K. Shaw, and T. S. Hopkins.
1977. *Stilbomastax*, a new genus of spider crab (Majidae: Tychinae) from the West Indies region, with notes on American relatives. *Proceedings of the Biological Society of Washington*, 90(4):884–893.
- Williams, B. G.
1968. Laboratory rearing of the larval stages of *Carcinus maenas* (Crustacea: Decapoda). *Journal of Natural History*, 2(1):121–126.
- Williams, G., and A. E. Needham.
1937. II. The influence of abnormal acceleration of growth on the growth-gradient in *Carcinus maenas*. *Proceedings of the Zoological Society of London*, series A:161–166, 1 plate.
- Williams, L. G.
1947. A comparative size study of the mole crab *Emerita talpoida* Say, associated with epizoic *Enteromorpha flexuosa* (Wulfen). *Journal of the Tennessee Academy of Sciences*, 22(3):196–197.
- Williamson, D. I.
1960. Larval stages of *Pasiphaea sivado* and some other Pasiphaeidae (Decapoda). *Crustaceana*, 1(4): 331–341.
1961. Probable larvae of *Pasiphaea multidentata* Esmark. *Crustaceana*, 2(2):158.
1965. Some larval stages of the three Australian crabs belonging to the families Homolidae and Raninidae, and observations on the affinities of these families (Crustacea: Decapoda). *Australian Journal of Marine and Freshwater Research*, 16(3):369–398.
1967. The megalopa stage of the homolid crab *Latreillia australiensis* Henderson and comments on other homolid megalopas. *The Australian Zoologist*, 14(2):206–211.
1976. Larvae of Stenopodidea (Crustacea, Decapoda) from the Indian Ocean. *Journal of Natural History*, 10(5):497–509.
- Williamson, H. C.
1903. On the larval and early young stages, and rate of growth, of the shore-crab (*Carcinus maenas*), Leach. Twenty-first Annual Report of the Fishery Board for Scotland, for 1902, part III, pages 136–179, plates 7–13.
1915. VI. Crustacea Decapoda. Larven. In Brandt, K., and C. Apstem (eds.), *Nordisches Plankton*. Kiel and Leipzig, Lipsius und Tischer, Zoologischer Teil, lief 18, 3:315–588.
- Willis, E. R.
1942. Some mud-shrimps of the Louisiana coast. *Occasional Papers of the Marine Laboratory*, Ba-

- ton Rouge, Louisiana, 2:1–6.
- Wilson, B.
- 1969. Ecological survey of penaeid shrimp of the central Louisiana Gulf Coast and estuarine waters. Report to the Louisiana State Science Foundation, Baton Rouge, Louisiana, 140 pages.
- Wilson, C. B.
- 1935. Parasitic copepods from the Dry Tortugas. Papers of the Tortugas Laboratory, Carnegie Institution of Washington, 29:329–347.
- Wilson, H. V.
- 1933. Clarence A. Shore and his earlier years in science. In Second General Session, Transactions of the Medical Society of the State of North Carolina, 80th Annual Session, Raleigh, N. C., April 17th, 18th and 19th, pages 112–115.
- Wilson, K. A., and R. H. Gore.
- 1979. Studies on decapod Crustacea from the Indian River region of Florida. XVI. The second known specimen and first continental record for *Discis serratirostris* Lebour, 1949 (Caridea, Bresiliidae). *Crustaceana*, 37(3):311–315.
- Wilson, K. A., L. E. Scotto, and R. H. Gore.
- 1979. Studies on decapod Crustacea from the Indian River region of Florida, XIII. Larval development under laboratory conditions of the spider crab *Mithrax forceps* (A. Milne Edwards, 1875) (Brachyura: Majidae). Proceedings of the Biological Society of Washington, 92(2):307–327.
- Winget, R. R., D. Maurer, and H. Seymour.
- 1974. Occurrence, size composition and sex ratio of the rock crab, *Cancer irroratus* Say and the spider crab, *Libinia emerginata* Leach in Delaware Bay. *Journal of Natural History*, 8(2):199–205.
- Wolcott, Thomas G.
- 1978. Ecological role of ghost crabs, *Ocypode quadrata* (Fabricius) on an ocean beach: scavengers or predators? *Journal of Experimental Marine Biology and Ecology*, 31:67–82.
- Wolf, P. L., S. F. Shanholtzer, and R. J. Reimold.
- 1975. Population estimates for *Uca pugnax* (Smith, 1870) on the Duplin estuary marsh, Georgia, U.S.A. (Decapoda, Brachyura, Ocypodidae). *Crustaceana*, 28(19):79–91.
- Wolff, T.
- 1954a. Occurrence of two east American species of crabs in European waters. *Nature*, 174 (4421):188–189.
  - 1954b. Tre østamerikanske krabber fundet i Danmark. *Flora og Fauna*, 60 Aargang, 1 & 2:19–34.
  - 1978. Maximum size of lobsters (*Homarus*) (Decapoda, Nephropidae). *Crustaceana*, 34(1):1–14.
- Wollebaek, A.
- 1908. Remarks on decapod crustaceans of the North Atlantic and the Norwegian fiords. I and II. *Bergens Museums Aarbog*, 12:1–77, 8 plates.
- Wood, C. E.
- 1967. Physioecology of the grass shrimp *Palaemonetes pugio*, in the Galveston Bay estuarine system. *Contributions in Marine Science*, 12:54–79.
1974. Key to the Natantia (Crustacea, Decapoda) of the coastal waters of the Texas Coast. *Contributions in Marine Science*, 18:35–56, 8 plates.
- Woodmansee, R. A.
- 1966a. Daily vertical migration of *Lucifer*. Planktonic numbers in relation to solar and tidal cycles. *Ecology*, 47(5):847–850.
  - 1966b. Daily vertical migration of *Lucifer* (Decapoda, Sergestidae). Egg development, oviposition and hatching. *Internationale Revue der Gesamten Hydrobiologie*, 51(5):689–698.
- Wright, C. W., and J. S. H. Collins.
- 1972. British Cretaceous crabs. *Palaeontographical Society Monographs*, 126(533):1–114, 22 plates.
- Wright, H. O.
- 1973. Effect of commensal hydroids on hermit crab competition in the littoral zone of Texas. *Nature*, 241(5385):139–140.
- Yaldwyn, J. C.
- 1964. Pair association in the banded coral shrimp. *Australian Natural History*, 14(9):286.
  - 1966. Notes on the behavior in captivity of a pair of banded coral shrimps *Stenopus hispidus* (Olivier). *The Australian Zoologist*, 13(4):377–389.
  - 1966a. Protandrous hermaphroditism in decapod prawns of the families Hippolytidae and Campylonotidae. *Nature*, 209(5030):1366.
  - 1968. Records of, and observations on, the coral shrimp genus *Stenopus* in Australia, New Zealand and the south-west Pacific. *Australian Zoologist*, 14(3):277–289.
- Yang, W. T.
- 1967. A study of zoeal, megalopal, and early crab stages of some oxyrhynchous crabs (Crustacea: Decapoda). Ph.D. Dissertation, The University of Miami, Coral Gables, Florida, 459 pages.
  - 1968. The zoeae, megalopa and first crab of *Epialtus dilatatus* (Brachyura, Majidae) reared in the laboratory. *Crustaceana*, supplement 2:181–202, plates 5–6.
  - 1971. Preliminary report on the culture of the stone crab. *Proceedings of the Second Annual Workshop*, World Mariculture Society, Louisiana State University, Division of Continuing Education, Baton Rouge, pages 53–54.
  - 1972. Notes on the successful reproduction of stone crabs, *Menippe mercenaria* (Say) reared from eggs. *Proceedings of the 3rd Annual Workshop*, World Mariculture Society, January 26–28, 1972, pages 183–184.
  - 1976. Studies on the western Atlantic arrow crab genus *Stenorhynchus* (Decapoda Brachyura, Majidae). I. Larval characters of two species and comparison with other larvae of Inachinae. *Crustaceana*, 31(2):157–177, plates 1–4.
- Yang, W. T., and G. E. Krantz.
- 1976. “Intensive” culture of the stone crab, *Menippe mercenaria*. University of Miami Sea Grant Pro-

- gram, 15 pages (mimeo).
- Young, A. M.
- 1978. Superorder Eucarida, order Decapoda. Pages 171–185 in R. G. Zingmark (ed.), An annotated checklist of the biota of the coastal zone of South Carolina. University of South Carolina Press, Columbia, xii + 364 pages.
  - 1978a. Desiccation tolerances for three hermit crab species *Clibanarius vittatus* (Bosc), *Pagurus pollicaris* Say and *P. longicarpus* Say (Decapoda, Anomura) in the North Inlet estuary, South Carolina, U.S.A. Estuarine and Coastal Marine Science, 6(1):117–122.
- Young, A. M., and T. L. Hazlett, III.
- 1978. The effect of salinity and temperature on the larval development of *Clibanarius vittatus* (Bosc) (Crustacea: Decapoda: Diogenidae). Journal of Experimental Marine Biology and Ecology, 34(2):131–141.
- Young, C. G.
- 1900. The stalk-eyed Crustacea of British Guiana, West Indies, and Bermuda. John M. Watkins, London, xix + 514 pages, 7 colored plates.
- Young, J. E.
- 1974. Variations in the timing of spermatogenesis in *Uca pugnax* (Smith) and possible effectors (Decapoda, Brachyura, Ocypodidae). Crustaceana, 27(1):68–72.
- Young, J. H.
- 1959. Morphology of the white shrimp *Penaeus setiferus* (Linnaeus 1758). Fishery Bulletin, 145(59):i-iii, 1–168.
- Zamora, G., and L. Trent.
- 1968. Use of dorsal carinal spines to differentiate between postlarvae of brown shrimp, *Penaeus aztecus* Ives, and white shrimp, *P. setiferus* (Linnaeus). Contributions in Marine Science, 13:17–19.
- Zarenkov, N. A.
- 1965. Reviziya rodov *Crangon* Fabricius i *Sclerocrangon* G. O. Sars (Decapoda Crustaceae). [Revision of the genera . . . etc.]. Zoologisches Zhurnal, 44(12):1761–1775.
- Zariquey Alvarez, R.
- 1952a. Fauna Mogrebica. Crustáceos decápodos recogidos porel Dr. Rutllant en aguas de Melilla. Instituto General Franco de Estudios e Investigación Hispano-Árabe. Supplemental publication. Pages 1–52 & 3 unnumbered pages.
  - 1952b. Estudio de las especies europeas del gen. *Munida* Leach 1818. Eos, Revista Española de Entomología, 28(2–3):143–231.
  - 1968. Crustáceos Decapodos Ibéricos. Investigación Pesquera, 32, Barcelona, xi + 510 pages.
- Zein-Eldin, Z. P.
- 1963. Effect of salinity on growth of postlarval penaeid shrimp. Biological Bulletin, 125(1):188–195.
- Zein-Eldin, Z. P., and D. V. Aldrich.
- 1965. Growth and survival of postlarval *Penaeus aztecus* under controlled conditions of temperature and salinity. Biological Bulletin, 129(1):199–216.
- Zein-Eldin, Z. P., and G. W. Griffith.
- 1966. The effect of temperature upon the growth of laboratory-held postlarval *Penaeus aztecus*. Biological Bulletin, 131(1):186–196.
- Zinn, D. J.
- 1954. Pruritus produced by the zoea larvae of one of the porcelain crabs. Journal of Parasitology, 40(2):233–234.
- Zyznar, E. S.
- 1970. The eye of white shrimp, *Penaeus setiferus* (Linnaeus) with a note on the rock shrimp, *Sicyonia brevirostris* Stimpson. Contributions in Marine Science, 15:87–102.

# Systematic Index

*Acanthocarpus* 271  
 alexandri 271  
*Acanthopus Gibbesi* 462  
*Acetes* 50  
 americanus 50  
*americanus carolinae* 50  
*carolinae* 50  
*Achelous ordwayi* 390  
*spinicarpus* 392  
*Actaea erosa* 398  
*nodosa* 397  
*rufopunctata forma nodosa* 397  
*rufopunctata nodosa* 397  
*rufopunctata var. nodosa* 397  
*Aepinus* 292  
*septemspinosis* 292  
*Albunea* 248  
*gibbesi* 248  
*oxyophthalmus* 249  
*paretii* 249  
*paretoi* 249  
*paretti* 249  
*scutellata* 250  
*symnista* 248  
*Albuneidae* 247  
*Allactaea* 397  
*lithostrota* 397  
*Alpheidae* 91  
*Alpheoidea* 91  
*Alpheus* 92  
*affinis* 97  
*amillatus* 92  
*formosus* 94  
*heterochaelis* 95  
*minus* 105  
*normanni* 97  
*packardii* 97  
*polaris* 123  
*saulcyi* var. *longicarpus* 104  
*Amanthia crassa* 322  
*Amathia modesta* 323  
*tanneri* 323  
*Amphitrite depressifrons* 387  
*Anasimus* 293  
*latus* 293  
*Anchistia americana* 83  
*Anchistiooides* 78  
*antiguensis* 78  
*Angasia carolinensis* 138  
*Anisopagurus* 223  
*pygmaeus* 223  
*Anomalopus furcillatus* 294  
*Anomalothir* 294  
*furcillatus* 294  
*Anomura* 180

<i>Apocremus septemspinosis</i> 292 <i>Arachnopsis</i> 295 <i>filipes</i> 295 <i>Arctus americanus</i> 176 <i>depressus</i> 178 <i>Arenaeus</i> 362 <i>cribrarius</i> 362 <i>?Arenaeus websteri</i> 362 <i>Argis</i> 158 <i>dentata</i> 158 <i>Astacidea</i> 167 <i>Astacus coeruleascens</i> 116 <i>groenlandicus</i> 122 <i>Automate</i> 99 <i>evermanni</i> 99 <i>Gardineri</i> 100 <i>gardineri</i> 100 <i>kingsleyi</i> 99, 100 <i>johsoni</i> 100 <i>Axiidae</i> 185 <i>Axiopsis</i> 185 <i>jenneri</i> 185 <i>Axius</i> 187 <i>serratus</i> 187  <i>Bathynectes longispina</i> 484 <i>Batrachonotus</i> 296 <i>fragosus</i> 296 <i>Brachycarpus</i> 63 <i>biunguiculatus</i> 63 <i>Brachyrhyncha</i> 355 <i>Brachyura</i> 255 <i>Bresilioidea</i> 61 <i>Bresiliidae</i> 61 <i>Bythocaris nana</i> 484	<i>bocourti</i> 365 <i>Danae</i> 367 <i>danae</i> 367 <i>exasperatus</i> 369 <i>larvatus</i> 371 <i>marginatus</i> 371 <i>ornatus</i> 373 <i>sapidus</i> 376 <i>similis</i> 383 <i>Calocaris</i> 188 <i>(Calastacus) jenneri</i> 185 <i>templemani</i> 188 <i>Cancellus</i> 193 <i>ornatus</i> 193 <i>Cancer</i> 351 <i>aculeatus</i> 428 <i>araneus</i> 309 <i>barbatus</i> 261 <i>borealis</i> 351 <i>boreas</i> 166 <i>(Cancer) irroratus</i> 353 <i>Carcinus</i> 68 <i>depressus</i> 463 <i>Diogenes</i> 198 <i>epheliticus</i> 279 <i>flammeus</i> 273 <i>gonagra</i> 419 <i>hispidus</i> 333 <i>irroratus</i> 353 <i>limosa</i> 416 <i>maenas</i> 356 <i>maja</i> 230 <i>mediterraneus</i> 288 <i>mercenario</i> 420 <i>(Metacarcinus) borealis</i> 351 <i>minutus</i> 460 <i>ocellatus</i> 359 <i>opilio</i> 307 <i>pelagicus</i> 365 <i>phalangium</i> 307 <i>pudibundus</i> 280 <i>quadratus</i> 469 <i>sabulosa</i> 258 <i>seticornis</i> 304 <i>setiferus</i> 32 <i>Spinus</i> 132 <i>Cancridae</i> 351 <i>Cancridea</i> 351 <i>Cancroidea</i> 351 <i>Carcinides maenas</i> 356 <i>Carcininae</i> 356 <i>Carcinus</i> 356 <i>maenas</i> 356 <i>Caridea</i> 57 <i>Caridion gordoni</i> 484
--	--

- |   |   |
|---|---|
| <p>Carpoporus 399<br/> <i>papulosus</i> 399</p> <p><i>Catapagurus gracilis</i> 484<br/> <i>sharreri</i> 484</p> <p><i>Chionoecetes</i> 307<br/> <i>opilio</i> 307<br/> <i>opilio opilio</i> 307</p> <p><i>Clibanarius</i> 194<br/> <i>vittatus</i> 194</p> <p><i>Clythrocerus</i> 259<br/> <i>granulatus</i> 259<br/> <i>perpusillus</i> 260</p> <p><i>Coelocerus</i> 315<br/> <i>spinosus</i> 315</p> <p><i>Coenobitoidea</i> 192</p> <p><i>Collodes</i> 297<br/> <i>depressus</i> 297<br/> <i>robustus</i> 297<br/> <i>trispinosus</i> 297</p> <p><i>Concordia gibberosus</i> 121</p> <p><i>Coralliocaris wilsoni</i> 82</p> <p><i>Crago septemspinosa</i> 159</p> <p><i>Crangon</i> 159<br/> <i>armillatus</i> 92<br/> <i>Boreas</i> 166<br/> <i>formosus</i> 94<br/> <i>heterochaelis</i> 95<br/> <i>normanni</i> 97<br/> <i>norvegicus</i> 162<br/> <i>packardi</i> 97<br/> <i>Septemcarinatus</i> 164<br/> <i>septemspinosa</i> 159</p> <p><i>Crangonidae</i> 157</p> <p><i>Crangonoidea</i> 157</p> <p><i>Cronius</i> 385<br/> <i>ruber</i> 385</p> <p><i>Cryptopodia</i> 346<br/> <i>granulata</i> 347<br/> <i>concava</i> 346</p> <p><i>Crytopodia concava</i> 346</p> <p><i>Cyclodorippe granulata</i> 259</p> <p><i>Cycloes</i> 277<br/> <i>bairdii</i> 278</p> <p><i>Cyclois bairdii</i> 278</p> <p><i>Cymopolia alternata</i> 482<br/> <i>faxoni</i> 483<br/> <i>sica</i> 483</p> <p><i>Dardanus</i> 196<br/> <i>fucus</i> 196<br/> <i>insignis</i> 197<br/> <i>venosus</i> 196</p> <p><i>Dendrobranchiata</i> 17</p> <p><i>Dichelopandalus</i> 150<br/> <i>leptocerus</i> 150</p> <p><i>Diogenidae</i> 192</p> <p><i>Discias</i> 62<br/> <i>atlanticus</i> 62</p> <p><i>Dissodactylus</i> 438<br/> <i>crinitichelis</i> 438</p> | <p><i>encopei</i> 438<br/> <i>mellitae</i> 439</p> <p><i>Domecia</i> 417<br/> <i>acanthophora acanthophora</i> 417<br/> <i>acanthophora forma acantho-</i><br/> <i>phora</i> 417<br/> <i>hispida</i> 417</p> <p><i>Dorippidae</i> 268</p> <p><i>Dorippoidea</i> 268</p> <p><i>Dromiacea</i> 255</p> <p><i>Dromidea</i> 255<br/> <i>antillensis</i> 255</p> <p><i>Dromiidae</i> 255</p> <p><i>Dromioidea</i> 255</p> <p><i>Ebalia</i> 283<br/> <i>cariosa</i> 284<br/> <i>stimpsonii</i> 284</p> <p><i>Ebaliinae</i> 283</p> <p><i>Echinophilis mellitae</i> 439</p> <p><i>Emerita</i> 251<br/> <i>benedicti</i> 251<br/> <i>talpoida</i> 252</p> <p><i>Epialtinae</i> 313</p> <p><i>Epialtus</i> 313<br/> <i>dilatatus</i> 313</p> <p><i>Eriphia</i> 419<br/> <i>gonagra</i> 419</p> <p><i>Ethusa</i> 268<br/> <i>americana</i> 269<br/> <i>mascarone</i> 269<br/> <i>mascarone americana</i> 269<br/> <i>microphthalmalma</i> 269<br/> <i>tenuipes</i> 270</p> <p><i>Ethusinae</i> 268</p> <p><i>Eualus</i> 110<br/> <i>belcheri</i> 112<br/> <i>gaimardi</i> 112<br/> <i>gaimardii</i> 112<br/> <i>fabricii</i> 111<br/> <i>pusiolus</i> 113</p> <p><i>Euceramus</i> 239<br/> <i>praelongus</i> 239</p> <p><i>Euchirograpsus</i> 461<br/> <i>americanus</i> 461</p> <p><i>Eucratoplax elata</i> 435</p> <p><i>Eucratopsinae</i> 434</p> <p><i>Eucratopsis elata?</i> 435</p> <p><i>Eupagurus annulipes</i> 210<br/> <i>corallinus</i> 224<br/> <i>defensus</i> 213<br/> <i>discoidalis</i> 226<br/> <i>impressus</i> 215<br/> <i>kroyeri</i> 222<br/> <i>politus</i> 219<br/> <i>problematicus</i> 228<br/> <i>pubescens</i> 212<br/> <i>pygmaeus</i> 223<br/> <i>sp.</i> 219</p> <p><i>Euprognatha</i> 298</p> <p><i>rastellifera</i> 298<br/> <i>rastellifera marthae</i> 298</p> <p><i>Eurypanopeus</i> 407<br/> <i>abbreviatus</i> 407<br/> <i>depressus</i> 408</p> <p><i>Euryplacinae</i> 431</p> <p><i>Euryplax</i> 432<br/> <i>nitida</i> 432</p> <p><i>Eurytium</i> 416<br/> <i>limosum</i> 416</p> <p><i>Eusicyonia brevirostris</i> 43<br/> <i>dorsalis</i> 47<br/> <i>edwardsi</i> 50<br/> <i>laevigata</i> 47<br/> <i>parri</i> 48<br/> <i>stimpsoni</i> 46, 49</p> <p><i>Exhippolysmata</i> 114<br/> <i>oplophoroides</i> 114</p> <p><i>Frevillea</i> 432<br/> <i>hirsuta</i> 432<br/> <i>sigsbei</i> 433</p> <p><i>Galathea</i> 232<br/> <i>rostrata</i> 232</p> <p><i>Galatheidae</i> 231</p> <p><i>Galatheidea</i> 231</p> <p><i>Galathoidea</i> 231</p> <p><i>Gebia affinis</i> 191</p> <p><i>Gelasimus minax</i> 473<br/> <i>pugnax</i> 478</p> <p><i>Geryon quinquedens</i> 484</p> <p><i>Glyptoplax</i> 434<br/> <i>smithi</i> 434<br/> <i>smithii</i> 434</p> <p><i>Glyptoxanthus</i> 398<br/> <i>erosus</i> 398</p> <p><i>Gnathophyllidae</i> 90</p> <p><i>Gnathophyllum</i> 90<br/> <i>modestum</i> 90</p> <p><i>Goneplacidae</i> 431</p> <p><i>Goneplacinae</i> 433</p> <p><i>Goneplax</i> 433<br/> <i>hirsuta</i> 432<br/> <i>sigsbei</i> 433</p> <p><i>Grapsidae</i> 458</p> <p><i>Grapsinae</i> 458</p> <p><i>Grapoidea</i> 458</p> <p><i>Grapsus cinereus</i> 465<br/> <i>transversus</i> 459</p> <p><i>Guia punctata</i> 288</p> <p><i>Haliporus</i> 18<br/> <i>tropicalis</i> 18</p> <p><i>Hemus</i> 325<br/> <i>cristulipes</i> 325</p> <p><i>Hepatus</i> 279<br/> <i>epheliticus</i> 279<br/> <i>princeps</i> 280<br/> <i>pudibundus</i> 280</p> |
|---|---|

- |  |  |   |
|--|--|---|
| <p>Heterocrypta 347<br/>  granulata 347</p> <p>Hexapanteus 414<br/>  angustifrons 415<br/>  paulensis 416</p> <p>Hippa emerita 252<br/>  talpoida 252<br/>  variolosa 264</p> <p>Hippidae 251</p> <p>Hippidea 247</p> <p>Hippoidea 247</p> <p>Hippolytmata (Exhippolytmata)<br/>  oplophoroides 114<br/>  (Hippolytmata) wurdemanni 127<br/>    wurdemanni 127</p> <p>Hippolyte 115<br/>  acuminata 116</p> <p>coerulescens 116</p> <p>curacaoensis 117</p> <p>fabricii 111</p> <p>Gaimardi 112</p> <p>Liljeborgii 129</p> <p>Phippsii 130</p> <p>pleuracantha 117</p> <p>pleuracanthus 117</p> <p>pusiola 113</p> <p>Wurdemanni 127</p> <p>zostericola 117, 118</p> <p>Hippolytidae 110</p> <p>Homarus 167<br/>  americanus 168</p> <p>Homola 261<br/>  barbata 261</p> <p>Homolidae 261</p> <p>Homoloidea 261</p> <p>Hyas 309<br/>  araneus 309</p> <p>coarctatus 309</p> <p>coarctatus alutaceus 309</p> <p>Hymenopenaeus robustus 484<br/>  tropicalis 18</p> <p>Hypoconcha 256<br/>  arcuata 257</p> <p>sabulosa 258</p> <p>spinosissima 258</p> <p>Iliacantha 289<br/>  intermedia 290</p> <p>subglobosa 290</p> <p>Iliinae 287</p> <p>Inachinae 292</p> <p>Inachoides 299<br/>  forceps 299</p> <p>laevis 299</p> <p>Iridopagurus 207<br/>  caribbensis 207</p> <p>Lambrus agonus 342<br/>  fraterculus 343</p> | <p>granulatus 344<br/>  pourtalei 345</p> <p>Laomediidae 189</p> <p>Latreillia 262<br/>  elegans 262</p> <p>  manningi 262</p> <p>Latreilliidae 262</p> <p>Latreutes 119<br/>  ensiferus 119</p> <p>  fucorum 119</p> <p>  parvulus 121</p> <p>Leander 65<br/>  tenuicornis 65</p> <p>Lebbeus 121<br/>  groenlandicus 122</p> <p>  polaris 123</p> <p>  zebra 125</p> <p>Lepidopa 250<br/>  websteri 250</p> <p>Lepidops venusta 250</p> <p>Leptalpheus 101<br/>  forceps 101</p> <p>Leptocheila 57<br/>  bermudensis 57</p> <p>  carinata 59</p> <p>(Leptocheila) bermudensis 57<br/>  papulata 57</p> <p>  serratorbita 58</p> <p>(Proboloura) carinata 59<br/>  serratorbita 58</p> <p>Leptodius agassizii 400</p> <p>Leptopodia calcarata 300</p> <p>Leucosia mediterranea 288</p> <p>Leucosiidae 283</p> <p>Leucosiinae 289</p> <p>Libinia 316<br/>  cavirostris 315</p> <p>  emarginata 318</p> <p>  dubia 316</p> <p>  spinimana 339</p> <p>Lithadia cariosa 284<br/>  pontifera 286</p> <p>Lithodes 230<br/>  maia 230</p> <p>  Maia 230</p> <p>  maja 230</p> <p>Lithodidae 230</p> <p>Lobopilumnus 429<br/>  agassizii 429</p> <p>Lophopanopeus distinctus 401</p> <p>Lucifer 52<br/>  faxoni 52</p> <p>Luciferidae 52</p> <p>Lupa gibbesii 389<br/>  sayi 391</p> <p>Lupea anceps 387<br/>  exasperata 369</p> <p>Lysmata 126<br/>  rathbunae 126</p> <p>wurdemanni 127</p> | <p>Macrobrachium 66<br/>  acanthurus 66</p> <p>carcinus 68</p> <p>ohione 68</p> <p>olfersii 70</p> <p>Macrocoeloma 326<br/>  campocerum 326</p> <p>eutheca 327</p> <p>trispinosum 328</p> <p>trispinosum nodipes 328</p> <p>trispinosum variety 328</p> <p>Maia spinosissima 335</p> <p>Majidae 291</p> <p>Majoidea 291</p> <p>Manucomplanus 224<br/>  corallinus 224</p> <p>Matutinae 278</p> <p>Medaeus agassizi 400<br/>  latifrons 400</p> <p>Megalobrachium 240<br/>  soriatum 240</p> <p>Melybia 430<br/>  thalamita 430</p> <p>Menippe 420<br/>  mercennaria 420</p> <p>Mesorhoea 348<br/>  sexspinosa 348</p> <p>Mesopenaeus 18<br/>  tropicalis 18</p> <p>Metapenaeopsis 36<br/>  goodei 36</p> <p>Metoporhaphis 300<br/>  calcarata 300</p> <p>  calcaratus 300</p> <p>Micropanope 404<br/>  distinctus 401</p> <p>laevimanus 435</p> <p>levimanus 435</p> <p>nuttingi 404</p> <p>sculptipes 400, 405</p> <p>urinator 405</p> <p>xanthiformis 436</p> <p>Microphrys 329<br/>  antillensis 329</p> <p>bicornutus 330</p> <p>platysoma 329</p> <p>Mithracinae 325</p> <p>Mithraculus forceps 337</p> <p>Mithrax 332<br/>  acuticornis 332</p> <p>  depressus 334</p> <p>  forceps 337</p> <p>  hispidus 333, 334</p> <p>(Mithraculus) forceps 337</p> <p>(Mithrax) acuticornis 332<br/>  cornutus 484</p> <p>  hispidus 333</p> <p>  pleuracanthus 334</p> <p>  spinosissimus 335</p> <p>  verrucosus 336</p> |
|--|--|---|

- |  |   |   |
|--|---|---|
| <p>pleuracanthus 334<br/>spinossissimus 335<br/>verrucosus 336</p> <p>Munida 233<br/>caribaea 233<br/>caribea 234<br/>iris 233<br/>iris iris 233<br/>irrasa 234<br/>longipes 235<br/>pusilla 236<br/>sp. indet. 233<br/>valida 237</p> <p>Myropsis 287<br/>quinquespinosa 287</p> <p>Nanoplax 436<br/>xanthiformis 436</p> <p>Naushonia 189<br/>crangonoides 189</p> <p>Nectocrangon dentata 158</p> <p>Neleus acanthophorus 417</p> <p>Neopanope 409<br/>sayi 409<br/>texana nigrodigita 409<br/>texana sayi 409</p> <p>Neopontonides 80<br/>beaufortensis 80</p> <p>Nephropidae 167</p> <p>Nephropinae 167</p> <p>Nephropoidea 167</p> <p>Neptunus sayi 391</p> <p>Nibilia 320<br/>antilocapra 320</p> <p>Nika bermudensis 143</p> <p>Nikoides 141<br/>schmitti 141</p> <p>Notolopas<br/>lamellatus</p> <p>Notopodinae 265</p> <p>Ocypoda pugilator 475</p> <p>Ocypode 468<br/>albicans 469<br/>quadrata 468<br/>reticulatus 466</p> <p>Ocypodidae 468, 469</p> <p>Ocypodinae 468</p> <p>Ocypodoidea 468</p> <p>Ogyrides 107<br/>alphaerostris 107, 109<br/>hayi 109<br/>limicola 107<br/>occidentalis 107<br/>yaquiensis 107</p> <p>Ogyrididae 107</p> <p>Ogyris alphaerostris 107, 109<br/>occidentalis 107</p> <p>Oregoniinae 306</p> <p>Oreophorus nodosus 285</p> | <p>Osachila 281<br/>semilevis 281<br/>tuberosa 282</p> <p>Othonia lherminieri 311</p> <p>Ovalipes 359<br/>guadulpensis 361<br/>guadulpensis (Form a) 361<br/>ocellatus 359<br/>ocellatus guadulpensis 361<br/>stephensonii 361</p> <p>Oxyrhyncha 291</p> <p>Oxystomata 268</p> <p>Pachycheles 241<br/>pilosus 241<br/>rugimanus 242</p> <p>Pachygrapsus 459<br/>transversus 459</p> <p>Pagurias insignis 196</p> <p>Paguridae 207</p> <p>Paguridea 192</p> <p>Paguristes 200<br/>armatus 204<br/>hummi 200<br/>lymani 201<br/>moorei 202<br/>rectifrons 203<br/>sericeus 203<br/>spinipes 204<br/>tenuirostris 203<br/>tortugae 205<br/>triangulatus 206<br/>visor 203</p> <p>Paguroidea 207</p> <p>Pagurus 208<br/>acadianus 209<br/>annulipes 210<br/>arcuatus 212<br/>bankensis 212<br/>brevidactylus 212<br/>carolinensis 212<br/>corallinus 224<br/>defensus 213<br/>hendersoni 214<br/>impressus 215<br/>kroyeri 222<br/>insignis 197<br/>longicarpus 216<br/>near bonairensis 212<br/>piercei 218<br/>politus 219<br/>pollicaris 220<br/>pubescens 222<br/>pygmaeus 223<br/>vittatus 194</p> <p>Palaeomon acanthurus 66</p> <p>biunguiculatus 63<br/>fucorum 119<br/>hispidus 54</p> <p>Ohionis 68</p> | <p>Olfersii 70<br/>tenuicornis 65<br/>vulgaris 72</p> <p>Palaemonetes 71<br/>carolinus 72<br/>(Palaemonetes) intermedius 75<br/>vulgaris 72<br/>pugio 76<br/>vulgaris 72</p> <p>Palaemonidae 63</p> <p>Palaemoninae 63</p> <p>Palaemonoidea 63</p> <p>Palicidae 481</p> <p>Palicus 481<br/>alternatus 482<br/>faxoni 483<br/>gracilis 485<br/>sica 483<br/>sicus 483</p> <p>Palinura 170</p> <p>Palinuridae 170</p> <p>Palinuroidea 170</p> <p>Palinurus argus 170</p> <p>Pandalidae 149</p> <p>Pandaloidea 149</p> <p>Pandalus 151<br/>annulicornis 150<br/>borealis 151<br/>leptocerus 150<br/>levigatus 150<br/>montagui 154<br/>propinquus 156</p> <p>Panopeus 411<br/>abbreviatus 407<br/>angustifrons 415<br/>depressus 408<br/>herbstii 412<br/>occidentalis 413<br/>sayi 409<br/>xanthiformis 436</p> <p>Panoplax 435<br/>depressa 435</p> <p>Pantomus 157<br/>parvulus 157</p> <p>Panulirus 170<br/>argus 170</p> <p>Paractaea 397<br/>rufopunctata forma nodosa 397</p> <p>Parapandalus willisi 484</p> <p>Parapenaeus 37<br/>goodei 36<br/>longirostris 37<br/>politus 37</p> <p>Parapinnixa 447<br/>beaufortensis 485<br/>bouvieri 447<br/>hendersoni 448</p> <p>Parartemesia tropicalis 18</p> <p>Parthenope 342<br/>agona 342<br/>fraterculus 343</p> |
|--|---|---|

- |   |   |
|---|---|
| <p>granulata 344<br/>     (Parthenope) agona 342<br/>         agonus 342<br/>     (Platylambrus) fraterculus 343<br/>         granulata 344<br/>         pourtalesii 345<br/>         punctata 344<br/>         serrata 344<br/>     pourtalesii 345<br/>     serratus 344<br/> <b>Parthenopidae</b> 341<br/> <b>Parthenopinae</b> 341<br/> <b>Parthenopoidea</b> 341<br/> <b>Pasiphaea</b> 60<br/>         multidentata 60<br/> <b>Pasiphaeidae</b> 57<br/> <b>Pasiphaeoidea</b> 57<br/> <b>Pelia</b> 321<br/>         mutica 321<br/> <b>Penaeidae</b> 22<br/> <b>Penaeidea</b> 17<br/> <b>Penaeoidea</b> 17<br/> <b>Penaeopsis goodei</b> 36<br/> <b>Penaeus</b> 22<br/>         aztecus 24<br/>             aztecus aztecus 24<br/>             brasiliensis 24, 28<br/>             brasiliensis var. aztecus 24<br/>         constrictus 38<br/>         duorarum 29<br/>         duorarum duorarum 29<br/>         (Farfantepenaeus) aztecus 24<br/>             brasiliensis 28<br/>             duorarum 28, 29<br/>         fluvialis 33<br/>         (Litopenaeus) setiferus 32, 33<br/>         (Melicertus) aztecus aztecus 24<br/>             brasiliensis 28<br/>             duorarum duorarum 29<br/>         setiferus 32<br/> <b>Peneus kroyeri</b> 41<br/> <b>Percnon</b> 462<br/>         gibbesi 462<br/>         ?gibbesi 462<br/> <b>Pericera campocera</b> 326<br/>         coelata 338<br/>         eutheca 327<br/>         nudipes 328<br/> <b>Periclimenaeus</b> 81<br/>         schmitti 81<br/>         wilsoni 82<br/> <b>Periclimenes</b> 78<br/>         americanus 78<br/>         antiguensis 78<br/>         barbadensis 78<br/>         beaufortensis 80<br/>         (Harpilius) americanus 78<br/>         iridescent 85<br/>         longicaudatus 86<br/>         pedersoni 87<br/>         (Periclimenes) iridescent 85</p> | <p>longicaudatus 86<br/>     pedersoni 87<br/> <b>Persephona</b> 288<br/>         aqlionaris 288<br/>         mediterranea 288<br/>         punctata 288<br/>         punctata aqlionaris 288<br/> <b>Persephone</b> punctata 288<br/> <b>Petrochirus</b> 198<br/>         bahamensis 198<br/>         diogenes 196, 198<br/> <b>Petrolisthes</b> 242<br/>         galathinus 243<br/> <b>Phimochirus</b> 225<br/>         holthuisi 225<br/> <b>Pilumnus</b> 424<br/>         agassizii 429<br/>         dasydopus 425<br/>         desyodopus 425<br/>         floridanus 426<br/>         harrisii 401<br/>         lacteus 426<br/>         pannosus 427<br/>         sayi 428<br/>         urinator 405<br/> <b>Pinnaxodes</b> 449<br/>         floridensis 449<br/> <b>Pinnixa</b> 450<br/>         chaetopterana 451<br/>         cristata 453<br/>         cylindrica 453<br/>         floridana 454<br/>         lunzi 455<br/>         retinens 456<br/>         sayana 457<br/> <b>Pinnothereliinae</b> 450<br/> <b>Pinnotheres</b> 440<br/>         chamae 440<br/>         cylindricum 453<br/>         depressum 444<br/>         depressus 444<br/>         maculatus 441<br/>         ostreum 444<br/> <b>Pinnotheridae</b> 438<br/> <b>Pinnotherinae</b> 438<br/> <b>Pinnotheroidea</b> 438<br/> <b>Pisa antilocapra</b> 320<br/>         bicornuta 330<br/>         mutica 321<br/>         trispinosa 328<br/> <b>Pisidia sayana</b> 244<br/> <b>Pisinae</b> 315<br/> <b>Pitho</b> 311<br/>         lherminieri 311<br/> <b>Plagusia</b> 463<br/>         depressa 463<br/> <b>Plagusiinae</b> 462<br/> <b>Planes</b> 460<br/>         minutus 460<br/> <b>Platyonichus ocellatus</b> (var.) 361<br/> <b>Pleocyemata</b> 54<br/> <b>Plesionika martia</b> 484<br/>         tenuipes 484<br/> <b>Podochela</b> 301<br/>         gracilipes 301<br/>         riisei 302<br/>         sidneyi 302<br/> <b>Polybiinae</b> 359<br/> <b>Polyonyx</b> 244<br/>         gibbesi 244<br/>         macrocheles 244<br/> <b>Pontonia</b> 88<br/>         domestica 88<br/>         margarita 89<br/> <b>Pontoniinae</b> 78<br/> <b>Pontophilus</b> 160<br/>         brevirostris 161<br/>         gorei 161<br/>         norvegicus 162<br/> <b>Porcellana</b> 245<br/>         galathina 243<br/>         macrocheles 244<br/>         pilosa 241<br/>         sayana 245<br/>         sigsbeiana 246<br/>         soriata 240<br/> <b>Porcellanidae</b> 238<br/> <b>Porcellanopsis soriata</b> 240<br/> <b>Portunidae</b> 355<br/> <b>Portuninae</b> 362<br/> <b>Portunoidea</b> 355<br/> <b>Portunus</b> 386<br/>         anceps 387<br/>         (Achelous) anceps 387<br/>         cribrarius 362<br/>         depressifrons 387<br/>         floridanus 388<br/>         gibbesii 389<br/>         ordwayi 390<br/>         ruber 385<br/>         sayi 391<br/>         spinacarpus 392<br/>         spinimanus 393<br/> <b>Processa</b> 142<br/>         aff. P. guyanae 141<br/>         bermudensis 143<br/>         fimbriata 144<br/>         guyanae 145<br/>         hemphilli 146<br/>         profunda 147<br/>         tenuipes 146<br/>         vicina 148<br/> <b>Processidae</b> 141<br/> <b>Pseudomedaeus</b> 399<br/>         agassizi 400<br/>         agassizii 400<br/>         distinctus 400, 401<br/> <b>Pseudorhombilinae</b> 436<br/> <b>Pylopagurus</b> 226<br/>         acus 227<br/>         corallinus 224<br/>         discoidalis 226</p> |
|---|---|

- |   |   |
|---|---|
| <p>holthuisi 225<br/>operculatus 225<br/>rosaceus 227<br/><i>Pyromia</i> 303<br/>  <i>cuspidata</i> 303</p> <p><i>Ranina</i> <i>loewis</i> 267<br/><i>Ranilia</i> 265<br/>  <i>atlantica</i> 265<br/>  <i>constricta</i> 265<br/>  <i>muricata</i> 266<br/><i>Raninidae</i> 263<br/><i>Ranininae</i> 267<br/><i>Raninoidea</i> 263<br/><i>Raninoides</i> 267<br/>  <i>laevis</i> 267<br/>  <i>loewis</i> 267<br/><i>Raninops</i> <i>constrictus</i> 265<br/><i>Rhithropanopeus</i> 401<br/>  <i>harrisii</i> 401<br/><i>Rhodochirus</i> 227<br/>  <i>rosaceus</i> 227<br/><i>Rochinia</i> 322<br/>  <i>crassa</i> 322<br/>  <i>tanneri</i> 323<br/>  <i>umbonata</i> 323<br/><i>Rhynchocyclops</i> <i>parvulus</i> 121</p> <p><i>Sabinea</i> 163<br/>  <i>sarsi</i> 163<br/>  <i>septemcarinata</i> 165</p> <p><i>Sclerocrangon</i> 166<br/>  <i>boreas</i> 166</p> <p><i>Scyllaridae</i> 173<br/><i>Scyllarides</i> 174<br/>  <i>americanus</i> 174<br/>  <i>nodifer</i> 174</p> <p><i>Scyllarus</i> 176<br/>  <i>americanus</i> 176, 177, 178<br/>  <i>arctus paradoxus</i> 178<br/>  <i>chacei</i> 177<br/>  <i>depressus</i> 178<br/>  <i>nearctus</i> 178<br/>  <i>nodifer</i> 174</p> <p><i>Scyra</i> <i>umbonata</i> 323</p> <p><i>Sergestidae</i> 50</p> <p><i>Sergestoidea</i> 50</p> <p><i>Sesarma</i> 465<br/>  (<i>Chiromantes</i>) <i>cinereum</i> 465<br/>  <i>cinerea</i> 465<br/>  <i>cinereum</i> 465<br/>  (<i>Holometopus</i>) <i>cinereum</i> 465<br/>    <i>cinerum</i> 465<br/>  <i>reticulata</i> 466<br/>  <i>reticulatum</i> 466<br/>  (<i>Sesarma</i>) <i>reticulatum</i> 466</p> <p><i>Sesarmina</i> 464</p> <p><i>Sicyonia</i> 43</p> | <p><i>brevirostris</i> 43<br/><i>burkenroadi</i> 46<br/><i>carinata</i> 49<br/><i>dorsalis</i> 46, 49<br/><i>edwardsi</i> 49<br/><i>edwardsii</i> 49<br/><i>laevigata</i> 47<br/><i>parri</i> 48<br/><i>stimpsoni</i> 46, 49<br/><i>typica</i> 50</p> <p><i>Sicyoniidae</i> 42</p> <p><i>Solenocera</i> 19<br/>  <i>atlantidis</i> 19<br/>  <i>necopina</i> 20<br/>  <i>vioscai</i> 21<br/>  <i>weymouthi</i> 18</p> <p><i>Solenoceridae</i> 17</p> <p><i>Solenolambrus</i> 348<br/>  <i>tenellus</i> 348<br/>  <i>typicus</i> 349</p> <p><i>Speloeophorus</i> 285<br/>  <i>nodosus</i> 285<br/>  <i>pontifer</i> 286<br/>  <i>pontifera</i> 286</p> <p><i>Speocarcinus</i> 437<br/>  <i>carolinensis</i> 437<br/>  <i>coralinensis</i> 437</p> <p><i>Sphenocarcinus</i> 314<br/>  <i>corrosus</i> 314</p> <p><i>Spirontocaris</i> 129<br/>  <i>fabricii</i> 111<br/>  <i>liljeborgi</i> 129<br/>  <i>liljeborgii</i> 129<br/>  <i>lilljeborgi</i> 129<br/>  <i>lilljeborgii</i> 129<br/>  <i>phippsi</i> 130<br/>  <i>phippsii</i> 130<br/>  <i>pusiola</i> 113<br/>  <i>spinus</i> 132<br/>  <i>zebra</i> 125</p> <p><i>Spiropagurus</i> <i>caribbensis</i> 207<br/>  <i>dispar</i> 207</p> <p><i>Stenocionops</i> 338<br/>  <i>furcata coelata</i> 338<br/>  <i>spinimana</i> 339, 340<br/>  <i>spinosissima</i> 339</p> <p><i>Stenopodidae</i> 54</p> <p><i>Stenopodidea</i> 54</p> <p><i>Stenopus</i> 54<br/>  <i>hispidus</i> 54<br/>  <i>scutellatus</i> 56</p> <p><i>Stenorhynchus</i> 304<br/>  <i>seticornis</i> 304</p> <p><i>Stenorynchus</i> <i>sagittarius</i> 304<br/>  <i>seticornis</i> 304</p> <p>Superfamily uncertain 481</p> <p><i>Symethinae</i> 264</p> <p><i>Symethis</i> 264</p> <p><i>variolosa</i> 264</p> <p><i>Synalpheus</i> 102<br/>  <i>fritzmuelleri</i> 102<br/>  <i>longicarpus</i> 104<br/>  <i>minus</i> 105<br/>  <i>townsendi</i> 106</p> <p><i>Synhimantites</i> 49<br/>  <i>typica</i> 49</p> <p><i>Tetraxanthus</i> 406<br/>  <i>bidentatus</i> 406<br/>  <i>rathbunae</i> 406<br/>  <i>rathbuni</i> 406</p> <p><i>Thalassinidea</i> 180</p> <p><i>Thalassinoidea</i> 180</p> <p><i>Thelxiope</i> <i>barbata</i> 261</p> <p><i>Thor</i> 133<br/>  <i>dobkini</i> 134<br/>  <i>floridanus</i> 134, 135<br/>  <i>manningi</i> 137<br/>  species 135</p> <p><i>Tomopaguropsis</i> 228<br/>  <i>problematica</i> 228<br/>  <i>problematicus</i></p> <p><i>Tozeuma</i> 138<br/>  <i>carolinense</i> 138<br/>  <i>carolinensis</i> 138<br/>  <i>serratum</i> 140</p> <p><i>Trachypenaeus</i> <i>constrictus</i> 38</p> <p><i>Trachypeneus</i> 38<br/>  <i>constrictus</i> 38</p> <p><i>Tyche</i> 312<br/>  <i>emarginata</i> 312</p> <p><i>Tychinae</i> 311</p> <p><i>Tymolidae</i> 259</p> <p><i>Uca</i> 472<br/>  (<i>Celuca</i>) <i>pugilator</i> 475<br/>  <i>minax</i> 473<br/>  (<i>Minuca</i>) <i>minax</i> 473<br/>  (<i>Minuca</i>) <i>pugnax</i> <i>pugnax</i> 478<br/>  <i>pugilator</i> 475<br/>  <i>pugnax</i> 478</p> <p><i>Upogebia</i> 191<br/>  <i>affinis</i> 191</p> <p><i>Upogebiidae</i> 190</p> <p><i>Urocaris</i> <i>longicaudata</i> 86</p> <p><i>Varuninae</i> 461</p> <p><i>Virbius</i> <i>pleuracanthus</i> 117<br/>  <i>zostericola</i> 118</p> <p><i>Xanthias</i> <i>nuttingi</i> 404</p> <p><i>Xanthidae</i> 395</p> <p><i>Xanthoidea</i> 394</p> <p><i>Xiphopenaeus</i> 41<br/>  <i>kroyeri</i> 41</p> <p><i>Xiphopeneus</i> <i>kroyeri</i> 41</p> |
|---|---|