

- Bacon M.R. (1971a) The ecology of the grapsid crabs Plagusia capensis, Leptograpsus variegatus, Cyclograpsus insularum and Cyclograpsus lavauxi in Northern New Zealand.
Unpub. M.Sc. Thesis, University of Auckland.
- Bacon M.R. (1971b) Distribution and ecology of the crabs Cyclograpsus lavauxi and C. insularum in Northern New Zealand.
N.Z. J. Mar. Freshwat. Res. 5:415-426.
- Baker A.N. (1971) Food and feeding of kahawai (Teleostei: Arripidae).
N.Z. J. Mar. Freshwat. Res. 5(2):291-299.
- Baker W.H. (1906) Notes on South Australian decapod Crustacea, Part 4.
Trans. Roy. Soc. South Aust. 30:104-117, pls I-III.
- Balbontin F.C., I.G. Campodonico, & L.M. Guzman (1979) Descripcion de huevos y larvas de especies de Careproctus (Pisces; Liparidae) comensales de Paralomis granulosa y Lithodes antarctica (Crustacea; Lithodidae).
Ans. Inst. Par. 10:235-243.
- Balss H. (1913) Ostrasiatische Decapoden. I Die Galatheiden und Paguriden.
Abhandl. d. math. phys. Klasse der K. Bayer. Akademie der Wissenschaften, II Suppl. Bd, 9, Abhandlg. pp 1-85, pls. I-II, figs 1-54.
- Balss H. (1922) Ostrasiatische Decapoden. III Die Dromiacien, Oxystomen und Parthenopiden. IV Die Brachyrhychen (Cancridae).
Archiv fur Naturgeschichte 88:104-140, figs 1-9.
- Balss H. (1929) Decapoden des Roten Meeres. IV Oxyrhyncha und Schlussbetrachtungen.
Denkschr. Akad. Wiss. Wien. 102:1-30, Figs 1-9, pl 1.
- Balss H. (1930) Zoologische Ergebnisse der Reisen von Dr. L. Kohl-Lassen nach den Subantarktischen Inseln bei Neuseeland und nach Sudgiorgien. Die Dekapoden (Crustaceen).
Senckenbergiana 12:195-210, 6 figs.
- Balss H. (1933) Beitrage zur Kenntris der Gattung Pilumnus (Crustacea Dekapoda) und Verwandter Gattungen.
Capita Zool. 4(3):1-47, 5 figs, 7 pls.
- Balss H. (1935) Brachyura of the Hamburg Museum expedition to south-western Australia, 1905.
J. Proc. Roy. Soc. West. Aust. 21:113-151, 3 figs, pl XIII.

- Barker P.L. & R. Gibson (1978) Observations on the structure of the mouthparts, histology of the alimentary tract, and digestive physiology of the mud crab Scylla serrata (Forsk.) (Decapoda:Portunidae).
J. exp. mar. Biol. Ecol. 32:177-196.
- Barnard K.H. (1926) Report on a collection of Crustacea from Portuguese East Africa.
Trans. roy. Soc. S. Afr. 13:119-129, pl 10.
- Barnard K.H. (1946) Descriptions of new species of South African decapod Crustacea, with notes on synonymy and new records.
Ann. Mag. Nat. Hist. 11th Ser.,no.102, 13:361-392.
- Barnard K.H. (1950) Descriptive Catalogue of South African Decapod Crustacea.
Ann. South Afr. Mus. 38:1-339.
- Barnes R.S.K. (1967a) The osmotic behaviour of a number of grapsoid crabs with respect to their differential penetration of an estuarine system.
J. Exp. Biol. 47:535-551.
- Barnes R.S.K. (1967b) The Macrophthalminae of Australasia: with a review of the evolution and morphological diversity of the type genus Macrophthalmus (Crustacea: Brachyura).
Trans. Zool. Soc. Lond. 31:195-262.
- Barnes R.S.K. (1968a) On the affinities of three fossil Ocypodid crabs and their relevance to the time and place of origin of the genus Macrophthalmus (Crustacea: Brachyura).
J. Zool. Lond. 154:333-339.
- Barnes R.S.K. (1968b) Aspects of the Australasian zoogeography of the Macrophthalminae (Brachyura, Ocypodidae).
Proc. Linn. Soc. Lond. 179:67-75.
- Barnes R.S.K. (1968c) Relative carapace and chela proportions in some ocypodid crabs (Brachyura, Ocypodidae).
Crustaceana 14:131-136.
- Barnes R.S.K. (1968d) On the evolution of elongate ocular peduncles by the Brachyura.
Syst. Zool. 17(2):182-187.
- Barnes R.S.K. (1970) The species of Macrophthalmus (Crustacea: Brachyura) in the collections of the British Museum (Natural History).
Bull. Brit. Mus. (Nat. Hist.) 20(7):205-261.
- Barnes R.S.K. (1971) Biological results of the Snellius Expedition XXIII The genus Macrophthalmus (Crustacea, Brachyura).
Zoologische Verhandelingen 115:3-40.

- Batham E.J. (1956) Ecology of a southern New Zealand sheltered rocky shore
Trans. Roy. Soc. n.z. 84(2): 447-465.
- Batham E.J. (1958) Ecology of a southern New Zealand exposed rocky shore at Little Papanui, Otago Peninsula.
Trans. Roy. Soc. N.Z. 85(4): 647-658.
- Batham E.J. (1965) Rocky shore ecology of a southern New Zealand fiord.
Trans. Roy. Soc. N.Z. 6(21):215-227.
- Batham E.J. (1969) Benthic ecology of Glory Cove, Stewart Island.
Trans. Roy. Soc. N.Z. 11(5):73-81.
- Bawab F.M. & S.S. El-Sherief (1988) Stages of the reproductive cycle of the female crab Portunus pelagicus (L. 1758) based on the anatomical changes of the spermatheca (Decapoda, Brachyura, Portunidae).
Crustaceana 54(2):139-148.
- Baxter A.S. (1981) Ecology of the New Zealand pea crab Pinnotheres novaezelandiae Filhol, 1886 (Brachyura: Pinnotheridae).
Unpub. B.Sc.(Hons) Project, Dept. of Zoology, University of Canterbury, 56pp.
- Baxter A.S. (1982) Salinity tolerance and osmoregulation of the New Zealand pea crab, Pinnotheres novaezelandiae Filhol 1886 (Brachyura: Pinnotheridae).
Mauri Ora 10:77-83.
- Bedford J.J. (1972) The composition of the blood of the grapsid Helice crassa Dana.
J. Exp. Mar. Biol. Ecol. 8:113-119.
- Bedford J.J. & J.P. Leader (1977) The composition of the haemolymph and muscle tissue of the shore crab, Hemigrapsus edwardsi, exposed to different salinities.
Comp. Biochem. Physiol. 57A:341-345.
- Bedford J.J. & J.P. Leader (1978) Hyperosmotic readjustment of the crab, Hemigrapsus edwardsi.
J. comp. Physiol. 128:147-151.
- Beer C.G. (1959) Notes on the behaviour of two estuarine crab species.
Trans. Roy. Soc. N.Z. 86:197-203.
- Begg S.M.C. (1980) Factors affecting the distribution of two species of intertidal grapsid crabs.
Unpub. B.Sc.(Hons) Project, Dept of Zoology, University of Otago, 82pp.
- Bell T. (1853) A history of the British stalk-eyed Crustacea.
van Voorst, London, pp i-lxv, 1-386.

- Bell T. (1855) *Horae Carcinologicae, or Notices of Crustacea*, I. A Monograph of the Leucosidae, with observations on the relations, structure, habits, and general distribution of the family; a revision of the generic characters; and descriptions of new genera and species. Trans. Linn. Soc. Lond. 21(4):277-314, 4pls
- Benech S.V. (1978) Ocean transport of a community of the grapsid crab Plagusia dentipes (De Haan, 1833). Crustaceana 35(1):104.
- Bennett D.B. (1973) The effect of limb loss and regeneration on the growth of the edible crab, Cancer pagurus L. J. exp. mar. Biol. Ecol. 13:45-53.
- Bennett D.B. (1974) Growth of the edible crab (Cancer pagurus L.) off South-West England. J. mar. biol. Ass. UK 54:803-823.
- Bennett D.B. & C.G. Brown (1983) Crab (Cancer pagurus) migrations in the English Channel. J. mar. biol. Ass. UK 63:371-398.
- Bennett E.W. (1930) Notes on New Zealand Brachyura and related crustaceans. Rec. Cant. Mus. 3(4):255-261.
- Bennett E.W. (1932) Porcellanids and Porcellanopagurus from New Zealand. Rec. Cant. Mus. 3(7):469-481.
- Bennett E.W. (1964) The Marine Fauna of New Zealand: Crustacea Brachyura. N.Z. Dept. Sci. industr. Res. Bull. 153 (N.Z. Oceanogr. Inst. Mem. 22), 120pp, 141 figs
- Berrill M. (1982) The life cycle of the green crab Carcinus maenas at the northern end of its range. J. Crust. Biol. 2:31-39.
- Berry P.F. & R.G. Hartnoll (1970) Mating in captivity of the spider crab Pleistacanthia moseleyi (Miers) (Decapoda, Majidae). Crustaceana 19:214-215.
- Bertness M.D. & C. Cunningham (1981) Crab shell-crushing predation and gastropod architectural defense. J. exp. mar. Biol. Ecol. 50:213-230.
- Bertness M.D. & T. Miller (1984) The distribution and dynamics of Uca pugnax (Smith) burrows in a New England salt marsh. J. exp. mar. Biol. Ecol. 83:211-237.
- Beu A.G., Grant-Taylor T.L. & N. de B. Hornibrook (1977) Nukumaruan records of the subantarctic scallop Chlamys delicatula and crab Jacquiniotia edwardsii in central Hawke's Bay. N.Z. J. Geol. & Geophys. 20(2): 217-248.

- Birch D.W. (1979) Food preferences of Hemigrapsus nudus (Dana, 1851) (Decapoda, Grapsidae) on San Juan Island, Washington, USA.
Crustaceana 36: 186-188.
- Blake R.W. (1985) Crab Carapace hydrodynamics.
Journ. Zool. (A) 207:407-423.
- Bloomfield G. (1982) Effect of season and salinity acclimations on survival, permeability and osmoregulation of Hemigrapsus crenulatus (Crustacea: Grapsidae).
Unpub. M.Sc. Thesis, University of Canterbury, 118pp.
- Bolton L.A. & G.A. Knox (1977) The ecology of selected sites near Mapua, Waimea Inlet.
Est. Res. Unit Rep. No.10, 30pp. Dept. of Zoology, Univ. of Canterbury.
- Boone L. (1930) Scientific results of the cruises of the yachts "Eagle" and "Ara", 1921-1928, William K. Vanderbilt, commanding. Crustacea: Stomatopoda and Brachyura.
Bull. Vanderbilt Mar. Mus. 2:1-228, pls 1-74.
- Boone L. (1934) Scientific results of the world cruise of the yacht 'Alva', 1931, William K. Vanderbilt commanding. Crustacea: Stomatopoda and Brachyura.
Bull. Vanderbilt (Oceanogr.) Mar. Mus. 5:1-120, pls 1-109.
- Borradaile L.A. (1916) Crustacea. Part 1. Decapoda.
Nat. Hist. Rep. Terra Nova Exped. 3(2):75-110, figs 1-16.
- Boschi E.E., M.A. Scelzo & B. Goldstein (1969) Desarrollo larval del congrejo, Haliscarcinus planatus (Fabricius) (Crustacea, Decapoda, Hymenosomidae), en el laboratorio, con observaciones sobre la distribucion de la especie.
Bull. Mar. Sci. 19(1): 225-242.
- Botsford L.W. (1985) Models of growth. In "Crustacean Issues 3. Factors in Adult Growth" ed. A.M. Wenner.
A.A. Balkema, Rotterdam, pp171-188.
- Botsford L.W. (1986) Effects of environmental forcing on age-structured populations: northern California Dungeness crab (Cancer magister) as an example.
Can. J. Fish. Aquat. Sci. 43:2345-2352.
- Bourne G.C. (1922) The Raninidae: a study in carcinology.
J. Linn. Soc. Lond. (Zool.) 35:25-79, pls 4-7.
- Bouvier E.L. (1894) Recherches sur les affinite des Lithodes et des Lomis avec les Pagurides.
Ann. Scien. Natur. Zoologie (7), XVIII, p157.
- Bouvier E.L. (1896) Sur la classification des lithodines et sur leur distribution dans les oceans.
Annals Sci. nat. Zool. (8)I(1): 1-46.

- Bower S.M. & N.A. Sloan (1985) Morphology of the externa of Briarosaccus callosus Boschma (Rhizocephala) and the relationship with its host Lithodes aequispina Benedict (Anomura).
J. Parasit. 71(4): 455-463.
- Branch G. & M. Branch (1981) The Living Shores of Southern Africa.
C. Struik, Cape Town, 272 pp.
- Bremer P.J. & M.W. Loutit (1987) The role of bacteria in the entry of Cr to marine food chains.
N.Z. Marine Sci. Ann. Conference (Abstract), August, 1987.
- Brethes J.F., F. Coulombe, P. Lafleur & R. Bouchard (1987) Habitat and spatial distribution of early benthic stages of the snow crab Chionoecetes opilio O. Fabricius off the north shore of the gulf of St. Lawrence.
J. Crust. Biol. 7(4):667-681.
- Brick R.W. (1974) Effects of water quality, antibiotics, phytoplankton and food on survival and development of larvae of Scylla serrata (Crustacea: Portunidae).
Aquaculture 3:231-244.
- Briggs P.T. & F.M. Mushacke (1982) Characteristics of the jonah crab and rock crab in New York waters:
N.Y. Fish & Game Journ. 29(2):109-126.
- Broekhuysen G.J. (1941) The life-history of Cyclograpsus punctatus, M.Edw.: breeding and growth.
Trans. Roy. Soc. Sth Afr. 28(4):331-366.
- Broekhuysen G.J. (1955) The breeding and growth of Hymenosoma orbiculare Desm. (Crustacea, Brachyura).
Annals Sth Afr. Mus. 41:313-343.
- Brown C.G. & D.B. Bennett (1975) Population and catch structure of the edible crab (Cancer pagurus) in the English Channel.
Journ. du Conseil Explor. de la Mer. 39(1):88-100.
- Bull G.R. (1977) Effect of mercury exposure on osmoregulation in Hemigrapsus crenulatus.
Unpub. B.Sc.(Hons) Project, Dept of Zoology, University of Canterbury, 44pp.
- Bull J.J. & R. Shine (1979) Iteroparous animals that skip opportunities for reproduction.
Am. Nat. 114:296-303.
- Butler T.H. (1960) Maturity and breeding of the Pacific edible crab, Cancer magister Dana.
J. Fish. Res. Bd. Canada 17:641-646.

- Butler T.H. (1961) Growth and age determinations of the Pacific edible crab, Cancer magister Dana.
J. Fish. Res. Bd. Canada 18:873-891.
- Caddy J.F. (1986) Modelling stock-recruitment processes in Crustacea: some practical and theoretical perspectives.
Can. J. Fish. Aquat. Sci. 43(11):2330-2344.
- Calcott J.P. (1970) Underwater observations of spider crabs at the Auckland Islands. In "Southern spider crab (Jacquinitia edwardsii (Jacquinot, 1853)) survey - Auckland Islands & Campbell Island 30/1/70 - 23/2/70", ed. L.D. Ritchie.
Fisheries Technical Report N.Z. Marine Dept. No. 52, pp. 79-81.
- Calman W.T. (1900) On a collection of Brachyura from Torres Straits.
Trans. Linn. Soc. Lond. Zool. (Ser. 2) 8:1-49, 3pls.
- Campbell B.M. (1971) New records and new species of crabs (Crustacea:Brachyura) trawled off southern Queensland: Dromiacea, Homolidea, Gymnopleura, Corystoidea and Oxystomata.
Mem. Qld. Mus. 16(1): 27-48.
- Campbell B.M. & D.J.G. Griffin (1966) The Australian Sesarminae (Crustacea:Brachyura): genera Helice, Helograpsus nov., Cyclograpsus and Paragrapsus.
Mem. Qld. Mus. 14(5):127-174.
- Campbell B.M. & W. Stephenson (1970) The sublittoral Brachyura (Crustacea:Decapoda) of Moreton Bay.
Mem. Qld. Mus. 15(4):233-301.
- Campbell J.A. (1967) Rhythmic spontaneous activity in an intertidal crab, Cyclograpsus lavauxi.
Unpub. B.Sc.(Hons) Project, Dept. of Zoology, University of Canterbury, 28pp.
- Campbell N.A. & R.J. Mahon (1974) A multivariate study of variation of two species of Leptograpsus.
Aust. J. Zool. 22:417-425.
- Campodonico I. (1971) Desarrollo larval de la centolla Lithodes antarctica Jacquinot, en condiciones de laboratorio (Crustacea, Decapoda, Anomura: Lithodidae).
ANS. INST. PAT. Punta Arenas (Chile) 2: 181-190.
- Campodonico I. (1981) La investigacion biologica y pesquera de los recursos centolla y centollon en Chile, sus perspectivas y problemas.
Medio Ambiente (Chile) 5(1-2):240-252.
- Campodonico I. & L. Guzman (1972) Lithodes murrayi Henderson, 1888, nuevo litodido para la Patagonia austral de Chile (Crustacea, Decapoda, Anomura).
ANS. INST. PAT. Punta Arenas (Chile) 3: 221-232.

- Campodonico I. & L. Guzman (1981) Larval development of Paralomis granulosa (Jacquinot) under laboratory conditions (Decapoda, Anomura, Lithodidae). Crustaceana 40(3): 272-285.
- Cano G. (1889) Crostacei brachiuri ed anomuri raccolti nel viaggio della "Vettor Pisani" intorno al globo. Boll. Soc. Nat. Napoli ser. 1. 3:79-105, 169-268, pl 7, figs 1-15.
- Capart A. (1951) Crustaces decapodes brachyures. In "Resultats Scientifiques Expedition Oceanographique Belge dan les Eaux Cotieres Africaines de l'Atlantique Sud (1948-1949)." 3(1):11-205, 80 figs, 3pls.
- Carpenter A. (1974) The distributions of the two common crab species Macrophthalmus hirtipes (Jacquinot) and Helice crassa Dana (Crustacea: Decapoda: Brachyura) in the Avon-Heathcote Estuary. Unpub. M.Sc. Project, Dept. of Zoology, University of Canterbury, 19pp.
- Carpenter A. (1976) A guide to the crabs (Crustacea: Decapoda) of the Avon-Heathcote Estuary, Canterbury. Mauri Ora 4:15-18.
- Carroll J.C. (1982) Seasonal abundance, size composition, and growth of rock crab, Cancer antennarius Stimpson, off Central California. J. Crust. Biol. 2(4):549-561.
- Cassie R.M. & A.D. Michael (1968) Fauna and sediments of an intertidal mudflat: a multivariate analysis. J. exp. mar. Biol. Ecol. 2:1-23.
- Chace F.A. (1951) The oceanic crabs of the genera Planes and Pachygrapsus. Proc. U.S. Nat. Mus. 101:65-103.
- Chace F.A. (1966) Decapod crustaceans from St. Helena Island, South Atlantic. Proc. U.S. Nat. Mus. 118:623-661.
- Chace F.A. Jr. & G. Barnish (1976) Swarming of a raninid megalopa at St. Lucia, West Indies (Decapoda, Brachyura). Crustaceana 31:105-107.
- Chapman D.M. (1979) Structure of the degenerate eyes of the deep-sea crab Cymonomus bathamae (Brachyura). Journ. Roy. Soc. N.Z. 7(3): 339-346.
- Chapman M.A. & M. Lewis (1976) An Introduction to the Freshwater Crustacea of New Zealand. Collins, Auckland, 261pp.
- Chatterton T.D. (1986) Population biology of Cancer novaezelandiae. N.Z. Marine Sci. Ann. Conf. (Abstr.), August 1986.

- Chatterton T.D. (1987) Catchability cycles and endogenous locomotor activity patterns in Cancer novaezelandiae. N.Z. Marine Sci. Ann. Conf. (Abstr.), August 1987.
- Chen H. (1975) Studies on the crabs of Xisha Islands. 1. Guandong Province, China. Studia Marina Sinica 10:157-182.
- Cheung T.S. (1969) Trans-moult retention of sperm in the female stone crab, Menippe mercenaria (Say). Crustaceana 15:117-120
- Chhapgar B.F. (1957) On the marine crabs (Decapoda: Brachyura) of of Bombay State. J. Bombay Nat. Hist. Soc. 54(2):399-439, plA, 1-11.
- Chilton C. (1882) Additions to the New Zealand Crustacea. Trans. Proc. N.Z. Inst. 14:171-174, 8pls.
- Chilton C. (1883) Further additions to our knowledge of the New Zealand Crustacea. Trans. Proc. N.Z. Inst. 15:69-86, 3pls.
- Chilton C. (1906a) Report of some Crustacea dredged off the coast of Auckland. Trans. Proc. N.Z. Inst. 38:265-269.
- Chilton C. (1906b) List of Crustacea from the Chatham Islands. Trans. Proc. N.Z. Inst. 38:269-276.
- Chilton C. (1906c) Notes on some Crustacea from the freshwater lakes of New Zealand. Proc. Zool. Soc. Lond. 1906:702-705
- Chilton C. (1907) Notes on the crab Hymenosoma depressum Jacquinot & Lucas. Ann. Mag. nat. Hist. ser. 7(19):146-149.
- Chilton C. (1909) The Crustacea of the Subantarctic Islands of New Zealand. In C. Chilton ed. "The Subantarctic Islands of New Zealand". Philosoph. Inst. of Canterbury, Christchurch, vol.2:601-671.
- Chilton C. (1910) The Crustacea of the Kermadec Islands. Trans. Proc. N.Z. Inst. 43:544-573
- Chilton C. (1911a) Scientific results of the New Zealand Government Trawling Expedition 1907, Crustacea. Rec. Cant. Mus. 1(3):285-312, 1pl.
- Chilton C. (1911b) Miscellaneous notes on some New Zealand Crustacea. Trans. Proc. N.Z. Inst. 44:128-135
- Chilton C. (1914) A freshwater crab, and its distribution in Australia and New Zealand. Trans. Proc. N.Z. Inst. 47:316-320, 1fig.

- Chilton C. (1919) Notes on the occurrences in Tasmania of the freshwater crab, Hymenosoma lacustris Chilton.
Pap. Roy. Soc. Tasm. 1919:93-96.
- Chilton C. & E.W. Bennett (1929) Contributions for a revision of the Crustacea Brachyura of New Zealand.
Trans. Proc. N.Z. Inst. 59:731-778.
- Chilton N.B. & C.M. Bull (1984) Influence of predation by a crab on the distribution of the size-groups of three intertidal gastropods in South Australia.
Mar. Biol. 83:163-169.
- Chilton N.B. & C.M. Bull (1986) Size-related selection of two intertidal gastropods by the reef crab Ozius truncatus.
Mar. Biol. 93:475-480.
- Chopra B. (1935) Further notes on Crustacea Decapoda in the Indian Museum. VIII On the decapod Crustacea collected by the Bengal Pilot Service off the mouth of the River Hooghly. Brachygnatha. (Oxyrhyncha and Brachyrhyncha).
Rec. Ind. Mus. 37:463-514.
- Choy S.C. (1986) Natural diet and feeding habits of the crabs Liocarcinus puber and L.holsatus (Decapoda, Brachyura, Portunidae).
Mar. Ecol. Progr. Ser. 31:87-99.
- Christensen A.M. & J.J. McDermott (1958) Life-history and biology of the oyster crab, Pinnotheres ostreum Say.
Biol. Bull. Woods Hole Mass. 114:146-179.
- Christy J.H. (1986) Timing of larval release by intertidal crabs on an exposed shore.
Bull. Mar. Sci. 39:176-191.
- Christy J.H. (1987) Competitive mating, mate choice and mating associations of brachyuran crabs.
Bull. Mar. Sci. 41:177-191.
- Christy J.H. & M. Salmon (1984) Ecology and evolution of mating systems of fiddler crabs (Genus Uca).
Biol. Rev. 59(4):483-509.
- Clark M.R. (1978) Aspects of the population biology of the swimming crab Ovalipes catharus (White 1843) (Crustacea; Decapoda; Portunidae) in the Plimmerton area, Wellington.
Unpub. B.Sc.(Hons) Project, Dept. Zoology, Victoria University, Wellington.
- Clark R.L. (1987) Aspects of growth and reproduction of the hairy-handed crab, Hemigrapsus crenulatus (Brachyura: Grapsidae).
Unpub. M.Sc. Thesis, Univ. of Canterbury, 159pp.
- Collier P.C. (1983) Movement and growth of post-larval Dungeness crabs, Cancer magister, in the San Francisco area.
Calif. Dept. Fish & Game Fish. Bull. 172:125-133.

- Colman J.A. (1972) Food of snapper, Chrysophrys auratus (Forster), in the Hauraki Gulf, New Zealand. N.Z. J. Mar. Freshwat. Res. 6(3):221-239.
- Cox G.J. (1976) A note on tree climbing by the crab Helice crassa in mangrove swamps. Tane 22:155-156.
- Crane J. (1937) The Templeton Crocker Expedition. III Brachygnathous crabs from the Gulf of California and the west coast of Lower California. Zoologica (N.Y.) 22:47-78, pls 1-8.
- Crane J. (1975) Fiddler Crabs of the World. (Ocypodidae: genus Uca). Princeton Univ. Press, Princeton N.J. 736pp.
- Cranwell L.M. & L.B. Moore (1938) Intertidal communities of the Poor Knights Islands, New Zealand. Trans. Proc. Roy. Soc. N.Z. 67:375-407.
- Creswell P.D. (1987) Feeding ecology of the New Zealand cancer crab Cancer novaezelandiae. N.Z. Mar. Sci. Soc. Conf. Abstr.
- Creswell P.D. (1988) Feeding ecology of the New Zealand cancer crab Cancer novaezelandiae (Jacquinot, 1853) (Brachyura: Cancridae). Unpub. M.Sc. Thesis, Univ. of Canterbury, 129pp.
- Cronin T.W. & R.B. Forward (1986) Vertical migration cycles of crab larvae and their role in larval dispersal. Bull. Mar. Sci. 39(2):192-201.
- Crosnier A. (1962) Crustaces decapodes Portunidae. Faune de Madagascar 16:1-154, 13 pls.
- Crosnier A. (1965) Crustaces Decapodes, Grapsidae et Ocypodidae. Faune de Madagascar 18:1-143, 11 pls.
- Crosnier A. (1976) Donnees sur les Crustaces Decapodes captives par M. Paul Gueze a L'ile de la Reunion lors d'essais de peche en eau profonde. Trav. Doc. ORSTOM, 47:225-256, fig 1-9, pls 1-2.
- Crothers J. & M. Crothers (1983) A key to the crabs and crab-like animals of British inshore waters. Field Studies 5:753-806.
- Crump R.G. (1969) Aspects of the biology of some New Zealand echinoderms. Unpub. Ph.D Thesis, University of Otago, 192pp.
- Crump R.G. (1971) Annual reproductive cycles in three geographically separated populations of Patiriella regularis (Verrill), a common New Zealand asteroid. J. Exp. Mar. Biol. Ecol. 7:137-162

- Dana J.D. (1851) *Conspectus Crustaceorum quae in Orbis Terrarum Circumnavigatione, Carolo Wilkes e Classe Reipublicae Faederate Duce, Lexit et Descripsit.*
Proc. Acad. nat. Sci. Philad. 5:247-254.
- Dana J.D. (1852-1853) United States Exploring Expedition during the years 1838-1842, under the command of Charles Wilkes, U.S.N.: Crustacea.
U.S. Explor. Exped. 1838-42, 13: viii + 1618pp,
C. Sherman, Philadelphia.
- Davenport M.W. (1979) Zooplankton and fish of a mangrove area of the Whangateau Harbour.
Unpub.M.Sc. Thesis, University of Auckland, 67pp.
- Davidson R.J. (1984) Relative growth, sexual maturity and energy maximization in the paddle crab, Ovalipes catharus.
Unpub. B.Sc(Hons) Project, Dept. of Zoology, University of Canterbury, 66pp.
- Davidson R.J. (1986) Mussel selection by the paddle crab Ovalipes catharus (White): evidence of flexible foraging behaviour.
J. Exp. Mar. Biol. Ecol. 102:281-299.
- Davidson R.J. & I.D. Marsden (1987) Size relationships and relative growth of the New Zealand swimming crab Ovalipes catharus (White, 1843).
J. Crust. Biol. 7:308-317.
- Dawson E.W. (1984) The benthic fauna of the Chatham Rise: an assessment relative to possible effects of phosphorite mining.
Geol. Jb. D65: 209-231.
- Dawson E.W. (1987) A key to the world species of Plagusia (Crustacea: Brachyura) with a new record of P.depressa tuberculata Lamarck from New Zealand.
National Museum Records, Wellington 3(4): 37-45.
- Dawson E.W. & J.C. Yaldwyn (1970) Diagnosis of a new species of Neolithodes (Crustacea: Anomura: Lithodidae) from New Zealand.
N.Z. Journ. Mar. Freshwat. Res. 4(2): 227-228.
- Dawson E.W. & J.C. Yaldwyn (1971) Diagnosis of a new species of Paralomis (Crustacea, Anomura, Lithodidae) from New Zealand.
Rec. Dom. Mus. 7(7): 51-54.
- Dawson E.W. & J.C. Yaldwyn (1974) Ovalipes molleri (Ward), a portunid swimming crab new to New Zealand: occurrence and distinguishing features.
N.Z. Oceanogr. Rec. 2(4):45-48.

- Dawson E.W. & J.C. Yaldwyn (1985) King crabs of the world or the world of king crabs: an overview of identity and distribution - with illustrated diagnostic keys to the genera of the Lithodidae and to the species of Lithodes.
Proc. Int. King Crab Symp., Anchorage Alaska, Jan. 1985, 69-106.
- Day J.H. (1974) A Guide to Marine Life on South African Shores. Second Edition.
A.A.Balkema, Cape Town, 300pp.
- De Haan W. (1833-1849) Crustacea. In P.F. DeSiebold, "Fauna Japonica", 4, XVII, XXXI, 244pp, 70pls (pp 109-164, 1841). Amsterdam: J. Muller.
- Dell R.K. (1951) Some animal communities of the sea bottom from Queen Charlotte Sound, New Zealand.
N.Z. J. Sci. Tech. 33(1)B:19-29.
- Dell R.K. (1955) A record of Latreillopsis petterdi Grant (Crustacea, Brachyura) from New Zealand, with notes on some other species of Crustacea.
Rec. Dom. Mus. 2(3):147-149.
- Dell R.K. (1960) Crabs (Decapoda, Brachyura) of the Chatham Islands 1954 Expedition.
N.Z. Dep. sci. industr. Res. Bull. 139(1) (N.Z. Oceanogr. Inst. Mem. No. 4):1-8, 2pls.
- Dell R.K. (1963a) Nature in New Zealand: Native Crabs.
A.H. & A.W. Reed, Wellington N.Z. 64pp.
- Dell R.K. (1963b) Some deep-water crabs (Crustacea, Brachyura) from New Zealand.
Rec. Dom. Mus. 4(18):243-253.
- Dell R.K. (1963c) Pachygrapsus marinus (Rathbun), a new crab for New Zealand waters.
Trans. Roy. Soc. N.Z. 3(18):179-180.
- Dell R.K. (1964a) The oceanic crab, Pachygrapsus marinus (Rathbun) in the south-west Pacific.
Crustaceana 7:79-80.
- Dell R.K. (1964b) The large Indo-Pacific swimming crab, Scylla serrata (Forsk.) in Northern New Zealand.
Rec. Dom. Mus. 5(8):59-62.
- Dell R.K. (1964c) An occurrence of the swimming crab Portunus pelagicus in New Zealand.
Rec. Dom. Mus. 4(21):303-304
- Dell R.K. (1968a) Notes on New Zealand crabs.
Rec. Dom. Mus. 6(3):13-28.
- Dell R.K. (1968b) Composition and distribution of the New Zealand brachyuran fauna.
Trans. Roy. Soc. N.Z. (Zool.) 10(25):225-240.

- Dell R.K. (1969) A new pliocene fossil crab of the genus (Trichopeltarion) from New Zealand.
Rec. Cant. Mus. 8: 367-370.
- Dell R.K. (1971) Two new species of crabs of the genus Cymonomus from New Zealand (Crustacea: Brachyura).
Rec. Dom. Mus. 7(8): 55-64.
- Dell R.K. (1972) A new genus and species of atelecyliid crab from New Zealand.
J. Roy. Soc. N.Z. 2(1):55-59.
- Dell R.K., D.J.G. Griffin & J.C. Yaldwyn (1970) A new swimming crab from the New Zealand subantarctic and a review of the genus Nectocarcinus A. Milne Edwards.
Trans. Roy. Soc. N.Z. 12(7):49-68.
- Dell R.K. & B.A. Marshall (1967) The rediscovery of the crab Cyclograpsus insularum Campbell and Griffin in New Zealand.
Rec. Dom. Mus. 6(1):1-3.
- de Man J.G. (1879) On some new or imperfectly known podophthalmous Crustacea of the Leyden Museum.
Notes Leyden Mus. 19:53-73.
- de Man J.G. (1890) Carcinological studies in the Leyden Museum.
4.
Notes Leyden Mus. 12(13):49-126, pls 3-6.
- de Man J.G. (1902) Die von Herrn Professor Kukenthal im Indischen Archipel Gesammelten Decapoden und Stomatopoden.
Abh. senckenb. naturf. Ges. 25:465-929, 9pls.
- Dickson P.K. (1986) A survey of marine habitats at Kawerua.
Tane 31:19-30.
- Doflein P. (1902) Ostrasiatische Dekapoden.
Abh. bayer. Akad. Wiss. 21(3):613-670, Fig 1-4, pls 1-6.
- Doflein P. (1904) Brachyura. In: Wiss. Ergebn. Deutschen Tiefsee Exped. "Valdivia", 1898-1899, 6. Jena, xiv, 314pp, 68 figs, Atlas, 58pls
- Dudley R. (1980) Crab-crushing of periwinkle shells, Littorina littorea, from two adjacent geographical provinces.
The Nautilus 94(3):108-112.
- DuPreez H.H. (1984) Molluscan predation by Ovalipes punctatus (De Haan) (Crustacea: Brachyura: Portunidae).
J. Exp. Mar. Biol. Ecol. 84:55-71.
- DuPreez H.H. & A. McLachlan (1984a) Biology of the three-spot swimming crab, Ovalipes punctatus (DeHaan). I. Morphometrics and relative growth (Decapoda, Portunidae).
Crustaceana 47(1):72-82

- DuPreez H.H. & A. McLachlan (1984b) Biology of the three-spot swimming crab, Ovalipes punctatus (DeHaan). II. Growth and moulting.
Crustaceana 47(2):113-120
- DuPreez H.H. & A. McLachlan (1984c) Biology of the three-spot swimming crab, Ovalipes punctatus (DeHaan). III. Reproduction, fecundity and egg development.
Crustaceana 47(3):285-297
- DuPreez H.H. & A. McLachlan (1984d) Distribution of the portunid crab Ovalipes punctatus (DeHaan) in Algoa Bay and salinity and temperature tolerance of its zoea.
South Afr. J. Zool. 19(4):302-304
- Eales A.J. (1974) Sex pheromone in the shore crab Carcinus maenas, and the site of its release from females.
Mar. Behav. Physiol. 2:345-355
- East R. & J. Peterson (1967) Observations on sodium ion regulation in three species of New Zealand decapod Crustacea.
Unpub. B.Sc.(Hons) Project, Dept of Zoology, University of Canterbury, 19pp.
- Edmonds E. (1935) The relations between the internal fluid of marine invertebrates and the water of the environment, with special reference to Australian Crustacea.
Proc. Linn. Soc. NSW 60:233-247.
- Edmondson C.H. (1946) Reef and shore fauna of Hawaii.
Special Publ. Bishop Mus. Honolulu 22:1-381.
- Edmondson C.H. (1954) Hawaiian Portunidae.
Occ. Pap. Bishop Mus. Honolulu 21(12):217-274.
- Edmondson C.H. (1959) Hawaiian Grapsidae.
Occ. Pap. Bishop Mus. Honolulu 22(10):153-202, 27figs.
- Edwards E. (1966) Mating behaviour in the European Edible Crab (Cancer pagurus L.).
Crustaceana 10:23-30.
- Edwards J.S. (1972) Limb loss and regeneration in two crabs: the King crab Paralithodes camtschatica and the Tanner Crab Chionoecetes bairdi.
Acta Zoologica 53: 105-112.
- Elnor R.W., C.A. Gass & A. Campbell (1985) Mating behaviour of the Jonah crab, Cancer borealis Stimpson (Decapoda, Brachyura).
Crustaceana 48:34-39.
- Elnor R.W. & G.S. Jamieson (1979) Predation of scallops, Placopecten magellanicus, by the rock crab, Cancer irroratus, and the American lobster, Homarus americanus.
J. Fish. Res. Bd. Canada 36:537-543.

- Epifanio C.E. (1987) The role of tidal fronts in maintaining patches of brachyuran zoeae in estuarine waters.
J. Crust. Biol. 7:513-517.
- Estampador E.P. (1949) Studies on Scylla (Crustacea: Portunidae). I Revision of the genus.
Philipp. J. Sci. 78(1):95-108, pls 1-3.
- Fabricius J.C. (1775) Systema Entomologiae, Sistens insectorum classes, ordines, genera, species, adjectis synonymis, descriptionibus, observationibus.
Flensburgi & Lipsiae. xxxii + 832pp.
- Fabricius J.C. (1793) Entomologia systematica emendata et aucta, secundum classes, ordines, genera, species, adjectis synonymis, locis, observationibus, descriptionibus.
C.G. Proft, Hafnia. Vol 2; ppVIII, 1519.
- Fabricius J.C. (1798) Supplementum entomologiae systematicae.
Hafniae. 572pp.
- Falla R.A. (1970) Some notes on general observations on the seasonal cycle of the southern spider crab (Jacquiniotia edwardsii). In "Southern spider crab (Jacquiniotia edwardsii (Jacquinot, 1853)) survey - Auckland Islands & Campbell Island 30/1/70 - 23/2/70", ed. L.D. Ritchie. Fisheries Technical Report, N.Z. Marine Dept. No. 52, pp. 66-67.
- Feder H.M., K. McCumby & A.J. Paul (1980) The food of post-larval king crab, Paralithodes camtschatica in Kachemak Bay, Alaska (Decapoda, Lithodidae).
Crustaceana 39(3): 315-318.
- Feldmann R.M. (1986) Paleobiogeography of two decapod crustacean taxa in the southern hemisphere: global conclusions with sparse data.
In Crustacean Issues 4: Crustacean Biogeography, eds. R.H. Gore & K.L. Heck, pp5-19.
- Fenwick G.D. (1975) Decapoda and Stomatopoda (from the Auckland Islands Expedition 1972-73). In Yaldwyn J.C. ed "Preliminary Results of the Auckland Islands Expedition 1972-1973", pp. 126-135, Department of Lands & Survey, Wellington, N.Z.
- Fenwick G.D. (1978) Decapoda of the Snares Islands, New Zealand.
N.Z. J. Mar. Freshwat. Res. 12(2):205-209.
- Fielder D.R. & A.J. Eales (1972) Observations on courtship, mating and sexual maturity in Portunus pelagicus (L.1766) (Crustacea; Portunidae).
J. Nat. Hist. 6:273-277
- Fielder D.R. & M.B. Jones (1978) Observations of feeding behaviour in two New Zealand mud crabs (Helice crassa and Macrophthalmus hirtipes).
Mauri Ora 6:41-46.

- Filhol H. (1885a) Descriptions de Nouvelles Especies de Crustaces Apportenant au Genre Hymenicus, Provenant de la Nouvelle-Zelande.
Bull. Soc. philomath. Paris 7(9):43-44.
- Filhol H. (1885b) Nouvelle Description d'une Espece de Crustace (Nouvelle-Zelande).
Bull. Soc. philomath. Paris 7(9):45.
- Filhol H. (1885c) Description d'une Nouvelle Espece de Crustace Apportenant au Genre Halicarcinus.
Bull. Soc. philomath. Paris 7(9):45-46.
- Filhol H. (1885d) Considerations relatives a la faune des Crustaces de la Nouvelle-Zelande.
Bibl. Ec. haut. Etud. 30:1-60
- Filhol H. (1886) Catalogue des Crustaces de la Nouvelle-Zelande, des Iles Auckland et Campbell. In "Mission de l'Ile Campbell", 3(2):349-510; 3(4) Atlas, pls 38-55, Paris.
- Fleming C.A. (1962) A miocene crab-bed in Wairarapa district, New Zealand, and notes on allometry in Tumidocarcinus giganteus Glaessner.
Trans. Roy. Soc. N.Z. (Geol.) 1(14):208-213.
- Fleming C.A. (1979) The Geological History of New Zealand and its Life.
Auckland Univ. Press, Akld. 141pp.
- Fleming C.A. (1981) A new grapsid crab from the upper miocene of New Zealand.
Journ. Roy. Soc. N.Z. 11(2):103-108.
- Forskal P. (1775) Descriptiones animalium, avicium, amphibiorum, insectorum, vermium, quae in itinere orientali observavit Petrus Forskal 19 + xxxii + 66pp, 1 map.
Hafniae.
- Forward R.B. (1987) Larval release rhythms of decapod crustaceans: an overview.
Bull. Mar. Sci. 41:165-176.
- Fulton S.W. & F.E. Grant (1902) Some little-known Victorian Decapod Crustacea, with descriptions of new species.
Proc. roy. Soc. Vict. (Ser. 2) 15:59-68, pls 8-10.
- Fulton S.W. & F.E. Grant (1906) Census of the Victorian Decapod Crustacea. Part 1, Brachyura.
Proc. roy. Soc. Vict. (Ser. 2) 19:16-20.
- Garth J.S. (1948) The Brachyura of the "Askoy" Expedition with remarks on carcinological collecting in the Panama Bight.
Bull. Am. Mus. Nat. Hist. 92(1):1-66, pls 1-8, figs 1-5.

- Garth J.S. (1957) Reports of the Lund University Chile Expedition 1948-49. 29. The Crustacea Decapoda Brachyura of Chile. Acta Univ. Lund. 2, 53(7):1-127, pls I-IV.
- Garth J.S. (1958) Brachyura of the Pacific coast of America Oxyrhyncha. Allan Hancock Pacific Exped. 21:1-854, 106 tables, 9 figs, 82pls.
- Garth J.S. (1965) The brachyuran decapod crustaceans of Clipperton Island. Proc. Calif. Acad. Sci. 33(1):1-46.
- Garth J.S., J. Haig & J.C. Yaldwyn (1967) The decapod Crustacea of the Royal Society Expedition to Southern Chile, 1958-59. Trans. Roy. Soc. N.Z. 8(16):169-186.
- Gerstaecker A. (1856) Carcinologische Beitrage. Arch. Naturgesch. 22(1):101-162, pls 4-6.
- Glaessner M.F. (1960) The fossil decapod Crustacea of New Zealand and the evolution of the Order Decapoda. N.Z. Geol. Surv. Paleont. Bull. 31:1-79, pls 1-7.
- Glaessner M.F. (1969) Decapoda. In "Treatise on Invertebrate Palaeontology" ed. R.C. Moore, Part R, Arthropoda 4, vol.2, pp399-533, Addendum 626-7, Geol. Soc. America.
- Glaessner M.F. (1980) New Cretaceous and Tertiary crabs (Crustacea: Brachyura) from Australia and New Zealand. Trans. Roy. Soc. South Aust. 104:171-192
- Godfriaux B.L. (1969) Food of predatory demersal fish in Hauraki Gulf. 1 Food and feeding habits of snapper. N.Z. J. Mar. Freshwat. Res. 3(4):518-544.
- Godfriaux B.L. (1970a) Food of predatory demersal fish in Hauraki Gulf. 2 Five fish species associated with snapper. N.Z. J. Mar. Freshwat. Res. 4(3):248-266.
- Godfriaux B.L. (1970b) Food of predatory demersal fish in Hauraki Gulf. 3 Feeding relationships. N.Z. J. Mar. Freshwat. Res. 4(4):325-336.
- Godfriaux B.L. (1974a) Food of tarakihi in Western Bay of Plenty and Tasman Bay, New Zealand. N.Z. J. Mar. Freshwat. Res. 8(1):111-153.
- Godfriaux B.L. (1974b) Food of snapper in Western Bay of Plenty, New Zealand. N.Z. J. Mar. Freshwat. Res. 8(3):473-504.
- Godfriaux B.L. (1974c) Feeding relationships between tarakihi and snapper in Western Bay of Plenty, New Zealand. N.Z. J. Mar. Freshwat. Res. 8(4):589-609.

- Gordon I. (1940) On some species of the genus Elamena(s.s.) (Crustacea, Decapoda). Proc. Linn. Soc. Lond. 152(1):60-78, 10 figs.
- Gordon M. (1966) Contributions to the systematics and ecology of the New Zealand Hymenosomatidae (Crustacea, Brachyura). Unpub. M.Sc. Thesis, University of Auckland.
- Gore R.H. & L.E. Scotto (1982) Cyclograpsus integer H. Milne Edwards, 1937 (Brachyura, Grapsidae): the complete larval development in the laboratory, with notes on larvae of the genus Cyclograpsus. Fish. Bull. 80:501-521.
- Gotshall D.W. (1977) Stomach contents of Northern California Dungeness crabs, Cancer magister. Calif. Fish & Game 63(1):43-51.
- Gotshall D.W. (1978) Northern California Dungeness crab, Cancer magister, movements as shown by tagging. Calif. Fish & Game 64(4):234-254.
- Graham D.H. (1939) Food of the fishes of Otago Harbour and adjacent sea. Trans. Proc. Roy. Soc. N.Z. 68(4):421-436.
- Graham D.H. (1956) A Treasury of New Zealand Fishes. A.H. Reed, Wellington, second edition, 424pp.
- Grant F.E. (1905) Crustacea dredged off Port Jackson in deep water. Proc. Linn. Soc. NSW 30(2):312-324, pls 10-11.
- Grant F.E. & A.R. McCulloch (1906) On a collection of Crustacea from the Port Curtis District, Queensland. Proc. Linn. Soc. NSW 31:2-53, pls 1-4.
- Gray G.W. (1964) Halibut preying on large Crustacea. Copeia 3: 590.
- Greenwood J.G. (1965) The larval development of Petrolisthes elongatus (H.Milne Edwards) and Petrolisthes novaezelandiae Filhol (Anomura, Porcellanidae) with notes on breeding. Crustaceana 8:285-307.
- Greenwood J.G. & D.R. Fielder (1984) The zoeal stages of Pilumnopus serratifrons (Kinahan, 1856) (Brachyura: Xanthidae) reared under laboratory conditions. Journ. Nat. Hist. 18:31-40.
- Griffin D.J.G. (1963a) The status of the majid brachyuran genus Campbellia Balss. Rec. Dom. Mus., Wellington 4(17): 235-241, figs 1-4.
- Griffin D.J.G. (1963b) Notomithrax gen.nov. and the status of the genus Paramithrax H.Milne Edwards (Crustacea, Brachyura, Majidae). Trans. Roy. Soc. N.Z. 3(22):229-237.

- Griffin D.J.G. (1964) A review of the genus Eurynome Leach (Decapoda, Majidae) and a new species from New Zealand. Crustaceana 6(3): 795-206.
- Griffin D.J.G. (1965) A new species of Paramola (Crustacea, Decapoda, Thelxiopidae) from New Zealand. Trans. Roy. Soc. N.Z. 7(4):85-91.
- Griffin D.J.G. (1966a) The marine fauna of New Zealand: spider crabs, family Majidae (Crustacea, Brachyura). N.Z. Dept sci. industr. Res. Bull. 172 (N.Z.Oceanogr. Inst. Mem. 35), 111pp.
- Griffin D.J.G. (1966b) Extension of range for two Indo-West-Pacific spider crabs (Decapoda, Majidae). Crustaceana 10(3):312-313.
- Griffin D.J.G. (1968a) The designation of a neotype for Cancer chabrus Linnaeus and the status of Plagusia capensis DeHaan (Decapoda, Grapsidae). Crustaceana 15(2):209-213.
- Griffin D.J.G. (1968b) Social and maintenance behaviour in two Australian ocypodid crabs (Crustacea: Brachyura). J. Zool. Lond. 156:291-305.
- Griffin D.J.G. (1968c) A new species of Cyclograpsus (Decapoda, Grapsidae) and notes on five others from the Pacific Ocean. Crustaceana 15:235-248.
- Griffin D.J.G. (1969a) Notes on the taxonomy and zoogeography of the Tasmanian grapsid and ocypodid crabs (Crustacea, Brachyura). Rec. Aust. Mus. 27(18):323-347.
- Griffin D.J.G. (1969b) Breeding and moulting cycles of two Tasmanian grapsid crabs (Decapoda, Brachyura). Crustaceana 16:88-94.
- Griffin D.J.G. (1970) A revision of the recent Indo-west Pacific species of the genus Lyreidus DeHaan (Crustacea, Decapoda, Raninidae). Trans. Roy. Soc. N.Z. 12(10):89-112.
- Griffin D.J.G. (1971) The ecological distribution of grapsid and ocypodid shore crabs (Crustacea: Brachyura) in Tasmania. J. Anim. Ecol. 40:597-621.
- Griffin D.J.G. (1972) Brachyura collected by Danish expeditions in south-eastern Australia (Crustacea, Decapoda). Steenstrupia 2:49-90, 3 figs.
- Griffin D.J.G. (1973) A revision of the two southern temperate shore crabs Leptograpsus variegatus (Fabricius) and Plagusia chabrus (Linnaeus) (Crustacea, Decapoda, Grapsidae). J. Roy. Soc. N.Z. 3(3):415-440.

- Griffin D.J.G. (1976) Spider crabs of the family Majidae (Crustacea: Brachyura) from the Philippine Islands. J. nat. Hist. 10: 179-222, 11 figs.
- Griffin D.J.G. & D.E. Brown (1976) Deepwater decapod Crustacea from eastern Australia: Brachyuran Crabs. Rec. Aust. Mus. 30:248-271, figs 1-10.
- Griffin D.J.G. & H.A. Tranter (1986a) The Decapoda Brachyura of the Siboga Expedition. Part VIII Majidae. Siboga Expedition Monograph 39, 335 pp. 22 plates, 112 figs.
- Griffin D.J.G. & H.A. Tranter (1986b) Some majid spider crabs from the deep Indo-West Pacific. Rec. Aust. Mus. 38: 351-371.
- Griffin D.J.G. & J.C. Yaldwyn (1965) A record of the majid brachyuran genus Achaeus from New Zealand with notes on the Australian species. Trans. Roy. Soc. N.Z. 6(4):33-51.
- Griffin D.J.G. & J.C. Yaldwyn (1971) Port Phillip Survey 1957-1963. 2. 5. Brachyura (Crustacea, Decapoda). Mem. Nat. Mus. Vict. 32:43-64, 2 tables, 4 figs.
- Guiler E.R. (1952) A list of the Crustacea of Tasmania. Rec. Queen Victoria Mus., Tasmania 3:15-44.
- Guinot D. (1966) Les crabes comestibles de l'Indo-Pacifique. Editions de la Fondation Singer-Polignac, Paris, 145pp.
- Guinot D. (1977) Proposition pour une nouvelle classification des Crustacés Décapodes Brachyours. C.R. hebd. Seane. Acad. Sci., Paris (D), 285:1049-1052.
- Guinot D. & B. Richer de Forges (1981) Homolidae, rares ou nouveaux, de l'Indo-Pacifique (Crustacea, Decapoda, Brachyura). Bull. Mus. natn. Hist. nat., Paris A4(3):523-581.
- Guinot D. & B. Richer de Forges (1982) Revision du genre Indo-Pacifique Cyrtomaia Miers 1886: Campagnes Oceanographiques du Challenger, de L'Albatross, du Siboga et du Vauban (Crustacea, Decapoda, Brachyura). Ann. Inst. oceanogr. Paris, 58(1):5-88.
- Guinot D. & B. Richer de Forges (1985) Crustacés décapodes: Majidae (genres Platymaia, Cyrtomaia, Pleistacantha, Sphenocarcinus et Naxiodes). Mem. Mus. natn. Hist. nat. Paris (Zool.) 133:83-177.
- Guzman L. & J. Campodonico (1972) Fecundidad de la centolla Lithodes antarctica Jacquinot (Crustacea, Decapoda, Anomura: Lithodidae): ANS. INST. PAT. Punta Arenas (Chile) 3: 249-257.

- Habib G. (1975) Aspects of the biology of the red cod Pseudophycis bacchus.
Unpub. Ph.D. Thesis, University of Canterbury, 203pp.
- Habib G. (1976) Food size preferences of the red cod Pseudophycis bacchus (Teleostei: Moridae).
Mauri Ora 4:9-13.
- Habib G. (1977) Population and food of the pufferfish Uranostoma richiei (Plectognathi: Lagocephalidae) from Lyttelton Harbour.
N.Z. J. Mar. Freshwat. Res. 11(3):489-500.
- Haddon M. (1988) Impact of paddle crabs on shellfish.
Catch 15(2):9-11.
- Haddon M. & R.G. Wear (1987) Biology of feeding in the New Zealand paddle crab Ovalipes catharus (Crustacea, Portunidae).
N.Z. Journ. Mar. & Freshwat. Res. 21:55-64.
- Haddon M, R.G. Wear & H.A. Packer (1987) Depth and density of burial by the bivalve Paphies ventricosa as refuges from predation by the crab Ovalipes catharus.
Mar. Biol. 94:25-30.
- Haefner P.A. (1976) Distribution, reproduction and moulting of the rock crab, Cancer irroratus Say, 1917, in the mid-Atlantic Bight.
J. nat. Hist. 10:377-397.
- Haefner P.A. (1977) Aspects of the biology of the jonah crab, Cancer borealis Stimpson, 1859 in the mid-Atlantic Bight.
J. nat. Hist. 11:303-320.
- Haefner P.A. (1985) Morphometry, reproduction, diet and epizoids of Ovalipes stephensoni Williams, 1976 (Decapoda, Brachyura).
J. Crust. Biol. 5:658-672.
- Haefner P.A. & W.A. van Engel (1975) Aspects of molting, growth and survival of male rock crabs Cancer irroratus, in Chesapeake Bay.
Chesapeake Sci. 16(4):253-265.
- Haig J. (1974) Observations on the lithodid crabs of Peru, with descriptions of two new species.
Bull. South. Calif. Acad. Sci. 73(3): 152-164.
- Hale H.M. (1927a) The fauna of Kangaroo Island, South Australia, No. 1. The Crustacea.
Trans. Roy. Soc. S. Aust. 51: 307-25.
- Hale H.M. (1927b) The Crustaceans of South Australia, part 1. Handbooks of the Flora and Fauna of South Australia 201pp, 202 text-figs. Gov. Printer, Adelaide.

- Hale H.M. (1931) The post-embryonic development of an Australian xanthid crab (Pilumnus vestitus Haswell).
Rec. South Aust. Mus. 4(3):321-331
- Hale H.M. (1941) Decapod Crustacea.
Rep. B.A.N.Z. Antarct. Res. Exped. 4(a): 257-286, 16 figs., 1 pl.
- Hancock D.A. & E. Edwards (1967) Estimation of annual growth in the edible crab (Cancer pagurus L.).
Journ. du Conseil Explor. de la Mer. 31:246-264.
- Hand C. (1975) Behaviour of some New Zealand sea anemones and their molluscan and crustacean hosts.
N.Z. Journ. Mar. Freshwat. Res. 9(4):509-527.
- Hart J.F.L. (1965) Life history and larval development of Cryptolithodes typicus Brandt (Decapoda, Anomura) from British Columbia.
Crustaceana 8: 255-276.
- Hartnoll R.G. (1963) The biology of Manx spider crabs.
Proc. Zool. Soc. Lond. 141: 423-496.
- Hartnoll R.G. (1965) Notes on the marine grapsid crabs of Jamaica.
Proc. Linn. Soc. Lond. 176:113-147.
- Hartnoll R.G. (1968) Morphology of the genital ducts in female crabs.
J. Linn. Soc. (Zool.) 47:279-300, 14 figs.
- Hartnoll R.G. (1969) Mating in the Brachyura.
Crustaceana 16(2):161-181.
- Hartnoll R.G. (1971) The occurrence, methods and significance of swimming in the Brachyura.
Anim. Behav. 19:34-50.
- Hartnoll R.G. (1974) Variation in growth pattern between some secondary sexual characters in crabs (Decapoda, Brachyura).
Crustaceana 27:131-136.
- Hartnoll R.G. (1978) The determination of relative growth in Crustacea.
Crustaceana 34:281-293.
- Hartnoll R.G. (1979) The phyletic implications of spermathecal structure in the Raninidae (Decapoda: Brachyura).
J. Zool. Lond. 187:75-83.
- Hartnoll R.G. (1985) Growth, sexual maturity and reproductive output. In A.M. Wenner, ed., 'Factors in Adult Growth', pp 101-128.
A.A. Balkema, Rotterdam.

- Hartnoll R.G. & S.M. Smith (1979) Pair formation in the edible crab (Decapoda, Brachyura).
Crustaceana 36(1):23-28
- Haswell W.A. (1879) On two new species of Stenorhynchus.
Proc. Linn. Soc. NSW 3:408-409.
- Haswell W.A. (1880a) On the Australian Brachyura Oxyrhyncha.
Proc. Linn. Soc. NSW 4:431-458, pls 25-27.
- Haswell W.A. (1880b) Notes on the Australian Maioid Brachyura.
Ann. Mag. nat. Hist. ser. 5(5):145-147.
- Haswell W.A. (1882a) Catalogue of the stalk- and sessile-eyed Crustacea.
Sydney: Australian Museum, 326pp, 4pls.
- Haswell W.A. (1882b) Descriptions of some new species of Australian Decapoda.
Proc. Linn. Soc. NSW 6(4): 750-763.
- Hawkes C.R., T.R. Meyers & T.C. Shirley (1985) Larval biology of Briarosaccus callosus Boschma (Cirripedia: Rhizocephala).
Proc. Biol. Soc. Wash. 98(4):935-944.
- Hawkes C.R., T.R. Meyers & T.C. Shirley (1986) Length-weight relationships of blue, Paralithodes platypus, and golden, Lithodes aeguispina, king crabs parasitized by the rhizocephalan, Briarosaccus callosus Boschma.
Fish. Bull. 84(2):327-332.
- Hawkes C.R., T.R. Meyers & T.C. Shirley (1987) Growth of Alaskan blue king crabs, Paralithodes platypus (Brandt), parasitized by the rhizocephalan Briarosaccus callosus Boschma.
Crustaceana 52(1):78-84.
- Hawkes C.R., T.R. Meyers, T.C. Shirley & T.M. Koeneman (1986) Prevalence of the parasitic barnacle Briarosaccus callosus on king crabs of southeastern Alaska.
Trans. Am. Fish. Soc. 115(2):252-257.
- Hawkins A.J.S. & M.B. Jones (1982) Gill area and ventilation in in two mud crabs, Helice crassa Dana (Grapsidae) and Macrophthalmus hirtipes (Jacquinot) (Ocypodidae), in relation to habitat.
J. Exp. Mar. Biol. Ecol. 60:103-118.
- Hawkins A.J.S., M.B. Jones & I.D. Marsden (1982) Aerial and aquatic respiration in two mud crabs, Helice crassa Dana (Grapsidae) and Macrophthalmus hirtipes (Jacquinot) (Ocypodidae), in relation to habitat.
Comp. Biochem. Physiol. 73A:341-347.

- Haynes E.B. (1968) Relation of fecundity and egg length to carapace length in the king crab, Paralithodes camtschatica.
Proc. Natn. Shellfish. Ass. 58: 60-62.
- Haynes E.B. (1982) Description of larvae of the golden King crab, Lithodes aequispina, reared in the laboratory.
Fish. Bull. U.S. natn. ocean. atmos. Admin. 80: 305-313.
- Hayward B.W. (1974) Kawerau crabs.
Tane 20:159-161.
- Healy A. & J. Yaldwyn (1970) Australian Crustaceans in Colour.
A.H. & A.W. Reed, Sydney, 112pp, 52pls.
- Heath J.R. (1971) Crabs of Dar es Salaam: Part 1, Family Portunidae.
Tanzania Notes & Records 72:1-17.
- Hector J. (1877) Notes on New Zealand Crustacea.
Proc. N.Z. Inst. 9:472-475.
- Hector J. (1899) Spider Crabs: In Proceedings of the Fourth Meeting of the Wellington Philosophical Society, 12/2/1899.
Proc. N.Z. Inst. 32: 422-423.
- Heller C. (1858) Crustaceen.
Novara-Exped., Zool. Theil 2(3):1-280, 25pls
- Heller C. (1862) Vorläufiger Bericht über die Während der Weltumseglung der K. Fregatte 'Novara' gesammelten Crustaceen.
Verh. zool.-bot. Ges. Wien 12:519-523.
- Heller C. (1865) Reise der österreichischen Fregatte 'Novara' um die Erde in den Jahren 1857-1859 unter den Befehlen des Commodors B. von Wüllerstorff-Urbair.
Die Crustaceen. 1. Vienna.
- Heller C. (1868) Crustaceen.
Novara-Exped., Zool. Theil, 2(3):1-280, 25pls.
- Henderson J.R. (1888) Report on the Anomura collected by HMS "Challenger" during the years 1873-76.
Rep. Voy. Challenger, Zool. 27:i + 221pp, 21pls.
- Henmi Y. (1987) Variation in life history characteristics of the mud crab, Macrophthalmus japonicus (De Haan).
(Abstract).
Bull. Mar. Sci. 41(2):636.
- Herbst J.F.W. (1782-1804) Versuch einer Naturgeschichten der Krabben und Krebse nebit einer Systematischen Beischreibung ihrer Verschieden Arten.
Berlin & Stralsund. 3 vols, Atlas, 72pls.

- Herreid C.F. (1969) Water loss of crabs from different habitats.
Comp. Biochem. Physiol. 28:829-839.
- Hiatt R.W. (1948) The biology of the lined shore crab,
Pachygrapsus crassipes Randall.
Pac. Sci. 2:135-213.
- Hickman R.W. (1978) Incidence of a pea crab and a trematode
in cultivated and natural green-lipped mussels.
N.Z. J. Mar. Freshwat. Res. 12(2):211-215.
- Hickman R.W. (1979) Allometry and growth of the green-lipped
mussel Perna canaliculus in New Zealand.
Mar. Biol. 52:311-327.
- Hickman R.W. & J. Illingworth (1980) Condition cycle of the
green-lipped mussel Perna canaliculus in New
Zealand.
Mar. Biol. 60:27-38.
- Hicks G.R.F. (1973) Combined effects of temperature and salinity
on Hemigrapsus edwardsi (Hilgendorf) and H.crenulatus
(Milne Edwards) from Wellington Harbour, New Zealand.
J. Exp. Mar. Biol. Ecol. 13:1-14.
- Hilgendorf F. (1882) Die Identitat des Crustazeens - Gattungen
Brachynotus und Heterograpsus.
S.B. Ges. naturf. Fr. Berl. 1882:68-70.
- Hill B.J. (1974) Salinity and temperature tolerance of zoeae
of the portunid crab Scylla serrata.
Mar. Biol. 25:21-24.
- Hill B.J. (1975) Abundance, breeding and growth of the crab
Scylla serrata in two South African estuaries.
Mar. Biol. 32:119-126.
- Hill B.J. (1976) Natural food, foregut clearance-rate and
activity of the crab Scylla serrata.
Mar. Biol. 34:109-116.
- Hill B.J. (1978) Activity, track and speed of movement of the
crab Scylla serrata in an estuary.
Mar. Biol. 47:135-141.
- Hill B.J. (1980) Effects of temperature on feeding and
activity in the crab Scylla serrata.
Mar. Biol. 59:189-192.
- Hill B.J., M.J. Williams & P. Dutton (1982) Distribution of
juvenile, subadult and adult Scylla serrata
(Crustacea:Portunidae) on tidal flats in Australia.
Mar. Biol. 69:117-120.
- Hilton W.A. (1916) Crustacea from Laguna Beach.
Jour. Ent. and Zool. 8:65-73.

- Hines A.H. (1982) Allometric constraints and variables of reproductive effort in Brachyuran crabs.
Mar. Biol. 69: 309-320.
- Hines A.H. (1986) Larval patterns in the life histories of brachyuran crabs (Crustacea, Decapoda, Brachyura).
Bull. Mar. Sci. 39:444-466.
- Hiramoto K. & S. Sato (1970) Biological and fisheries survey of an anomuran crab, Lithodes aequispina Benedict, off Boso Peninsular and Sagami Bay, central Japan.
Jap. J. Ecol. 20: 165-170.
- Hitchcock H.B. (1941) The coloration and color changes of the gulf-weed crab, Planes minutus.
Biol. Bull. Woods Hole 80(1):26-30.
- Hodgson T.V. (1902) Crustacea. In: Lankester E.R. Report on the collection of natural history made in the Antarctic regions during the voyage of the 'Southern Cross'. pp228-261, London.
- Holmes S.J. (1900) Synopsis of the California stalk-eyed Crustacea.
Occas. Pap. Calif. Acad. Sci. 7:1-262, pls 1-4.
- Holthuis L.B. (1968) On Hymenosomatidae (Crustacea Decapoda Brachyura) from freshwater, with the descriptions of a new species.
Beaufortia 15(195):109-121, 3 figs.
- Hooper R.G. (1986) A spring breeding migration of the snow crab, Chionoecetes opilio (O.Fabr.), into shallow water in New Foundland.
Crustaceana 50(3):257-264.
- Horn R. & J. Harms (1988) Larval development of Halicarcinus varius (Decapoda: Hymenosomatidae).
N.Z. J. Mar. Freshw. Res. 22:1-8.
- Hoskins R.H. (1966) Sodium ion regulation in two bivalves and two crabs.
Unpub. B.Sc.(Hons) Project, Dept. of Zoology, University of Canterbury, 22pp.
- Howgate P. (1984) The processing of crab meat for canning - Part 1.
Infofish Marketing Digest 4/84:48-50.
- Hunter C.J. (1969) Confirmation of symbiotic relationship between liparid fishes (Careproctus spp.) and male king crab (Paralithodes camtschatica).
Pac. Sci. 23(4):546-547.
- Hutton F.W. (1875) Descriptions of two new species of Crustacea from New Zealand.
Ann. Mag. Nat. Hist (4), 15:41-42.

- Hutton F.W. (1879) Notes on a collection from the Auckland Islands and Campbell Island.
Trans. N.Z. Inst. 11:337-343.
- Hutton F.W. (1882) The Stalk-Eyed Crustacea of New Zealand.
N.Z. J. Sci. 1(6):263-264.
- Hutton F.W. (1904) "Index Faunae Novae Zelandiae".
Dulan, London, 372pp.
- Hutton I. (1986) Lord Howe Island.
Conservation Press, Canberra, 157pp.
- Ihle J.W. (1913) Die Decapoda Brachyura der Siboga-Expedition.
I. Dromiacea.
Siboga-Expeditie Monoqr. pp 1-96, 4pls.
- Ihle J.W. (1918) Die Decapoda Brachyura der Siboga-Expedition.
III. Oxystomata: Calappidae, Leucosiidae, Raninidae.
Siboga-Expeditie Monoqr. XXXIVb, 2:159-322, figs 78-148.
- Ihle J.W. & M.E. Ihle-Landenberg (1931) Ueber einige Tiefsee-Brachyuren der Siboga-Expedition aus der Gruppe der Oxyrhyncha.
Zool. Anz. 93(5-6):147-163.
- Ingle R.W. (1980) British Crabs. British Museum (Nat. Hist.),
Oxford Univ. Press, 222pp.
- Innes A.J., M.E. Forster, M.B. Jones, I.D. Marsden & H.H. Taylor
(1986) Bimodal respiration, water balance and acid-base regulation in a high-shore crab, Cyclograpsus lavauxi
H. Milne Edwards.
J. Exp. Mar. Biol. Ecol. 100:127-145.
- Inoue K., R. Arai & T. Abe (1968) Experimental fishing during the voyage of the "Umitaka-maru".
J. Tokyo Univ. Fish. 9(2):135-139, 3 figs.
- Jackson M.M. (1976) Osmotic and ionic regulation in Hemigrapsus crenulatus (Milne Edwards).
Unpub. B.Sc.(Hons) Project, Dept of Zoology, University of Canterbury, 62pp.
- Jacoby C.A. (1981) Behaviour of the purple shore crab Hemigrapsus nudus Dana, 1851.
J. Crust. Biol. 1:531-544.
- Jacquinet H. & H. Lucas (1853) "Voyage au Pole Sud et dans l'Océanie sur les Corvettes L'Astrolabe et La Zélee. Zoologie 3, Crustacés."
Gide et Baudry, Paris, 107pp (Atlas 1842-53, 9pls).
- Jamieson G.S. (1986) Implications of fluctuations in recruitment in selected crab populations.
Can. J. Fish. Aquat. Sci. 43:2085-2098.

- Jenkins R.J.F. (1974) A new spider crab from the miocene of New Zealand.
Palaeontology 17(4):869-877.
- Jennings J.R. & P.S. Rainbow (1979) Studies on the uptake of cadmium by the crab Carcinus maenas in the laboratory. I Accumulation from seawater and a food source.
Mar. Biol. 50:131-139.
- Jennings J.R., P.S. Rainbow & A.G. Scott (1979) Studies on the uptake of cadmium by the crab Carcinus maenas in the laboratory. II Preliminary investigation of cadmium-binding proteins.
Mar. Biol. 50:141-149.
- Jewett S.C. (1981) Variations in some reproductive aspects of female snow crabs Chionoecetes opilio.
J. Shellfish Res. 1:95-99.
- Jewett S.C. & H.M. Feder (1982) Food and feeding habits of the king crab Paralithodes camtschatica near Kodiak Island, Alaska.
Mar. Biol. 66:243-250.
- Jewett S.C. & H.M. Feder (1983) Food of the Tanner crab Chionoecetes bairdi near Kodiak Island, Alaska.
J. Crust. Biol. 3(2):196-207.
- Jewett S.C., N.A. Sloan & D.A. Somerton (1985) Size at sexual maturity and fecundity of the fjord-dwelling golden king crab Lithodes aequispina Benedict from northern British Columbia.
J. Crust. Biol. 5(3):377-385.
- Johnson D.F., L.W. Botsford, R.D. Methot & T.C. Wainwright (1986) Wind stress and cycles in Dungeness crab (Cancer magister) catch off California, Oregon, and Washington.
Can. J. Fish. Aquat. Sci. 43:838-845.
- Jones J.B. (1977a) Post-planktonic stages of Pinnotheres novaezealandiae Filhol 1886 (Brachyura: Pinnotheridae).
N.Z. J. Mar. Freshwat. Res. 11(1):145-158.
- Jones J.B. (1977b) Natural history of the pea crab in Wellington Harbour, New Zealand.
N.Z. J. Mar. Freshwat. Res. 11(4):667-676.
- Jones M.B. (1976) Limiting factors in the distribution of intertidal crabs (Crustacea: Decapoda) in the Avon-Heathcote Estuary, Christchurch.
N.Z. J. Mar. Freshwat. Res. 10(4):577-587.
- Jones M.B. (1977) Breeding and seasonal population changes of Petrolisthes elongatus (Crustacea, Decapoda, Anomura) at Kaikoura, New Zealand.
J. Roy. Soc. N.Z. 7(3):259-272.

- Jones M.B. (1978) Aspects of the biology of the big-handed crab, Heterozius rotundifrons (Decapoda: Brachyura), from Kaikoura, New Zealand. N.Z. J. Zool. 5:783-794.
- Jones M.B. (1980) Reproductive ecology of the estuarine burrowing mud crab Helice crassa (Grapsidae). Est. Coastal Mar. Sci. 11:433-443.
- Jones M.B. (1981) Effect of temperature, season, and stage of life cycle on salinity tolerance of the estuarine crab Helice crassa Dana (Grapsidae). J. Exp. Mar. Biol. Ecol. 52:271-282.
- Jones M.B. (1983) Animals of the Estuary Shore: Illustrated Guide and Ecology. University of Canterbury Publication No. 32, 162pp.
- Jones M.B. & J.G. Greenwood (1982) Water loss of a porcelain crab, Petrolisthes elongatus (Milne Edwards, 1837) (Decapoda, Anomura) during atmospheric exposure. Comp. Biochem. Physiol. 72A:631-636.
- Jones M.B. & M.J. Simons (1981) Habitat preferences of two estuarine burrowing crabs Helice crassa Dana (Grapsidae) and Macrophthalmus hirtipes (Ocypodidae). J. Exp. Mar. Biol. Ecol. 56:49-62.
- Jones M.B. & M.J. Simons (1982) Responses of embryonic stages of the estuarine mud crab, Macrophthalmus hirtipes (Jacquinot) to salinity. Int. J. Invert. Reprod. 4:273-279.
- Jones M.B. & M.J. Simons (1983) Latitudinal variation in reproductive characteristics of a mud crab, Helice crassa (Grapsidae). Bull. Mar. Sci. 33(3):656-670.
- Jones M.B. & M.J. Winterbourn (1978) Adaptation to environment in the mud crab. N.Z. Sci. Teacher 19:4-11.
- Kemp S.W. (1917) Notes on Crustacea Decapoda in the Indian Museum, X. Hymenosomatidae. Rec. Ind. Mus. 13:243-279, 29 figs.
- Kensley B. (1977) The South African Museum's Meiring Naude cruises. Part 2 Crustacea, Decapoda, Anomura and Brachyura. Ann. S. Afr. Mus. 72(9): 161-188, 17 figs.
- Kensley B. (1978) Decapod crustaceans collected in Southern African waters by the Mortensen Java-South Africa Expedition (Crustacea, Decapoda). Steenstrupia 4(21):249-261
- Kensley B. (1980) Decapod and isopod crustaceans from west coast of southern Africa, including seamounts Vema and Tripp. Ann. S. Afr. Mus. 83(2):13-32.

- Kensley B. (1981) On the zoogeography of Southern African Decapod Crustacea, with a distributional checklist of the species.
Smithsonian Contr. Zool. 338:1-64
- Kidd R.J. & A.L. Rice (1986) A mechanism for the transport of swarms of raninid megalopas in the eastern Caribbean.
J. Crust. Biol. 6(4):679-685.
- Kilner A.P. (1974) Biology of the age 0+ sand flounder Rhombosolea plebeia in the Avon-Heathcote Estuary.
Unpub. M.Sc. Thesis, University of Canterbury, 118pp.
- Kilner A.P. & J.M. Akroyd (1978) Fish and invertebrate macrofauna of Ahuriri Estuary, Napier.
Fish. Tech. Rep. M.A.F. 153, 79pp.
- Kim H.S. (1970) A checklist of the Anomura and Brachyura (Crustacea, Decapoda) of Korea.
Seoul Univ. J. (b) 21:1-29, pls 1-5
- Kim H.S. (1973) Anomura and Brachyura. Illustrated Encyclopedia of Fauna and Flora of Korea, vol 14:1-694, pls 1-112.
Ministry of Education R.V.K., Sam Wha Publishing Co.
- Kim W. & H.S. Kim (1982) Classification and geographical distribution of Korean crabs (Crustacea, Decapoda, Brachyura).
Proc. Coll. Nat. Sci. 7(1):133-159.
- Kinahan J.R. (1856) Remarks on the habits and distribution of marine Crustacea on the eastern shores of Port Phillip, Victoria, Australia with descriptions of undescribed species and genera.
J. Roy. Dublin Soc. 1:111-134, pls 3-4.
- King K.J. & M.R. Clark (1984) The food of rig (Mustelus lenticulatus) and the relationship of feeding to reproduction and condition in Golden Bay.
N.Z. J. Mar. Freshwat. Res. 18:29-42.
- Kingsford M.J. & J.H. Choat (1985) The fauna associated with drift algae captured with a plankton-mesh purse seine net.
Limnol. Oceanogr. 30(3):618-630.
- Kingsley J.S. (1880) Carcinological notes, No IV. Synopsis of the Grapsidae.
Proc. Acad. Nat. Sci. Philadelphia 32:187-224.
- Kirk T.W. (1878) On additions to the carcinological fauna of New Zealand.
Trans. N.Z. Inst. 11:392-397.
- Kirk T.W. (1881) Notice of new crustaceans.
Trans. N.Z. Inst. 13:236-237.

- Kitching J.A. & J. Lockwood (1974) Observations on shell form and its ecological significance in thaisid gastropods of the genus Lepsiella in New Zealand.
Mar. Biol. 28:131-144
- Knight G. (1971) The benthic ecology and community structure in Lyttelton Harbour, Christchurch, New Zealand.
Unpub. M.Sc. Thesis, Univ. of Canterbury, 86pp.
- Knox G.A. (1975) The marine benthic ecology and biogeography. In 'Biogeography and Ecology in New Zealand' ed. G. Kuschel, Junk, The Hague, pp353-403.
- Knox G.A. (1983a) An ecological survey of the Wairau River Estuary.
Est. Res. Unit Rep. No. 27, 141pp. Dept. of Zoology, Univ. Canterbury.
- Knox G.A. (1983b) The ecological impact of proposed reclamation in the inner Lyttelton Harbour.
Est. Res. Unit Rep. No. 28, 87pp. Dept. of Zoology, Univ. of Canterbury.
- Knox G.A. & L.A. Bolton (1978) An ecological survey of Shakespeare Bay, Queen Charlotte Sound.
Est. Res. Unit Rep. No. 18, 143pp, Dept. of Zoology, Univ. of Canterbury.
- Knox G.A., L.A. Bolton & K. Hackwell (1977) Report on the ecology of Parapara Inlet, Golden Bay.
Est. Res. Unit Rep. No. 11, 66pp. Dept. of Zoology, Univ. of Canterbury.
- Knox G.A., L.A. Bolton & K. Hackwell (1978) The ecology of the benthic macroflora and fauna of Brooklands Lagoon, Waimakiri Estuary.
Est. Res. Unit Rep. No. 16, 125pp. Dept. of Zoology, Univ. of Canterbury.
- Knox G.A. & G.D. Fenwick (1978a) The ecology of the Riwaka-Tapu Bay intertidal sand beaches.
Est. Res. Unit Rep. No. 13, 32pp, Dept. of Zoology, Univ. of Canterbury.
- Knox G.A. & G.D. Fenwick (1978b) A quantitative study of the benthic fauna off Clive, Hawke Bay.
Est. Res. Unit Rep. No. 14, 91pp. Dept. of Zoology, Univ. of Canterbury.
- Knox G.A., D.G. Millhouse, G.D. Fenwick & P. Sagar (1976) Report on a preliminary investigation of Okarito Lagoon, Westland.
Est. Res. Unit Rep. No. 5, 47pp. Dept. of Zoology, Univ. of Canterbury.
- Knudsen J.W. (1964) Observations of the reproductive cycles and ecology of the common Brachyura and crablike Anomura of Puget Sound, Washington.
Pac. Sci. 18:3-33.

- Knudsen J.W. (1968) The terrestrial moulting behaviour of the crab Grapsus grapsus tenicrustatus.
Bull. Sth. Calif. Acad. Sci. 67(2):80-84
- Konishi K. (1986) Larval development of the stone crab, Hapalogaster dentata (De Haan, 1844) (Crustacea: Anomura: Lithodidae) reared in the laboratory.
Jour. Fac. Sci. Hokkaido Univ. Ser. VI Zool. 24(3): 135-172.
- Kreffft S.M. (1952) The early post-larval stages and systematic position of Eurynolambrus australis M.E. and L. (Brachyura).
Trans. Roy. Soc. N.Z. 79:574-578.
- Krouse J.S. (1972) Some life history aspects of the Rock crab, Cancer irroratus, in the Gulf of Maine.
J. Fish. Res. Bd. Canada 29:1479-1482.
- Krouse J.S. (1976) Size composition and growth of young rock crab, Cancer irroratus, on a rocky beach in Maine.
Fish. Bull. 74(4):949-954.
- Krouse J.S. (1980) Distribution and catch composition of Jonah crab, Cancer borealis, and Rock crab, Cancer irroratus, near Boothbay Harbour, Maine.
Fish. Bull. 77(3):685-693.
- Kruczynski W.L. (1972) The effect of the pea crab Pinnotheres maculatus Say, on growth of the bay scallop, Argopecten irradians concentricus (Say).
Chesapeake Sci. 13:218-220.
- Kruczynski W.L. (1975) A radioactive tracer study of food uptake by Pinnotheres maculatus in molluscan hosts.
Biol. Bull. Woods Hole Mass. 148:60-67.
- Kung H.T. (1973) Some aspects of the biology of the swimming crab Ovalipes catharus (White 1843) in Paremata Harbour, New Zealand.
Unpub. M.Sc. Thesis, Victoria University, Wellington.
- Kurata H. & T. Midorikawa (1975) The larval stages of the swimming crab, Portunus pelagicus and P. sanguinolentus reared in the laboratory.
Bull. Nansei Reg. Fish. Res. Lab. 8:29-38
- Kuris A.M. & M. Mager (1975) Effect of limb regeneration on size increase at molt of the shore crabs Hemigrapsus oregonensis and Pachygrapsus crassipes.
J. Exp. Zool. 193:353-360.
- Kuris A.M. & D.E. Wickham (1987) Effect of nemertean egg predators on crustaceans.
Bull. Mar. Sci. 41:151-164.

- Lake N.C.H., M.B. Jones & J.D. Paul (1987) Crab predation on scallop (Pecten maximus) and its implication for scallop cultivation.
J. mar. biol. Ass. U.K. 67:55-64.
- Lamarck J.B.P.A.de (1818) Histoire naturelle des animaux sans vertebres, presentent les caracteres generaux et particuliers de ces animaux, leur distribution, leurs classes, leurs familles, leurs genres, et la citation des principales especes...etc.
Paris vol. 5:612pp.
- Larcombe M.F. (1971) The ecology, population dynamics and energetics of some soft shore molluscs.
Unpub. Ph.D. Thesis, University of Auckland.
- Latreille P.A. (1803) Histoire naturelle, generale et particuliere, des crustaces et des insectes.
Paris, vol. 6, 391pp, 44pls.
- Lau C.J. (1987) Feeding behaviour of the Hawaiian slipper lobster, Scyllarides squammosus, with a review of decapod crustacean feeding tactics on molluscan prey.
Bull. Mar. Sci. 41:378-391.
- Laurie R.D. (1906) Report on the Brachyura collected by Prof. Herdman at Ceylon (1902).
Ceylon Pearl Oyster Fisheries Report, London. 5:349-432.
- Leader J.P. & J.J. Bedford (1978a) Volume regulation in vitro of muscle fibres of the crab, Hemigrapsus edwardsi.
J. comp. Physiol. 128:153-159.
- Leader J.P. & J.J. Bedford (1978b) The composition of Crustacean muscle fibres.
Comp. Biochem. Physiol. 61A:169-172.
- Lebour M.V. (1944) Larval crabs from Bermuda.
Zoologica (N.Y.) 29(3):113-128, 19 figs.
- Leene J.E. (1938) The Decapoda Brachyura of the Siboga Expedition. VII Brachygnatha: Portunidae.
Monogr. Siboga-Expeditie 39,C3, Livre 131, 156pp.
- Lenz H. (1901) Ergebnisse einer Reise nach dem Pacific (Schauinsland 1896-1897). Crustaceen.
Zool. Jahrb. Syst. 14:429-482, pl 32.
- Lenz H. (1902) Die Crustaceen der Sammlung Plate (Decapoda und Stomatopoda).
Zool. Jahrb. Suppl. 5:731-772, pl 23.
- Lichtwardt R.W. (1986) The trichomycetes, fungal associates of arthropods. Springer-Verlag, N.Y., 343pp.
- Lichtwardt R.W. & M.C. Williams (1987) Trichomycete gut fungi in New Zealand insects.
The Weta 10(1):6-8.

- Linnaeus C. (1747) Wastgota-Resa, Pa Rikseus Hogloflige Standers Befallning Farraltad ar 1746, 284pp, 4 pls. Stockholm.
- Linnaeus C. (1758-1767) Systema naturae par regna tria naturae, secundum classes, ordines, genera, species cum chacteribus, differentis, synonymis, locis. Ed 10, vol 1, 854pp. L. Salvius, Holmia.
- Lockington W.N. (1877) Remarks on the Crustacea of the Pacific Coast, with descriptions of some new species. Proc. Cal. Acad. Sci. 7:28-30.
- Lucas H. (1853) (See Jacquinot & Lucas 1853).
- Lucas J.S. (1970) Breeding experiments to distinguish two sibling species of Halicarcinus (Crustacea, Brachyura). J. Zool. Lond. 160:267-278, 4 figs.
- Lucas J.S. (1971) The larval stages of some Australian species of Halicarcinus (Crustacea, Brachyura, Hymenosomatidae). I. Morphology. Bull. mar. Sci. 21(2):471-490.
- Lucas J.S. (1972) The larval stages of some Australian species of Halicarcinus (Crustacea, Brachyura, Hymenosomatidae). II Physiology. Bull. Mar. Sci. 22(4): 824-840.
- Lucas J.S. (1975) The larval stages of some Australian species of Halicarcinus (Crustacea, Brachyura, Hymenosomatidae). III Dispersal. Bull. Mar. Sci. 25(1): 94-100.
- Lucas J.S. (1980) Spider crabs of the family Hymenosomatidae (Crustacea; Brachyura) with particular reference to Australian species: systematics and biology. Rec. Aust. Mus. 33(4):148-247, 10 figs.
- Lucas J.S. & G.R.F. Hicks (1981) Further details on the male of the poorly-known hymenosomatid crab Halimena aotearoa Melrose. Nat. Mus. N.Z. Rec. 2(1):1-4.
- MacDonald J.D., R.B. Pike & D.I. Williamson (1957) Larvae of British species of Diogenes, Pagurus, Anapagurus and Lithodes (Crustacea, Decapoda). Proc. zool. Soc. London 128: 209-257.
- Macleay W.S. (1838) On the brachyurous decapod Crustacea brought from the Cape by Dr Smith. In A. Smith (ed.), 'Illustrations of the Zoology of South Africa. Invertebrata'. Smith, Elder & Co., London. Vol 5(3):53-71, pls 2-3.
- MacPherson E. (1983) Crustaceos Decapodos capturados en las costas de Namibia. Result. Exped. cient., (Barcelona) 11:3-79.

- MacPherson E. (1984) Crustaceos decapodos del Banco Valdivia (Atlantico sudoriental).
Result. Exped. cient. (Barcelona) 12: 39-105, figs 1-42.
- Mahon R.J. (1973) A study of rock crabs of the genus Leptograpsus.
Unpub. Ph.D. Thesis, Univ. of Western Australia.
- Main W. De L. (1974) Distribution and ecology of Nectocarcinus antarcticus and N. bennetti (Brachyura: Portunidae) in the New Zealand region.
N.Z. J. Mar. Freshwat. Res. 8(1):15-38.
- Makarov V.V. (1938) Rakoobraznye, X(3). Anomura.
Fauna CCCP. n.s. 16: x + 1-324, 113 figs, 5pls.
[1962, English transl: Crustacea, X(3). Anomura. Fauna of the U.S.S.R. Israel Program for Scientific Translations, Jerusalem. 283pp, 113 figs, 5pls.]
- Manikiam J.S. (1967) The occurrence of the mud crab Scylla serrata in New Zealand.
Fish. Div. Tech. Rep. M.A.F. Wellington, 14pp.
- Marsden I.D. (1981) Marine biology of the Kaikoura Peninsula, quantitative intertidal survey.
Est. Res. Unit. Rep. No. 25, 93pp, Dept. of Zoology, Univ. of Canterbury.
- Marsden I.D. & G.D. Fenwick (1978) Preliminary survey of intertidal areas from Cape Campbell to Haumuri Bluffs.
Est. Res. Unit Rep. No. 19, 41pp, Dept. of Zoology, Univ. of Canterbury.
- Marsden I.D. & G.D. Fenwick (1986) Port underwood, Marlborough, intertidal survey.
Est. Res. Unit Rep. No. 29, 72pp, Dept. of Zoology, Univ. of Canterbury.
- Mattson R.A. (1988) Occurrence and abundance of eccrinaceous fungi (Trichomycetes) in brachyuran crabs from Tampa Bay, Florida.
J. Crust. Biol. 8(1):20-30.
- McCann C. (1953) Ichthyological notes, with special reference to sexual dimorphism in some New Zealand fishes.
Rec. Dom. Mus. 2(1):1-17.
- McCullough A.R. (1907) Studies in Australian Crustacea. No. 1.
Rec. Aust. Mus. 7:51-59, pl 12.
- McDermott J.J. (1967) The oyster crab, Pinnotheres ostreum, as a host for a parasitic nemertean.
Am. Zool. 7:772-773.

- McKelvey R., D. Hankin, K. Yanosko & C. Snygg (1980) Stable cycles in multistage recruitment models: an application to the Northern California Dungeness Crab (Cancer magister) fishery. Can. J. Fish. Aquat. Sci. 37:2323-2345.
- McKillup S.C. & A.J. Butler (1979) Cessation of hole-digging by the crab Helograpsus haswellianus : a resource-conserving adaptation. Mar. Biol. 50:157-161.
- McLay C.L. (1982) Population biology of the sponge crab Cryptodromia hilgendorfi (Dromiacea) in Moreton Bay, Queensland, Australia. Mar. Biol. 70:317-326.
- McLay C.L. (1983) Dispersal and use of sponges and ascidians as camouflage by Cryptodromia hilgendorfi (Brachyura: Dromiacea). Mar. Biol. 76:17-32.
- McLay C.L. & T.A. Osborne (1985) Burrowing behaviour of the paddle crab Ovalipes catharus (White, 1843) (Brachyura: Portunidae). N.Z. J. Mar. Freshwat. Res. 19:125-130.
- McMullen J.C. (1969) Effects of delayed mating on the reproduction of king crab, Paralithodes camtschatica. Journ. Fish. Res. Bd. Can. 26(10): 2737-2740.
- McNeill F.A. (1953) Carcinological notes. No. 2. Rec. Aust. Mus. 23:89-96, pl VII.
- McNeill F.A. (1962) Crabs of the Sydney foreshores. Aust. Nat. Hist. 14:37-43.
- McNeill F.A. (1968) Crustacea, Decapoda and Stomatopoda. Sci. Rep. Gr. Barr. Reef Exp. 7(1):1-98, pls 1-2.
- McNeill F.A. & M. Ward (1930) Carcinological notes No. 1. Rec. Aust. Mus. 17(9):357-383.
- Melrose M.J. (1968) The New Zealand Hymenosomatidae. Tuatara 16:196-209.
- Melrose M.J. (1975) The Marine Fauna of New Zealand: Family Hymenosomatidae (Crustacea, Decapoda, Brachyura). N.Z. Dep. Sc. Ind. Res., N.Z. Oceanogr. Inst. Mem. 34, 123pp.
- Melville-Smith R. (1982) A brief exploitation of the stone crab Lithodes murrayi (Henderson) off South West Africa 1979/80. Fish. Bull. S. Afr. 16:45-55.
- Melville-Smith R. & E. Louw (1987) An association between a liparid fish species and the stone crab Lithodes tropicalis (Decapoda, Anomura). Sth. Afr. J. Zool. 22(2):140-142.

- Miers E.J. (1874) Crustacea. In J. Richardson and J.E. Gray (Editors), "The Zoology of the Voyage of HMS "Erebus" and "Terror" under the command of Capt. Sir James Clark Ross during 1839-1843", vol 2, pt 3, pp 1-5, 4pls. Janson, London.
- Miers E.J. (1876a) Descriptions of some new species of Crustacea, chiefly from New Zealand.
Ann. Mag. Nat. Hist. (Ser. 4) 17:218-229.
- Miers E.J. (1876b) Catalogue of the Stalk- and Sessile-eyed Crustacea of New Zealand. xii + 1-136, 3pls.
Colonial Museum and Geological Survey Dept., Lond.
- Miers E.J. (1878) Revision of the Plagusinae.
Ann. Mag. Nat. Hist. (5)1:147-154.
- Miers E.J. (1879a) Descriptions of new or little known species of maioid Crustacea (Oxyrhyncha) in the collection of the British Museum.
Ann. Mag. nat. Hist. (5)4:1-28, pls 4-5.
- Miers E.J. (1879b) On a collection of Crustacea made by Capt. H.C. St John in the Korean and Japanese Seas. I. Podophthalmia.
Proc. Zool. Soc. Lond. 1879:18-61, 3pls.
- Miers E.J. (1884) Crustacea. In 'Report of the Zoological Collections made in the Indo Pacific Ocean during the voyage of HMS 'Alert', 1881-1882'. pp178-322, 513-575, pls 18-32, 46-52. British Museum, London.
- Miers E.J. (1886) Report on the Brachyura Collected by HMS "Challenger" during the years 1873-76.
Rep. Voy. Challenger, Zool. 17(2), i + 362pp, 29pls.
- Miller R.J. & J. Watson (1976) Growth per moult and limb regeneration in the spider crab, Chionoecetes opilio.
J. Fish. Res. Bd. Canada 33:1644-1649.
- Milne Edwards A. (1860) Histoire des crustaces podophthalmes fossiles.
Ann. des sci. nat. (Zool.) 13(4):129-293, 10pls.
- Milne Edwards A. (1861) Etudes zoologiques sur les crustaces recents de la famille de Portuniens.
Arch. Mus. national d'hist. Natur. 10:309-421, pls 28-38.
- Milne Edwards A. (1865) Descriptions de quelques Crustaces nouveaux, apportement a la tribu des Maiens.
Ann. Soc. ent. Fr. ser. 4 (5):133-147.
- Milne Edwards A. (1867) Description de quelques especes nouvelles de crustaces brachyures.
Ann. Soc. ent. Fr. ser. 4 (7):263-288.

- Milne Edwards A. (1869) Revision des genres Trichodactylus, Sylviocarcinus et Dilocarcinus.
Ann. Soc. ent. Fr. ser. 4 (9):170-178.
- Milne Edwards A. (1873) Descriptions de quelques Crustaces, nouveaux ou Peu Connus, provenant du Musee de M.C. Godeffroy.
J. des Mus. Godeffroy 1(4):253-264, 2pls
- Milne Edwards A. (1876) Note sur deux nouvelles especes de Crustaces Provenant de la Nouvelle-Zelande (Trichoplatus huttoni et Acanthophrys filholi).
Ann. Sci. nat. Zool. ser. 6, 4(9). 5pp, pl.10.
- Milne Edwards H. (1834-40) Histoire Naturelle des Crustaces, Comprenant l'Anatomie, la Physiologie et la Classification de ces Animaux.
3 volumes and atlas (42 pls). Libraire Encycl. de Roret, Paris.
- Milne Edwards H. (1853) Memoire sur la Famille des Ocypodiens.
Ann. Sci. nat., Zool. (Ser. 3) 18:109-196, 9pls.
- Milne Edwards H. & H. Lucas (1841) Descriptions des Crustaces nouveaux ou Peu Connus Conservees dans la collection du Museum d'Histoire Naturelle.
Arch. Mus. Hist. nat. Paris 2:461-483, pls 24-28.
- Milne Edwards H. & H. Lucas (1843) Crustaces. In d'Orbigny's "Voyage dans l'Amerique Meridionale".
vol. 6, pt 1, pp 1-39, 19pls. Paris.
- Mitchell S.J. (1984) Feeding of ling Genypterus blacodes (Bloch & Schneider) from four New Zealand offshore fishing grounds.
N.Z. Journ. Mar. Freshwat. Res. 18: 265-274.
- Miyake S. (1936) On three crabs from off Tori-shima, Danjo-group, Japan.
Annot. Zool. Japan 15:416-420, 2 figs, pl 28.
- Miyake S. (1960) Encyclopaedia Zoologica illustrated in colours. Vol. 4.
Hokuryukan, Tokyo, 246pp.
- Miyake S. (1965) Anomura. In: New Illustrated Encyclopedia of the Fauna of Japan. pp. 630-652, figs 84. Hokuryu-kan, Tokyo.
- Molenock J. (1975) Evolutionary aspects of communication in the courtship behaviour of four species of anomuran crabs (Petrolisthes).
Behaviour 53(1-2):1-30
- Molenock J. (1976) Agonistic interactions of the crab Petrolisthes (Crustacea, Anomura).
Zietschrift fur Tierpsychol. 41:277-294

- Montgomery S.K. (1931) Report on the Crustacea Brachyura of the Percy Sladen Expedition to the Abrolhos Islands under the leadership of Prof. W.J.Dakin in 1913, along with other crabs from Western Australia.
J. Linn. Soc. (Zool.) 37:405-465, 1 fig, 1pl.
- Morgan S.G., J.W. Goy & J.D. Costlow (1983) Multiple ovipositions from single matings in the mud crab Rhithropanopeus harrisii.
J. Crust. Biol. 3: 542-547.
- Morgans J.F.C. (1967) Records of breeding activity of marine invertebrates at Kaikoura.
Trans. Roy. Soc. N.Z. 9(12):169-174.
- Moriyasu M. & P. Mallet (1986) Molt stages of the snow crab Chionoecetes opilio by observation of morphogenesis of setae on the maxilla.
J. Crust. Biol. 6(4):709-718.
- Morris R.H., D.P. Abbott & E.C. Haderlie eds. (1980) Intertidal Invertebrates of California.
Stanford Univ. Press, Stanford, California, 690pp.
- Morton B. & J. Morton (1983) The Sea Shore Ecology of Hong Kong.
Hong Kong Univ. Press, 350 pp.
- Morton J. & M. Miller (1968) The New Zealand Sea Shore.
Collins, Auckland, 638pp.
- Mundy A.R. (1968) A study of the biology of the sand flounder Rhombosolea plebeia (Richardson) off the Canterbury Coast.
Unpub. Ph.D. Thesis, University of Canterbury, 151pp.
- Muraoka K. (1973) On the characters of the larva and the seasonal change of occurrence of the Sargassum crab Planes cyaneus Dana.
Bull. Kangawa Pref. Mus. 6:45-53
- Murdoch R.C. (1985) Determination of zooplankton distribution by patterns of water circulation off Otago Peninsula.
Unpub. Ph.D. Thesis, Univ. of Otago.
- Nations D. (1975) The genus Cancer (Crustacea: Brachyura): systematics, biogeography and fossil record.
Science Bulletin Nat. Hist. Mus. Los Angeles County 23:1-104.
- Nations D. (1979) The genus Cancer and its distribution in time and space.
Bull. Biol. Soc. Washington 3:153-187.
- Naylor E. & B.G. Williams (1984) Phase-responsiveness of the circatidal locomotor activity rhythm of Hemigrapsus edwardsi (Hilgendorf) to simulated high tide.
J. mar. biol. Ass. U.K. 64:81-90.

- Nichols J.H., B.M. Thompson & M. Cryer (1982) Production, drift and mortality of the planktonic larvae of the edible crab (Cancer pagurus) off the north-east coast of England.
Netherlands J. Sea Res. 16:173-184.
- Nicolet H. (1849) Crustaceas. In: C. Gay, "Historia Fisica y Politica de Chile, segun Documentos Adquiridos en esta Republica durante Doce Anos de Residencia en ella y Publicada bajo los Auspicios del Supremo Gobierno".
Zool. 3:115-318, 4pls. Paris & Santiago.
- Nobili G. (1906) Faune carcinologique de la Mer Rouge. Decapodes et stomatopodes.
Ann. Sci. Nat. (b)(9)4:1-213, pls 1-11.
- Nye P.A. (1974) Burrowing and burying by the crab Macrophthalmus hirtipes.
N.Z. J. Mar. Freshwat. Res. 8(2):243-254.
- Nye P.A. (1977) Reproduction, growth and distribution of the grapsid crab Helice crassa (Dana 1851) in the southern part of New Zealand.
Crustaceana 33(1):75-89.
- O'Brien B. (1972) Regulation of sodium ions in the intertidal crab, Hemigrapsus edwardsi (Hilgendorf).
Unpub. B.Sc.Hons. Project, Univ. of Auckland.
- O'Brien J. (1984) Precocious maturity of the majid crab, Pugettia producta parasitized by the rhizocephalan barnacle, Heterosaccus californicus.
Biol. Bull. 166:384-395.
- Oesterling M.J. & A.J. Provenzano (1985) Other Crustacean Species. In 'Crustacean and Mollusk Aquaculture in the United States' ed. by J.V. Huner & E.V. Brown, Avi Publ. Co., Connecticut, pp203-234.
- Oliver W.R.B. (1923) Marine littoral plant and animal communities in New Zealand.
Trans. Proc. N.Z. Inst. 54:496-545.
- Ong Kah Sin (1966) The early developmental stages of Scylla serrata Forskal (Crustacea Portunidae), reared in the laboratory.
Proc. Indo-Pac. Fish. Council 11(II):135-146.
- Orensanz J.M. & V.F. Gallucci (1988) Comparative study of postlarval life-history schedules in four sympatric species of Cancer (Decapoda: Brachyura: Cancridae).
Journ. Crust. Biol. 8(2):187-220.
- Ortmann A.E. (1892a) Die Decapoden-Krebse des Strassburger Museums. (Lithodidae).
Zool. Jahrb. Syst. VI pt 2.

- Ortmann A.E. (1892b) Die Dekapoden-krebse des Strassburger Museums. V Die Abteilungen. Hippidea, Dromiidae, Oxystomata.
Zool. Jahrb. Syst. 6:532-588, pl 26.
- Ortmann A.E. (1893) Die Decapoden-Krebse des Strassburger Museums. VI Theil. Abtheilung: Brachyura (Brachyura genuina Boas). I Unterabtheilung: Majoiden und Cancroiden, 1. Section Portuninae.
Zool. Jahrb. Syst. 7(1):23-88, pl 3.
- Ortmann A.E. (1894) Crustaceen. In: R. Semon, Zoologische Forschungreisen in Australien und der Malayischen Archipel. 5:3-80, 3pls.
- Osborne T.A. (1987a) Life history and population biology of the paddle crab Ovalipes catharus.
Unpub. Ph.D. Thesis, University of Canterbury, 156pp.
- Osborne T.A. (1987b) Seasonal distribution and movements of the paddle crab Ovalipes catharus in Canterbury coastal waters.
Mauri Ora 14:43-55.
- Pack Y.M. (1982) Masking behaviour and related biology of Notomithrax ursus (Oxyrhyncha: Majidae).
Unpub. Ph.D. Thesis, University of Canterbury, 405pp.
- Page R.D.M. (1983) Description of a new species of Pinnotheres and redescription of P. novaezealandiae (Brachyura: Pinnotheridae).
N.Z. J. Zool. 10:151-162.
- Page R.D.M. (1985) Review of the New Zealand Bopyridae (Crustacea: Isopoda: Epicaridea).
N.Z. J. Zool. 12:185-212.
- Palmer J.D. & B.G. Williams (1986a) Comparative studies of tidal rhythms. I. The characterization of the activity rhythm of the pliant-pendulum crab, Helice crassa.
Mar. Behav. Physiol. 12:197-207.
- Palmer J.D. & B.G. Williams (1986b) Comparative studies of tidal rhythms. II. The dual clock control of the locomotor rhythms of two decapod crustaceans.
Mar. Behav. Physiol. 12:269-278.
- Palmer J.D. & B.G. Williams (1987) Comparative studies of tidal rhythms. III. Spontaneous splitting of the peaks of crab locomotory rhythms.
Mar. Behav. Physiol. 13:63-75.
- Palmer R. (1927) A revision of the genus "Portunus" (A. Milne Edwards, Bell etc).
Journ. Mar. Biol. Ass. U.K. 14:877-908.

- Parisi B. (1914) Decapodi giapponesi del Museo di Milano.
I. Oxystomata.
Atti. Soc. Ital. Sci. nat. 53:282-312, 5 figs, pls 11-13.
- Parisi B. (1915) Decapodi giapponesi del Museo di Milano.
II. Dromiacea.
Atti. Soc. Ital. Sci. nat. 54:5-19, 102-116, pls 2-3.
- Parisi B. (1916) Decapodi giapponesi del Museo di Milano.
IV Cyclometopa.
Atti. Soc. Ital. Sci. nat. 55:153-191, pls 7-11.
- Parisi B. (1918) Decapodi giapponesi del Museo di Milano.
VI Catometopa e Paguridea.
Atti. Soc. Ital. Sci. nat. 57:90-115.
- Parrish R. (1972) Symbiosis in the black tail snailfish, Careproctus melanurus, and the box crab, Lopholithodes foraminatus.
Calif. Fish Game 58(3):239-240.
- Paul A.J. (1984) Mating frequency and viability of stored sperm in the Tanner crab Chionoecetes bairdi (Decapoda, Majidae).
J. Crust. Biol. 4(3):375-381.
- Paul A.J. & A.E. Adams (1984) Breeding and fertile period for female Chionoecetes bairdi (Decapoda, Majidae).
J. Crust. Biol. 4(4):589-594.
- Pearce J.B. (1966) The biology of the mussel crab, Fabia subquadrata, from the waters of the San Juan Archipelago, Washington.
Pac. Sci. 20:3-35.
- Peden A.E. & C.A. Corbett (1973) Commensalism between a liparid fish, Careproctus sp. and the lithodid box crab, Lopholithodes foraminatus.
Can. J. Zool. 51(5):555-556.
- Pellegrino C.R. (1984) The role of desiccation pressures and surface area/volume relationships in seasonal zonation and size distribution of four intertidal decapod crustaceans from New Zealand: implications for adaptations to land.
Crustaceana 47(3):251-268
- Pennant T. (1777) British Zoology. 4th Ed. vol 4, pp i-136, pls 1-93. Warrington.
- Phillips J.C. (1968) Osmotic and ionic balance in Hemigrapsus edwardsi (Hilgendorf).
Unpub. M.Sc. Thesis, Auckland University, 216pp.

- Pike R.B. & D.I. Williamson (1959) Observations on the distribution and breeding of British hermit crabs and the shore crab (Crustacea: Diogenidae, Paguridae & Lithodidae).
Proc. Zool. Soc. Lond. 132: 551-567.
- Pillay K.K. & N.B.Nair (1971) The annual reproductive cycles of Uca annulipes, Portunus pelagicus and Metapenaeus affinis (Decapoda: Crustacea) from south-west coast of India.
Mar. Biol. 11:152-166
- Pillay K.K. & Y. Ono (1978) The breeding cycles of two species of grapsid crabs (Crustacea: Decapoda) from the north coast of Kyushu, Japan.
Mar. Biol. 45:237-248.
- Poole R.L. (1967) Preliminary results of the age and growth study of the market-crab (Cancer magister) in California: the age and growth of Cancer magister in Bodega Bay. In Proc. Symp. on Crustacea, Part II, 553-567. Mar. Biol. Ass. India, Symp. Ser.
- Poore G.C.B. (1969) The ecology of the New Zealand Haliotis species (Mollusca).
Unpub. Ph D. Thesis, University of Canterbury, 103pp.
- Porter C.E. (1936a) Carcinologia Chilena. Enumeracion metodica de los Crustaceos podofthalmos de la Bahia de Talcahuano.
Commun. Mus. Concepcion 1:150-154.
- Porter C.E. (1936b) Carcinologia Chilena XXVII. Enumeracion metodica de los Crustaceos podofthalmos de la Bahia de Talcahuano.
Rev. Chilena Hist. Nat. 40:336-339.
- Porter C.E. (1937) Carcinologia Chilena. XXVIII Introduccion al estudio de los Grapsidos.
Rev. Chilena Hist. Nat. 41:20-24, pl 4, fig 1.
- Potter I.C., P.J. Chrystal & N.R. Loneragan (1983) The biology of the blue manna crab Portunus pelagicus in an Australian estuary.
Mar. Biol. 78:75-85.
- Powell A.W.B. (1937) Animal communities of the sea-bottom in Auckland and Manukau Harbours.
Trans. Roy. Soc. N.Z. 66:354-401.
- Powell A.W.B. (1949) New species of Crustacea from New Zealand of the genera Scyllarus and Ctenocheles, with notes on Lyreidus tridentatus.
Rec. Auckland Inst. Mus. 3:368-371, 1pl.
- Powell G.C. & R.B. Nickerson (1965a) Aggregations among juvenile king crabs (Paralithodes camtschatica, Tilesius) Kodiak, Alaska.
Anim. Behav. 13: 374-380.

- Powell G.C. & R.B. Nickerson (1965b) Reproduction of King crabs Paralithodes camtschatica (Tilesius).
Journ. Fish. Res. Bd. Canada 22(1): 101-111.
- Powell G.C., K.E. James and C.L. Hurd (1974) Ability of male king crab Paralithodes camtschatica, to mate repeatedly, Kodiak, Alaska, 1973.
Fish. Bull. 72:171-179.
- Prasad R.R. & P.R.S. Tampi (1951) An account of the fishery and fishing methods for Neptunus pelagicus (Linn.) near Mandapam.
J. Zool. Soc. India 3:335-339.
- Prasad R.R. & P.R.S. Tampi (1953) A contribution to the biology of the blue swimming crab, Neptunus pelagicus (Linnaeus) with a note on the zoea of Thalamita crenata Latreille.
J. Bombay Nat. Hist. Soc. 51:674-689.
- Probert P.K., E.J. Batham & J.B. Wilson (1979) Epibenthic macrofauna off southeastern New Zealand and mid-shelf bryozoan dominance.
N.Z. J. Mar. Freshwat. Res. 13(3):379-392.
- Puch G.F. (1976) Crabs of Great Mercury Island (Akuaku).
Tane 22:71-76.
- Quackenbush L.C. (1986) Crustacean endocrinology, a review.
Can. J. Fish. Aquat. Sci. 43(11):2271-2282.
- Quinn N.J. & B.L. Kojis (1987) Reproductive biology of Scylla spp. (Crustacea: Portunidae) from the Labu estuary in Papua New Guinea.
Bull. Mar. Sci. 41:234-241.
- Quintana R. (1986) On the early post-larval stages of some Leucosiid crabs from Tosa Bay, Japan (Decapoda: Brachyura, Leucosiidae).
J. Fac. Sci. Hokkaido Univ. 24:227-266.
- Rabalais N.N. & R.H. Gore (1985) Abbreviated development in decapods. In "Crustacean Growth: Larval Growth", A.M. Wenner ed. Crustacean Issues 2.
A.A. Balkema, Rotterdam, pp67-126.
- Raja Bai Nadu K.G. (1955) The early development of Scylla serrata (Forsk.) De Haan and Neptunus sanguinolentus (Herbst).
Indian J. Fish. 2:67-76.
- Ralph P.M. & J.C. Yaldwyn (1956) Sea-floor animals from the region of Portobello.
Tuatara 6(2):57-85.
- Rass T.S. (1950) An unusual instance of a biological relation between fish and crabs.
Priroda 39(7): 68-69.

- Rathbun M.J. (1892) Catalogue of the crabs of the Family Periceridae in the U.S. National Museum.
Proc. U.S. Nat. Mus. 17: 43-75, pl. 1.
- Rathbun M.J. (1893a) Scientific results of explorations by the U.S. Fish Commission steamer "Albatross". XXIV Descriptions of new genera and species of crabs from the West Coast of North America and the Sandwich Islands.
Proc. U.S. Nat. Mus. 16:223-260.
- Rathbun M.J. (1893b) Catalogue of the crabs of the Family Majidae in the U.S. National Museum.
Proc. U.S. Nat. Mus. 16:63-103, pls 3-8.
- Rathbun M.J. (1898) The Brachyura collected by the U.S. Fish Commission steamer "Albatross" on the voyage from Norfolk, Virginia to San Francisco, California, 1887-1888.
Proc. U.S. Nat. Mus. 21:567-616, pls 41-44.
- Rathbun M.J. (1902) Japanese stalk-eyed crustaceans.
Proc. U.S. Nat. Mus. 26:23-55.
- Rathbun M.J. (1906) The Brachyura and Macrura of the Hawaiian Islands.
Bull. U.S. Fish Comm. 23(for 1903):829-930.
- Rathbun M.J. (1907) Reports on the scientific results of the expedition to the tropical Pacific, in charge of A. Agassiz, by the U.S. Fish Commission steamer "Albatross". IX, X. The Brachyura.
Mem. Mus. Comp. Zool. Harv. 35(2):21-74, 91, 9pls.
- Rathbun M.J. (1910) The stalk-eyed Crustacea of Peru and the adjacent coast.
Proc. U.S. Nat. Mus. 38:531-620, pls 36-56.
- Rathbun M.J. (1914) New genera and species of American brachyrhynchous crabs.
Proc. U.S. Nat. Mus. 47:117-129, 5 figs, 10pls.
- Rathbun M.J. (1918a) The grapsoid crabs of America.
U.S. Nat. Mus. Bull 97:xxii + 461pp, 172 text-figs, 161pls.
- Rathbun M.J. (1918b) Brachyura.
Australasian Antarct. Exped. 1911-14, C. 5(2):1-5, 1 fig.
- Rathbun M.J. (1918c) Report on the spider crabs obtained by the F.I.S. Endeavour on the coasts of Queensland, New South Wales, Victoria, South Australia and Tasmania.
Zool. (biol.) Results Fish. Exp. 'Endeavour' 5(1):1-29, pls 1-15.

- Rathbun M.J. (1923) Report on the crabs obtained by the F.I.S. "Endeavour" on the coasts of Queensland, New South Wales, Victoria, South Australia and Tasmania. Report on the Oxyrhyncha, Oxystomata, and Dromiacea. Biol. Res. Fish. Exp. Aust. 5(3):93-156, 3 figs, 27pls.
- Rathbun M.J. (1925) The spider crabs of America. U.S. Nat. Mus. Bull. 129:XX, 1-613pp.
- Rathbun M.J. (1926) The fossil stalk-eyed Crustacea of the Pacific slope of North America. Bull. U.S. Natl. Mus. 138, 155pp, pls 1-39, figs 1-6.
- Rebach S. (1987) Entrainment of seasonal and nonseasonal rhythms by the Rock Crab Cancer irroratus. J. Crust. Biol. 7(4):581-594.
- Reed P. (1981) Short-term permeability changes in response to decreased salinity in Hemigrapsus crenulatus. Unpub. B.Sc.(Hons) Project, Dept. of Zoology, University of Canterbury, 63pp.
- Reilly P.N. & S.B. Saila (1978) Biology and ecology of the Rock Crab, Cancer irroratus Say, 1817, in Southern New England waters (Decapoda, Brachyura). Crustaceana 34(2):121-140.
- Rice A.L. (1980) Crab zoeal morphology and its bearing on the classification of the Brachyura. Trans. Zool. Soc. Lond. 35: 271-424.
- Richards R.A. & J.S. Cobb (1986) Competition for shelter between lobsters (Homarus americanus) and Jonah crabs (Cancer borealis): effects of relative size. Can. J. Fish. Aquat. Sci. 43:2250-2255.
- Richardson L.R. (1949a) A guide to the brachyrhynchous crabs. Tuatara 2(1):29-36.
- Richardson L.R. (1949b) A guide to the Oxyrhyncha, Oxystoma and lesser crabs. Tuatara 2(2):58-69.
- Richardson L.R. (1949c) Corrections and additions for the guide to the Brachyura. Tuatara 2(3):130.
- Richardson L.R. & J.E. Morton (1948) A further record of Planes minutus in New Zealand. N.Z. Sci. Rev. 6:125.
- Richardson L.R. & R.K. Dell (1964) A new crab of the genus Trichopeltarion from New Zealand. Trans. Roy. Soc. N.Z. 4(7): 145-151.
- Richardson L.R. & S.M. Krefft (1949) Lyreidus australiensis Ward (Brachyura, Gymnopleura) from Cook Strait. Tuatara 2:69-71, 4 figs.

- Richer de Forges B. (1977) Etude du crabe des Iles Kerguelen Haliscarcinus planatus (Fabricius). C.N.F.R.A. 42: 71-133.
- Ricketts E.F. & J. Calvin (1939) Between Pacific Tides. Stanford Univ. Press. xxii, 320pp, pls 1-46, figs 1-112.
- Ricketts E.F. & J. Calvin (1968) Between Pacific Tides. Stanford Univ. Press. xiv, 614pp, figs 1-302. 4th Edition.
- Ritchie L.D. ed (1970) Southern spider crab Jacquinitia edwardsii (Jacquinot, 1853)) survey - Auckland Islands and Campbell Island. 30/1/70 - 23/2/70. Fisheries Tech. Report, N.Z. Marine Dept., No. 52, 111pp.
- Ritchie L.D. (1973) Commercial fishing for southern spider crab (Jacquinitia edwardsii), at the Auckland Islands, October 1971. Fisheries Tech. Report, N.Z. MAF, Wellington, No. 101, 95 pp.
- Roberts P.E. (1972a) Larvae of Porcellanopagurus edwardsi Filhol, 1885 (Crustacea: Decapoda: Paguridae) from Perseverance Harbour, Campbell Island. Journ. Roy. Soc. N.Z. 2(3): 383-391.
- Roberts P.E. (1972b) The plankton of Perseverance Harbour, Campbell Island, New Zealand. Pac. Sci. 26(3): 296-309.
- Roe P. (1979) Aspects of development and occurrence of Carcinonemertes epialti (Nemertea) from shore crabs in Monterey Bay, California. Biol. Bull. 156:130-140.
- Roe P. (1984) Laboratory studies of feeding and mating in species of Carcinonemertes (Nemertea: Hoplonemertea). Biol. Bull. 167:426-436.
- Roe R.J. (1974) The southern spider crab fishery (Jacquinitia edwardsii) with suggestions for its utilization as a New Zealand enterprise. Confidential Report, for limited distribution by Sealord Products Ltd, 128 pp.
- Roper D.S. (1979) Distribution of the spider crab, Leptomithrax longipes, and evidence of bacterially induced feminisation. N.Z. J. Mar. & Freshwat. Res. 13(2): 303-307.
- Roper D.S., M.J. Simons & M.B. Jones (1983) Distribution of zooplankton in the Avon-Heathcote Estuary, Christchurch. N.Z. J. Mar. Freshwat. Res. 17:267-278.

- Ryan E.P. (1966) Pheromone evidence in a decapod crustacean.
Science 151:340-341
- Ryff M.R. & R.W. Voller (1976) Aspects of the southern spider crab (*Jacquiniotia edwardsii*) fishery of southern New Zealand Islands and Pukaki Rise.
Fisheries Tech. Report, N.Z. MAF, Wellington No. 143, 65 pp.
- Sakai T. (1934) Brachyura from the coast of Kyushu, Japan.
Sci. Rep. Tokyo Bunrika Daig. B 1(25):281-330, pls 17-18.
- Sakai T. (1935) Crabs of Japan. 66 plates in life colours with Descriptions. Senseido, Tokyo.
- Sakai T. (1936a) Report on the Brachyura collected by Mr F. Hiro at Palao Islands.
Sci. Rep. Tokyo Bunrika Daig. (B), 2:155-177.
- Sakai T. (1936b) Studies on the crabs of Japan. I Dromiacea.
Sci. Rep. Tokyo Bunrika Daig. (B), 3, suppl.1:1-66, pls 1-9.
- Sakai T. (1937) Studies on the crabs of Japan. II Oxystomata.
Sci. Rep. Tokyo Bunrika Daig. (B) 3, suppl. 2:67-192, 45 figs, pls 10-19.
- Sakai T. (1938) Studies on the crabs of Japan. III Brachygnatha, Oxyrhyncha. pp 193-364, figs 1-55, pls 20-41. Yokendo Co., Tokyo.
- Sakai T. (1939) Studies on the crabs of Japan. IV Brachygnatha, Brachyrhyncha. pp 365-741, pls 42-111. Yokendo Co., Tokyo.
- Sakai T. (1965) The Crabs of Sagami Bay. Collected by His Majesty the Emperor of Japan.
Biol. Lab., Imperial Household, 1-206, 100pls.
- Sakai T. (1971a) Illustrations of 15 species of crabs of the Family Lithodidae, two of which are new to science.
Res. on Crustacea 4-5: 1-49, 21 pls.
- Sakai T. (1971b) Notes from the carcinological fauna of Japan (IV).
Res. on Crustacea 415:138-149.
- Sakai T. (1976) Crabs of Japan and the Adjacent Seas.
Tokyo Kodansha Ltd., XXXIX + 1-773, figs 1-379.
- Sakai T. (1979) Descriptions of three new species of crabs of the family Homolidae from Japan.
Res. on Crustacea 9:1-8, figs 1-3, 1pl.
- Salmon M., W.H. Seiple & S.G. Morgan (1986) Hatching rhythms of fiddler crabs and associated species at Beaufort, North Carolina.
J. Crust. Biol. 6:24-36.

- Sasakawa Y. (1975) Studies on blue king crab resources in the western Bering Sea. III.
Bull. Jap. Soc. scient. Fish. 41: 941-944.
- Sasaki K. & T. Kawasaki (1980) Some aspects of the reproductive biology of the swimming crab, Ovalipes punctatus (De Haan), in Sendai Bay and its adjacent waters.
Tohoku J. Agri. Res. 30(4):183-194.
- Scarratt D.J. & R. Lowe (1972) Biology of Rock crab (Cancer irroratus) in Northumberland Strait.
J. Fish. Res. Bd. Canada 29:161-166.
- Schaefer N. (1970) The functional morphology of the fore-gut of three species of decapod crustacea: Cyclograpsus punctatus Milne-Edwards, Diogenes brevirostris Stimpson, and Upogebia africana (Ortmann).
Zool. Afr. 5(2):309-326.
- Schembri P.J. (1979a) An unusual respiratory rhythm in the crab Ebalia tuberosa (Pennant) (Crustacea: Decapoda: Leucosiidae).
In "Cyclic Phenomena in Marine Plants and Animals", ed. E. Naylor & R.G. Hartnoll, pp327-335. Pergamon Press, N.Y.
- Schembri P.J. (1979b) Oxygen consumption and the respiratory responses to declining oxygen tension in the crab Ebalia tuberosa (Pennant) (Crustacea: Decapoda: Leucosiidae).
J. exp. Mar. Biol. Ecol. 41:133-142.
- Schembri P.J. (1981a) Substratum preferences, burrowing and righting in Ebalia tuberosa (Pennant) (Decapoda: Leucosiidae).
Mar. Behav. Physiol. 8:149-161
- Schembri P.J. (1981b) A laboratory study of spatial organization in the crab Ebalia tuberosa (Pennant) (Crustacea: Decapoda: Leucosiidae).
Mar. Behav. Physiol. 8:163-176.
- Schembri P.J. (1982) The biology of a population of Ebalia tuberosa (Crustacea: Decapoda: Leucosiidae) from the Clyde Sea area.
J. mar. biol. Ass. UK 62:101-115.
- Schembri P.J. (1983) Courtship and mating behaviour in Ebalia tuberosa (Pennant) (Decapoda, Brachyura, Leucosiidae).
Crustaceana 45:77-81.
- Schmitt W.L. (1921) The marine decapod Crustacea of California.
Univ. Calif. Publ. Zool. 23:1-470, pls 1-50, figs 1-64.
- Schmitt W.L., J.C. McCain & E.S. Davison (1973) Decapoda I. Brachyura I. Fam. Pinnotheridae, In: Gruner H.E., L.B. Holthuis eds. 'Crustaceorum Catalogus 3'.
The Hague, Dr W. Junk, 160pp.

- Schofield K.A. (1987) The biology of feeding in the paddle crab Ovalipes catharus on the tuatua Paphies subtriangulata with reflections on optimal foraging theory.
Unpub. B.Sc.(Hons) Project, Dept. Zoology, Victoria Univ. 66pp.
- Scott M.S. (1958) Studies on a false crab, Petrolisthes elongatus, Milne Edwards.
Unpub. M.Sc. Thesis, University of Canterbury, 127pp.
- Scott M.S. (1961) A review of the New Zealand Pinnotheridae.
Trans. Roy. Soc. N.Z. (Zool.) 1(22):303-309.
- Seed R. (1969) The incidence of the pea crab Pinnotheres pisum in the two types of Mytilus (Mollusca: Bivalvia) from Padstow, South-west England.
J. Zool. 158:413-420.
- Serene R. (1952) Les especes du genre Scylla a Nhatrang (Vietnam).
Proc. Indo. Pacif. Fish. Counc. 1952:133-137, pls i-ii.
- Serene R. (1955) Sur quelques especes rares de brachyures (Leucosidae) du l'indopacifique.
2e Partie Treubia 22:137-218, pls 6-11.
- Serene R. (1968) The Brachyura of the Indo-west Pacific region. pp 33-122 In: Prodrum for a check list of the non-planktonic marine fauna of South East Asia.
Singapore Nat. Acad. Sci. spec. Publ. 1:1-120.
- Serene R. & P. Lohavanijaya (1973) The Brachyura (Crustacea: Decapoda) collected by the Naga Expedition, including a review of the Homolidae.
In: Scientific Results of Marine Investigations of the South China Sea and the Gulf of Thailand 1959-1961.
Naga Report 4(4):1-186.
- Shanks A.L. (1983) Surface slicks associated with tidally forced internal waves may transport pelagic larvae of benthic invertebrates and fishes shoreward.
Mar. Ecol. Progr. Ser. 13:311-315.
- Shanks A.L. (1985) Behavioural basis of internal-wave-induced shoreward transport of megalopae of the crab Pachygrapsus crassipes.
Mar. Ecol. Progr. Ser. 24:289-295.
- Shanks A.L. (1986) Vertical migration and cross-shelf dispersal of larval Cancer spp. and Randallia ornata (Crustacea: Brachyura) off the coast of southern California.
Mar. Biol. 92:189-199.
- Shanks N.D. (1982) Salt and water balance of the intertidal crabs Petrolisthes elongatus (Milne Edwards, 1837) (Decapoda, Anomura) and Cyclograpsus lavauxi Milne Edwards, 1853 (Decapoda, Brachyura) during atmospheric exposure.
Unpub. B.Sc.(Hons) Project, Dept. of Zoology, University of Canterbury, 45pp.

- Shen C.J. (1932) The crabs of Hong Kong, part III.
Hong Kong Naturalist 3(1):32-45, pls 6-9.
- Shen C.J. (1937) Notes on a collection of swimming crabs
(Portunidae) from Singapore.
Bull. Raffles Mus. 13:96-139.
- Shield J.W. (1959) Population studies in the littoral at Rottnest
Island. In 'Rottnest Island: The Rottnest Biological
Station and Recent Scientific Research' (Eds E.P.
Hodgkin & K. Sheard).
J. Roy. Soc. West. Aust. 42:65-95.
- Shinkarenko L. (1979) Development of the larval stages of the
Blue Swimming Crab Portunus pelagicus L. (Portunidae:
Decapoda: Crustacea).
Aust. J. Mar. Freshwat. Res. 30:485-503.
- Shirley S.M., T.C. Shirley & T.R. Meyers (1986) Hemolymph
responses of Alaskan king crabs to rhizocephalan
parasitism.
Can. J. Zool. 64: 1774-1781.
- Shumway S.E. & M.B. Jones (1981) Influence of salinity on the
respiration of an estuarine mud crab, Helice crassa
(Grapsidae).
Comp. Biochem. Physiol. 70A:551-553.
- Simons M.J. (1981) Relative growth in the New Zealand mud crab
Macrophthalmus hirtipes (Brachyura: Ocypodidae).
N.Z. J. Mar. Freshwat. Res. 15:193-200.
- Simons M.J. & M.B. Jones (1981) Population and reproductive
biology of the mud crab, Macrophthalmus hirtipes
(Jacquinot, 1853) (Ocypodidae), from marine and
estuarine habitats.
Journ. Nat. Hist. 15:981-994.
- Simonson J.L. (1985) Reversal of handedness, growth and claw
stridulatory patterns in the shore crab Menippe
mercenaria (Say) (Crustacea: Xanthidae).
J. Crust. Biol. 5:281-293.
- Sin F.Y.T. & M.B. Jones (1983) Enzyme variation in marine and
estuarine populations of a mud crab, Macrophthalmus
hirtipes (Ocypodidae).
N.Z. J. Mar. Freshwat. Res. 17:367-372.
- Sinclair M.E. (1977) Agonistic behaviour of the shore crab
Menippe mercenaria (Say).
Anim. Behav. 25:193-207
- Skilleter G.A. & D.T. Anderson (1986) Functional morphology of
the chelipeds, mouthparts and gastric mill of Ozius
truncatus (Milne Edwards) (Xanthidae) and Leptograpsus
variegatus (Grapsidae) (Brachyura).
Aust. J. Mar. Freshw. Res. 37:67-79.

- Sloan N.A. (1984) Incidence and effects of parasitism by the rhizocephalan barnacle, Briosaccus callosus Boschma, in the golden king crab, Lithodes aequispina Benedict, from deep fjords in northern British Columbia. Can. J. exp. mar. Biol. Ecol. 84: 111-131.
- Sloan N.A. (1985) Life history characteristics of fjord-dwelling golden king crabs Lithodes aequispina. Mar. Ecol. Progr. Ser. 22: 219-228.
- Sloan N.A., S.M. Bower & S.M.C. Robinson (1984) Cocoon deposition on three crab species and fish parasitism by the leech Notostomum cyclostoma from deep fjords in northern British Columbia. Mar. Ecol. Progr. Ser. 20: 51-58.
- Smith R.I. & J.T. Carlton (1975) Lights' Manual: Intertidal Invertebrates of the Central California Coast. Univ. Calif. Press, L.A., Third Edition, 716pp.
- Snow C.D. & J.R. Neilsen (1966) Premating and mating behaviour of the Dungeness crab (Cancer magister Dana). J. Fish. Res. Bd. Canada 23(9):1319-1323.
- Somerton D.A. (1980) A computer technique for estimating the size of sexual maturity in crabs. Can. J. Fish. Aquat. Sci. 37:1488-1494.
- Somerton D.A. (1981a) Contribution to the life history of the deep-sea king crab Lithodes aequispina Benedict, off Boso Peninsular and Sagami Bay, central Japan. Fish. Bull. U.S. 79: 259-269.
- Somerton D.A. (1981b) Regional variation in the size at maturity of two species of Tanner crab (Chionoecetes bairdi and C. opilio) in the Eastern Bering Sea, and its use in defining management subareas. Can. J. Fish. Aquat. Sci. 38:163-174.
- Somerton D.A. & R.A. MacIntosh (1983) The size at sexual maturity of blue king crab, Paralithodes platypus in Alaska. Fish. Bull. 81(3):621-628.
- Somerton D.A. & R.A. MacIntosh (1985) Reproductive biology of the female blue king crab Paralithodes platypus near the Pribilof Islands, Alaska. J. Crust. Biol. 5(3):365-376.
- Somerton D.A. & W.S. Meyers (1983) Fecundity differences between primiparous and multiparous female Alaskan Tanner crab (Chionoecetes bairdi). J. Crust. Biol. 3(2):183-186.
- Spirito C.P. (1972) An analysis of swimming behaviour in the portunid crab Callinectes sapidus. Mar. behav. Physiol. 1:261-276.

- Stead D.H. (1971) A preliminary survey of mussel stocks in Pelorus Sound.
Fisheries tech. report, N.Z. Marine Dept No. 61, 16pp.
- Stead D.H. (1983a) Paddle crab investigations.
Catch 10(2):14-15.
- Stead D.H. (1983b) Status, potential and management of the fishery for paddle crabs in New Zealand.
Unpub. Ms., M.A.F., Wellington.
- Stead D.H. (1984) Crab fishery expansion possible.
Catch 11(5):13-14.
- Stebbing T.R.R. (1900) On some crustaceans from the Falkland Islands, collected by Mr Rupert Vallentin.
Proc. Zool. Soc. Lond. 1900: 517-568, pls 36-39.
- Stebbing T.R.R. (1905) South African Crustacea. Part III.
Mar. Invest. South Afr. (4):21-123, pls 17-26
- Stebbing T.R.R. (1910) General catalogue of South African Crustacea.
Ann. S. African Mus. 6:281-593.
- Stebbing T.R.R. (1914) Stalk-eyed Crustacea Malacostraca of the Scottish National Antarctic Expedition.
Trans. roy. Soc. Edinb. 50(2):253-307, 10 pls.
- Steele P. (1979) A synopsis of the biology of the blue crab Callinectes sapidus Rathbun in Florida.
Proc. Blue Crab Collqu., Oct 18-19, 1979.
- Steinbeck J. & E.F. Ricketts (1941) Sea of Cortez.
x + 598pp., 40pls, 2 charts. New York.
- Stephensen K. (1927) Papers from Dr. Th. Mortensen's Pacific Expedition 1914-16. XL Crustacea from the Auckland and Campbell Islands.
Vidensk. Medd. naturh. Foren. Kbh. 83:289-390, 33 figs.
- Stephensen K. (1945) Brachyura of the Iranian Gulf. With an Appendix: The male pleopoda of the Brachyura.
Dan. sci. Invest. Iran 4:57-237, figs 1-60.
- Stephenson G. (1970) The distribution of two crab species on the Porirua Harbour mud-flats.
Bull. Nat. Sci. Victoria Univ. Wellington 1:21-26.
- Stephenson W. (1968a) Variability in the sand crab Portunus pelagicus (Linnaeus) (Crustacea: Portunidae).
Mem. Qld. Mus. 15(2):83-89.
- Stephenson W. (1968b) Studies on Portunus pelagicus (Linnaeus) and P. sanguinolentus (Herbst).
Occ. Pap. Bishop Mus. 23(15):385-399.

- Stephenson W. (1969) The morphology of stridulatory structures in the genus Ovalipes Rathbun.
Trans. Roy. Soc. N.Z. 11(4):43-71.
- Stephenson W. (1972) An annotated check list and key to the Indo-West-Pacific swimming crabs (Crustacea: Decapoda: Portunidae).
Roy. Soc. N.Z. Bull. No. 10, 64pp.
- Stephenson W. & B.M. Campbell (1959) The Australian portunids (Crustacea: Portunidae). III The genus Portunus.
Aust. J. Mar. Freshwat. Res. 10(1):84-124, 5pls.
- Stephenson W. & B.M. Campbell (1960) The Australian portunids (Crustacea: Portunidae) IV Remaining genera.
Aust. J. Mar. Freshwat. Res. 11(1):73-122.
- Stephenson W. & M. Rees (1968) A revision of the genus Ovalipes Rathbun, 1898 (Crustacea, Decapoda, Portunidae).
Rec. Aust. Mus. 27(11):213-261
- Stephenson W., W.T. Williams & G.N. Lance (1968) Numerical approaches to the relationships of certain American swimming crabs.
Proc. U.S. Nat. Mus. 124(3645):1-25.
- Stevens B.G., D.A. Armstrong & B. Cusimano (1982) Feeding habits of the Dungeness crab Cancer magister as determined by the index of relative importance.
Mar. Biol. 72:135-145.
- Stevens B.G. & D.A. Armstrong (1984) Distribution, abundance, and growth of juvenile Dungeness Crabs, Cancer magister, in Grays Harbour estuary, Washington.
Fish. Bull. 82(3):469-483.
- Stevens B.G., D.A. Armstrong & J.C. Hoeman (1984) Diel activity of an estuarine population of Dungeness crabs, Cancer magister, in relation to feeding and environmental factors.
J. Crust. Biol. 4(3):390-403
- Stimpson W. (1858) Prodromus descriptionis animalium evertetorum, quae Expeditie ad Oceanum Pacificum Septentrionalem a Republica Federata misia, Cadwaladaro Ringold et Johanne Rodgers ducibus, observavit et descripsit. Pars. IV Crustacea Cancroidea et Corystoidea, Cancridea.
Proc. Acad. Nat. Sci. Philadelphia 1858:31-40.
- Stimpson W. (1860) Notes on North American Crustacea, in the Museum of the Smithsonian Institution, No. 2.
Annals of the Lyceum of Natural History of New York 7:176-246.
- Stimpson W. (1907) Report on the Crustacea (Brachyura and Anomura) collected by the North Pacific Exploring Expedition, 1853-1856.
Smithson. Misc. Coll. 49(1717):1-240, pls 1-26.

- Strathman R.R. (1986) What controls the type of larval development? Summary statement for the evolution session.
Bull. Mar. Sci. 39:616-622.
- Stuardo J. & I. Solis (1963) Biometria y observaciones generales sobre la biologia de Lithodes antarcticus Jacquinot.
Gayana, Zool. 11: 1-49, 11 figs.
- Sulkin S.D. (1984) Behavioural basis of depth regulation in the larvae of brachyuran crabs.
Mar. Ecol. Progr. Ser. 13:181-205.
- Sulkin S.D. & W.F. van Heukelem (1986) Variability in the length of the megalopal stage and its consequence to dispersal and recruitment in the portunid crab Callinectes sapidus Rathbun.
Bull. Mar. Sci. 39(2):269-278.
- Suzuki K. & Y. Kurata (1967) On the carcinological fauna of the Izu-Oshima and its adjacent islands.
Res. Crust. Japan 3:86-104, pl 8, fig 1.
- Symons P.E.K. (1964) Behavioural responses of the crab Hemigrapsus oregonensis to temperature, diurnal light variation, and food stimuli.
Ecology 45:580-591.
- Tagatz M.E. (1968) Biology of the blue crab, Callinectes sapidus Rathbun, in the St Johns River, Florida.
U.S. Fish Wildl. Serv. Fish. Bull. 67(1):17-33
- Takeda M. (1974) On three species of the Lithodidae (Crustacea, Anomura) from the Central Pacific.
Bull. Natn. Sci. Mus. Tokyo 17(3): 205-214, 3 pls.
- Takeda M. & H. Hatanaka (1984) Records of decapod crustaceans from the south western Atlantic collected by the Japanese Fisheries Research Trawlers.
Bull. Natn. Sci. Mus. Tokyo ser. A. 10(1): 7-24.
- Takeda M. & S. Mikaye (1969) A small collection of crabs from New Zealand.
Occ. Pap. Zool. Lab. Fac. Agric. Kyushu Univ. (OHMU) 2(8) : 157-293
- Takeda S. & Y. Kurihara (1987) The occupation of artificial burrows by Helice tridens (De Haan) and the length of its stay.
J. Exp. Mar. Biol. Ecol. 114:27-37.
- Tanoue T., U. Suito, T. Ando & Y. Yamagiri (1967) On the distribution and fishing methods for Portunus pelagicus in Kogoshima Bay.
Mem. Fac. Fish. Kogoshima Univ. 16:85-92.

- Targioni-Tozzetti A. (1877) Zoologia del Viaggio Interno al Globo della R. Priocorvetta "Magenta" durante gli Anni 1865-68. Crustacei Brachiuri e Anomouri. Publs. Inst. Studi Superiori, Sezione di Sci. Fisiche e Naturali. 1(xxix) 257pp, 13 pls.
- Tesch J.J. (1918) The Decapoda Brachyura of the Siboga Expedition. 1. Hymenosomidae, Retroplumidae, Ocypodidae, Grapsidae and Gecarcinidae. Siboga Exped. 36c:1-148, 6pls.
- Thompson D'A.W. (1900) On a supposed resemblance between the marine faunas of the Arctic and Antarctic regions. Proc. R. Soc. Edinb. 22: 311-349.
- Thompson E.F. (1930) An Introduction to the Natural History of the Heathcote Estuary and Brighton Beach, Canterbury, New Zealand. A study in littoral ecology. Unpub. M.Sc. Thesis, Canterbury University, 155pp.
- Thompson J.M. (1951) Catch composition of the sand crab fishery in Moreton Bay. Aust. J. Mar. Freshwat. Res. 2:237-244
- Thomson G.M. (1898) A revision of the Crustacea Anomura of New Zealand. Trans. N.Z. Inst. 31:169-197.
- Thomson G.M. (1902a) Some recent additions to, and note on, the crustacean fauna of New Zealand. Ann. Mag. Nat. Hist. (7)10:462-465
- Thomson G.M. (1902b) On a new species of Paramithrax from New Zealand. Ann. Mag. nat. Hist. ser. 7(10): 361-364, pls 7-8.
- Thomson G.M. (1905) The Portobello Marine Fish-Hatchery and Biological Station. Trans. N.Z. Inst. 38:529-558, 5pls.
- Thomson G.M. (1912) The natural history of Otago Harbour and the adjacent sea, together with a record of the researches carried on at the Portobello Marine Fish-hatchery: Part I. Trans. Proc. N.Z. Inst. 45:225-251 pl x.
- Thomson G.M. (1922) The naturalisation of Animals and Plants in New Zealand. Cambridge Univ. Press, 607pp.
- Thomson G.M. (1932) Crustacea of New Zealand. N.Z. J. Sci. Technol. 14:55-57
- Thomson G.M. & T. Anderton (1921) History of the Portobello Marine Fish-Hatchery and Biological Station. Dom. N.Z., Bd. Sci. Art. Bull. 2, 131pp.

- Thrush S.F. (1987) The merits of macrofaunal colonization of intertidal mudflats for pollution monitoring.
N.Z. Marine Sci. Ann. Conf. (Abstr.) August 1987.
- Tinker S.W. (1965) Pacific Crustacea, an illustrated handbook of the reef-dwelling Crustacea of Hawaii and the South Seas.
Tokyo: Charles E. Tuttle Co., 134pp, 53pls.
- Todd M. & P.A. Dehnel (1960) Effect of temperature and salinity on heat tolerance in two grapsoid crabs, Hemigrapsus nudus and Hemigrapsus oregonensis.
Biol. Bull. 118:150-172.
- Town J.C. (1979) Aspects of the biology of Astrostole scabra (Hutton 1872).
Unpub. Ph.D. Thesis, University of Canterbury, 200pp.
- Town J.C. (1980) Diet and food preference of intertidal Astrostole scabra (Asteroidea: Forcipulata).
N.Z. J. Mar. Freshwat. Res. 14(4):427-435
- Trevarthen C. (1951) The results of two pebble beach line traverses.
Tane 4:30-40.
- Trevarthen C. (1954) Features of the marine ecology of Little Barrier, Mayor and Hen Islands.
Tane 6:34-66.
- Trevarthen C. & D. Kulka (1950) A study of the life of a pebble beach - Coromandel Peninsula.
Tane 3:51-56.
- Tweedie M.W.F. (1942) The grapsid and ocypodid crabs of Tasmania.
Pap. roy. soc. Tasm. 1941:13-25.
- Tweedie M.W.F. (1954) Notes on grapsoid crabs from the Raffles Museum, Nos. 3,4 and 5.
Raffles Mus. Bull. 25:118-128.
- Uma K. & T. Subramoniam (1979) Histochemical characteristics of spermatophore layers of Scylla serrata (Forskol) (Decapoda: Portunidae).
Int. J. Invert. Reprod. 1:31-40.
- Urita T. (1926) A checklist of Brachyura found in Kagosima Prefecture, Japan.
Tsingtao Times, Tsingtao, i-iii, 1-41pp.
- Utinomi H. (1958) Coloured illustrations of seashore animals of Japan.
Hoikusha Publishing Co. Ltd, Osaka, 167pp, 74pls.
- Utinomi H. (1969) Coloured illustrations of seashore animals of Japan.
Hoikusha Publishing Co. Ltd, Osaka, 166pp, 64 col. pls., 12pls.

- Veerannan K.M. (1972) Respiratory metabolism of crabs from marine and estuarine habitats. I. Scylla serrata. Mar. Biol. 17:284-290.
- Veerannan K.M. (1974) Respiratory metabolism of crabs from marine and estuarine habitats: an interspecific comparison. Mar. Biol. 26:35-43.
- Vermeij G.J. (1977) Patterns in crab claw size: the geography of crushing. Syst. Zool. 26:138-151.
- Vinogradov K.A. (1950) Biology of the Pacific lumpfishes in Kamchatka waters. Priroda 39(3):69-70.
- Waite E.R. (1909) Scientific results of the New Zealand Government Trawling Expedition 1907. Rec. Cant. Mus. 1(2):45-64.
- Waldron F.M. (1984) Effects of emersion and exercise on haemolymph acid-base status in Cyclograpsus lavauxi. Unpub. B.Sc.(Hons) Project, Dept. of Zoology, University of Canterbury, 70pp.
- Waldron F.M., H.H. Taylor, & M.E. Forster (1986) Acid-base disturbances following exercise in a high-shore crab, Cyclograpsus lavauxi. N.Z. J. Mar. Freshwat. Res. 20: 479-487.
- Walker E.A. (1970) The distribution of three species of intertidal crabs on mudflats in Lyttelton Harbour. Unpub. B.Sc.(Hons) Project, Dept. of Zoology, University of Canterbury, 32pp.
- Walker K. (1969) The ecology and distribution of Halicarcinus lacustris (Brachyura: Hymenosomatidae) in Australian inland waters. Aust. J. Mar. Freshwat. Res. 20:163-173, 2 figs.
- Ward M. (1933) New genera and species of marine Decapoda Brachyura from the coasts of New South Wales and Queensland. Aust. Zool. 7:377-394, pls 21-23.
- Ward M. (1942) Notes on; the Crustacea of the Desjardins Museum, Mauritius Institute, with descriptions of new genera and species. Bull. Mauritius Inst. 11(1):49-113, pls 5-6.
- Warner G.F. (1977) The Biology of Crabs. Van Nostrand Reinhold Co., N.Y., 202pp.
- Warner G.F. & A.R. Jones (1976) Leverage and muscle type in crab chelae (Crustacea: Brachyura). J. Zool. Lond. 180:57-68

- Watson J. (1970) Maturity, mating, and egg laying in the spider crab, Chionoecetes opilio.
Journ. Fish. Res. Bd. Canada 27:1607-1616.
- Watson J. (1971) Ecdysis of the snow crab, Chionoecetes opilio.
Can. J. Zool. 49:1025-1027.
- Watson J. (1972) Mating behaviour in the spider crab, Chionoecetes opilio.
Journ. Fish. Res. Bd. Canada 29(4):447-449.
- Wear R.G. (1964a) Larvae of Petrolisthes novaezelandiae Filhol 1885 (Crustacea, Decapoda, Anomura).
Trans. Roy. Soc. N.Z. 4(18):229-244.
- Wear R.G. (1964b) Larvae of Petrolisthes elongatus (Milne Edwards 1837) (Crustacea, Decapoda, Anomura).
Trans. Roy. Soc. N.Z. 5(2):39-53.
- Wear R.G. (1965a) Larvae of Petrocheles spinosus (Miers 1876) (Crustacea, Decapoda, Anomura) with keys to New Zealand porcellanid larvae.
Trans. Roy. Soc. N.Z. 5(12):147-168.
- Wear R.G. (1965b) Breeding cycles and pre-zoea larva of Petrolisthes elongatus (Milne Edwards 1837) (Crustacea, Decapoda).
Trans. Roy. Soc. N.Z. 5(13):169-175.
- Wear R.G. (1965c) Pre-zoea larva of Petrolisthes novaezelandiae Filhol 1885 (Crustacea, Decapoda, Anomura).
Trans. Roy. Soc. N.Z. 6(13):127-132.
- Wear R.G. (1965d) Zooplankton of Wellington Harbour, New Zealand.
Zool. Publ. Vict. Univ. Wellington 38:1-31
- Wear R.G. (1966) Pre-zoea larva of Petrocheles spinosus Miers 1876 (Crustacea, Decapoda, Anomura).
Trans. Roy. Soc. N.Z. 8(10):119-124.
- Wear R.G. (1967) Life history studies on New Zealand Brachyura.
1. Embryonic and post-embryonic development of Pilumnus novaezelandiae Filhol 1886, and of P. lumpinus Bennett 1964 (Xanthidae, Pilumnidae).
N.Z. J. Mar. Freshwat. Res. 1:482-535.
- Wear R.G. (1968a) Life-history studies on New Zealand Brachyura.
2. Family Xanthidae. Larvae of Heterozius rotundifrons A. Milne Edwards 1867, Ozius truncatus H. Milne Edwards 1834, and Heteropanope (Pilumnopeus) serratifrons (Kinahan 1856).
N.Z. J. Mar. Freshwat. Res. 2:293-332.
- Wear R.G. (1968b) Life-history studies on New Zealand Brachyura.
3. Family Ocypodidae. First stage zoea larva of Hemiplax hirtipes (Jacquinot 1853).
N.Z. J. Mar. Freshwat. Res. 2:698-707.

- Wear R.G. (1970a) Life-history studies on New Zealand Brachyura. 4. Zoea larvae hatched from crabs of the family Grapsidae. N.Z. J. Mar. Freshwat. Res. 4(1):3-35.
- Wear R.G. (1970b) Notes and bibliography on the larvae of xanthid crabs. Pac. Sci. 24:84-89.
- Wear R.G. (1970c) Some larval stages of Petalomera wilsoni (Fulton & Grant 1902) (Decapoda, Dromiidae). Crustaceana 18(1):1-12
- Wear R.G. (1977) A large megalopa attributed to Petalomera wilsoni (Fulton & Grant 1902) (Decapoda, Dromiidae). Bull. Mar. Sci. 27(3):572-577
- Wear R.G. (1982) Paddle crabs: a potential industry or a pest? Catch 9(11):16-17.
- Wear R.G. (1984) Paddle crabs are probable predators. Catch 11(5):11-13.
- Wear R.G. (1988a) Paddle crabs eat small shellfish. Catch 15(2):12-13.
- Wear R.G. (1988b) Paddle crab fishery has potential in N.Z. Catch 15(3):11.
- Wear R.G. & E.J. Batham (1975) Larvae of the deep sea crab Cymonomus bathamae Dell 1971 (Decapoda, Dorriippidae) with observations on larval affinities of the Tymolinae. Crustaceana 28(2): 113-120.
- Wear R.G. & D.R. Fielder (1985) The Marine Fauna of New Zealand: Larvae of the Brachyura (Crustacea, Decapoda). N. Z. Oceanogr. Inst. Mem. 92, 90pp, 200 figs.
- Wear R.G. & M. Haddon (1987) Natural diet of the crab Ovalipes catharus (Crustacea, Portunidae) around central and northern New Zealand. Mar. Ecol. Progr. Series 35:39-49.
- Webb B.F. (1966) A study in the biology of the fish population of the Avon-Heathcote Estuary, Christchurch. Unpub. M.Sc. Thesis, University of Canterbury, 304pp.
- Webb B.F. (1972) Report on the investigations of the 'Lloret Lopez 11' - 8 January to 2 April 1970. Section 3 Crab survey - 18 February to 27 February 1970. Fisheries Tech. Report, N.Z. MAF, Wellington, No. 97, 43 pp.
- Webb B.F. (1973a) Fish populations of the Avon-Heathcote Estuary. 3. Gut contents. N.Z. J. Mar. Freshwat. Res. 7(3):223-234

- Webb B.F. (1973b) Fish populations of the Avon-Heathcote Estuary.
5. Records of less common species.
N.Z. J. Mar. Freshwat. Res. 7(4):307-321
- Webber W.R. & R.G. Wear (1981) Life history studies on New Zealand Brachyura. 5. Larvae of the family Majidae.
N.Z. J. Mar. Freshwat. Res. 15:331-383.
- Weber D.D. (1967) Growth of the immature king crab Paralithodes camtschatica (Tilesius).
Bull. Int. North Pac. Fish. Comm. 21: 21-47.
- Westerkov K. (1987) 'Big Enormous'.
N.Z. Listener, Wgtn 117(2477):58-59.
- Weymouth F.W. (1910) Synopsis of the true crabs (Brachyura) of Monterey Bay, California.
Leland Stanford Junior Univ. Publs. Univ. ser. 4:1-64, pls 1-14, figs 1-9.
- White A. (1843) List of the Annulose Animals hitherto recorded as found in New Zealand, with descriptions of some new species. pp265-296 in E. Dieffenbach, "Travels in New Zealand; with contributions to the Geography, Geology, Botany and Natural History of that country", vol 2 "The Fauna of New Zealand", Murray, London.
- White A. (1846a) Notes on four new genera of Crustacea.
Ann. Mag. nat. Hist. ser 1(18):176-178, pl ii, figs 1-3, 3a.
- White A. (1846b) In Meeting of the Entomological Society, April 7, 1845.
Ann. Mag. Nat. Hist. 17 (suppl.):497.
- White A. (1847) "List of the specimens of decapod Crustacea in the collections of the British Museum."
London viii + 143pp.
- White A. (1852) Descriptions of some apparently new species of Annulosa, (collected by Mr. Macgillivray during the voyage of H.M.S. Rattlesnake). In: J. Macgillivray, Narrative of the Voyage of H.M.S. Rattlesnake during the years 1846-1850, including discoveries and surveys in New Guinea, the Louisiade Archipelago, etc, to which is added an account of Mr. B. Kennedy's Expedition of the Cape York Peninsula. 2:387-395, pls 4,5
- Whitelegge Th. (1900) Scientific results of the Trawling Expedition of H.M.C.S. "Thetis" off the coast of New South Wales, in February and March, 1898. Crustacea. Part I.
Mem. Aust. Mus. 4:135-199, figs 11-14, pls 33-35.
- Wickham D.E. (1979) Predation by Carcinonemertes errans on eggs of the Dungeness crab, Cancer magister.
Mar. Biol. 55:45-53.

- Wickham D.E. (1980) Aspects of the life history of Carcinonemertes errans (Nemertea: Carcinonemertidae), an egg predator of the crab, Cancer magister. Biol. Bull. 159:247-257.
- Wickham D.E. (1986) Epizootic infestations by nemertean brood parasites of commercially important crustaceans. Can. J. Fish. Aquat. Sci. 43(11):2295-2302.
- Wickham D.E. & P. Roe (1987) Selectivity in transmission to crab hosts by the symbiotic nemertean, Carcinonemertes epialti. J. Parasitol. 73(4):697-701.
- Wickham D.E. & A.M. Kuris (1988) Diversity among nemertean egg predators of decapod crustaceans. Hydrobiologia 156:23-30.
- Wicksten M.K. (1977) Feeding in the decorator crab, Loxorhynchus crispatus (Brachyura: Majidae). Calif. Fish & Game 63(1):122-124.
- Wicksten M.K. (1980) Decorator crabs. Sci. Am. 242(2):146-154.
- Wicksten M.K. (1983) Camouflage in marine invertebrates. Oceanogr. Mar. Biol. Ann. Rev. 21:177-193.
- Wicksten M.K. (1985) Carrying behaviour in the family Homolidae (Decapoda: Brachyura). J. Crust. Biol. 5(3):476-479.
- Wicksten M.K. (1986) Carrying behaviour in brachyuran crabs. J. Crust. Biol. 6(3): 364-369.
- Wicksten M.K. & C.R. Bostick (1983) Migration of kelp crabs (Pugettia producta) at San Pedro, California. J. Crust. Biol. 3:364-366.
- Wilber D.H. (1986) The distribution and daily movement of stone crabs (Menippe mercenaria) in an intertidal oyster habitat on the northwest coast of Florida. Mar. Behav. Physiol. 12:279-291.
- Wild P.W. & R.N. Tasto eds. (1983) Life history, environment, and mariculture studies of the Dungeness crab, Cancer magister, with emphasis on the Central California Fishery resource. Calif. Dept. Fish & Game Fish Bull. 172, 352pp.
- Willan R.C. (1981) Soft-bottom assemblages of Paterson Inlet, Stewart Island. N.Z. J. Zool. 8:229-248.
- Williams B.G. (1969) The rhythmic activity of Hemigrapsus edwardsi. J. Exp. Mar. Biol. Ecol. 3:215-223.

- Williams B.G., E. Naylor & T.D. Chatterton (1985) The activity patterns of New Zealand mud crabs under field and laboratory conditions.
J. Exp. Mar. Biol. Ecol. 89:269-282.
- Williams M.J. (1978) Opening of bivalve shells by the mud crab Scylla serrata Forskal.
Aust. J. Mar. Freshwat. Res. 29:699-702.
- Williams M.J. (1981) Methods for analysis of natural diet in portunid crabs (Crustacea: Decapoda: Portunidae).
J. Exp. Mar. Biol. Ecol. 52:103-113.
- Williams M.J. (1982) Natural food and feeding in the commercial sand crab Portunus pelagicus Linnaeus 1766 (Crustacea: Decapoda: Portunidae) in Moreton Bay, Queensland.
J. Exp. Mar. Biol. Ecol. 59:165-176.
- Williams M.J. (1986) Evaluation of anchor tags for marking the commercial sand crab, Portunus pelagicus (L.) (Portunidae: Decapoda).
Aust. J. Mar. Freshwat. Res. 37:707-712.
- Williamson D.I. (1965) Some larval stages of three Australian crabs belonging to the families Homolidae and Raninidae, and observations on the affinities of these families (Crustacea: Decapoda).
Aust. J. Mar. Freshwat. Res. 16:369-398, 7 figs.
- Williamson D.I. (1967) The megalopa stage of the homolid crab Latreillia australensis Henderson and comments on other homolid megalopa.
Aust. Zoologist 14(2):206-211.
- Williamson H.C. (1900) Contributions to the life-history of the edible crab (Cancer pagurus Linn.).
Rep. Fish. Bd. Scotland 18(3):77-143
- Wilson E.A. (1907) Mammalia (Whales and Seals).
Natn. Antarct. Exped. 1901-04 nat. Hist. 2; 66pp, 5pls.
- Wilson R.P. (1987) Substrate selection and decorating behaviour in Acanthonyx petiveri related to exoskeleton color (Brachyura, Majidae).
Crustaceana 52(2): 135-140.
- Wood D.H. (1963) A study of the macrofauna of an exposed "iron sand" beach and nearby estuary.
Tane 9:1-15.
- Wood D.H. (1968) An ecological study of a sandy beach near Auckland, New Zealand.
Trans. Roy. Soc. N.Z. (Zool.) 10(11):89-115.

- Wood-Mason J. (1887) Natural history notes from H.M.'s Indian Marine Survey Steamer "Investigator", Commander Alfred Carpenter R.N., commanding, No. 4. Descriptions of a new species of Crustacea belonging to the brachyurous family Raninidae.
J. Asiat. Soc. Bengal 56:206-209, pl 1.
- Wood-Mason J. (1892) Illustrations of the Zoology of H.M. Indian Marine Surveying Steamer 'Investigator', under the command of Commander A. Carpenter, R.N., D.S.O., and of Commander R.F. Hoskyn, R.N. Part I. Fishes, pls I-VI; Crustaceans, pls I-V.
Calcutta: Royal Indian Marine.
- Wood-Mason J. & A. Alcock (1891) Natural history notes from H.M. Indian Marine Survey Steamer 'Investigator', Commander R.F. Hoskyn, R.N., commanding. No. 21 Note on the results of the last seasons deep-sea dredging.
Ann. Mag. Nat. Hist. (6), 7(39):258-272, fig 5.
- Wright D.A. & C.C. Brewer (1979) Cadmium turnover in the shore crab Carcinus maenas.
Mar. Biol. 50:151-156.
- Yaldwyn J.C. (1958) Decapod Crustacea from subantarctic seal and shag stomachs.
Rec. Dom. Mus. 3(2):121-127.
- Yaldwyn J.C. (1965) Antarctic and subantarctic decapod Crustacea. In Van Mieghem J. & Van Oye P. (eds) "Biogeography and Ecology in Antarctica".
Monographiae Biologicae 15:324-332. W. Junk, The Hague.
- Yaldwyn J.C. (1966) Observations on copulation in the New Zealand grapsid crab Hemigrapsus crenulatus (M. Edw.).
Pac. Sci. 20(3):384-385.
- Yaldwyn J.C. (1975) Checklist of decapod and stomatopod Crustacea from Auckland and Campbell Islands, New Zealand subantarctic. In Yaldwyn J.C. ed., "Preliminary Results of the Auckland Islands Expedition 1972-1973", pp 360-363; Department of Lands & Survey, Wellington, N.Z.
- Yaldwyn J.C. & A.G. Beu (1977) The fossil occurrence of Jacquinitia edwardsii.
N.Z. J. Geol. & Geophys. 20(2): 237-243.
- Yaldwyn J.C. & E.W. Dawson (1970) The stone crab Lithodes murrayi Henderson: the first New Zealand record.
Rec. Dom. Mus. 6(17): 275-284.
- Yaldwyn J.C. & E.W. Dawson (1976) First records of the crab genera Homola, Randallia and Rochinia from New Zealand (Crustacea: Decapoda: Brachyura).
Nat. Mus. N.Z. Rec. 1(6):91-103.

Yokoya Y. (1933) On the distribution of decapod crustaceans inhabiting the continental shelf around Japan, chiefly based upon the materials collected by S.S. Soyo-Maru, during the years 1923-30.

Journ. Coll. Agric., Tokyo Imperial University
12(1):1-226.

Young M.W. (1929) Marine fauna of the Chatham Islands.
Trans. Proc. N.Z. Inst. 60:136-166.

INDEX OF SPECIES

Achaeopsis ramusculus	116
Achaeus curvirostris	118
Amarinus lacustris	346
Cancer novaezelandiae	190
Carcinoplax victoriensis	258
Cyclograpsus insularum	306
Cyclograpsus lavauxi	310
Cymonomus aequilonius	92
Cymonomus bathamae	88
Cyrtomaia lamellata	104
Ebalia laevis	94
Elamena longirostris	350
Elamena momona	352
Elamena producta	354
Eurynolambrus australis	124
Eurynome bituberculata	102
Halicarcinus cookii	358
Halicarcinus innominatus	362
Halicarcinus ovatus	366
Halicarcinus planatus	370
Halicarcinus tongi	374
Halicarcinus varius	376
Halicarcinus whitei	380
Halimena aoteoroa	384
Helice crassa	294
Hemigrapsus crenulatus	286
Hemigrapsus edwardsi	280
Heterozius rotundifrons	252
Homola orientalis	72

<i>Hymenosoma depressum</i>	386
<i>Jacquiniotia edwardsii</i>	176
<i>Latreillia australiensis</i>	76
<i>Leptograpsus variegatus</i>	266
<i>Leptomaia tuberculata</i>	128
<i>Leptomithrax australis</i>	148
<i>Leptomithrax garricki</i>	152
<i>Leptomithrax longimanus</i>	156
<i>Leptomithrax longipes</i>	160
<i>Leptomithrax tuberculatus mortenseni</i>	166
<i>Liocarcinus corrugatus</i>	216
<i>Lithodes longispina</i>	32
<i>Lithodes murrayi</i>	22
<i>Lyreidus tridentatus</i>	84
<i>Macrophthalmus hirtipes</i>	336
<i>Merocryptus lambriformis</i>	98
<i>Nectocarcinus antarcticus</i>	220
<i>Nectocarcinus bennetti</i>	224
<i>Neohymenicus pubescens</i>	390
<i>Neolithodes brodiei</i>	36
<i>Neommatocarcinus huttoni</i>	262
<i>Notomithrax minor</i>	134
<i>Notomithrax peronii</i>	138
<i>Notomithrax ursus</i>	142
<i>Ovalipes catharus</i>	200
<i>Ovalipes molleri</i>	210
<i>Ozius truncatus</i>	234
<i>Paralomis hystrix</i>	44
<i>Paralomis zelandica</i>	40
<i>Paromola petterdi</i>	78

Paromola spinimana	82
Petalomera wilsoni	68
Petrocheles spinosus	64
Petrolisthes elongatus	52
Petrolisthes novaezealandiae	60
Pilumnopeus serratifrons	240
Pilumnus lumpinus	244
Pilumnus novaezealandiae	248
Pinnotheres atrinocola	326
Pinnotheres novaezealandiae	330
Plagusia chabrus	272
Plagusia depressa tuberculata	276
Planes cyaneus	318
Planes marinus	322
Platymaia maoria	108
Porcellanopagurus edwardsi	484
Portunus pelagicus	212
Pteropeltarion novaezealandiae	184
Pyromaia tuberculata	112
Randallia pustulosa	100
Rochinia riversandersoni	122
Scylla serrata	228
Teratomaia richardsoni	170
Thacanophrys filholi	172
Trichopeltarion fantasticum	186
Trichoplatus huttoni	130

250
 251
 252
 253