

SERGESTES GLORIOSUS, n. sp.

### PLATE XXIVA.


# Sergestes bisulcatus, Wood-Mason.

- n.s. Lateral view of specimen, natural size, flagella of antennae wanting.
- a.s., prp. 3, 4, 5. Lateral view of anterior part of another specimen, enlarged about two diameters, showing parts of the flagella of the upper antennae, and relative extension forward of eyes, scale of second antenna, second and third maxillipeds, and the peraeopods.
- r. Rostrum highly magnified.
- prp. 1, 2. Terminal portions of first and second peraeopods, with the prehensile spines of the first, and the chela of the second still more highly magnified.

#### PLATE XXIVB.

### Acanthephyra batei, n. sp.

- n.s. Lateral view of specimen, natural size, flagellum of second antenna wanting.
- r. Rostrum magnified, lateral view.
- a.i. Second antenna magnified, without the flagellum; with apex of the scale more enlarged.
- prp. 1-5. The five pairs of peraeopods magnified, in their relative positions but the base and exopod shown only in prp. 5. The apical joints of the chelipeds also shown separately, to make clear the comparative length of the fingers.
- T., urp. Lateral view of telson and uropod magnified, and dorsal view of distal part of telson.



A. SERGESTES BISULCATUS, W. M. B. ACANTHEPHYRA BATEI, n. sp.

Del. T.R.R. Stebbing

### PLATE XXV.

# Pontophilus gracilis, Smith.

- n.s. Lateral view of a specimen, natural size.
- car. Lateral view of carapace, with eye, greatly magnified.
- T., urp. Dorsal view of telson, with figure of apex still more magnified; the uropods of one side in position, the inner ramus imperfect.
- a,s, a.i. First antenna, and part of second.
- m. Mandible, with distal portion more magnified.
- mx. 1, mxp. 2. First maxilla, and second maxilliped.
- prp. 1, 2, 3, 4. First four peraeopods, with more highly magnified portions of the second, third and fourth.
- plp. 1, 2. First and second pleopods, apex of retinaculum more highly magnified.